

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY
Bureau of Land and Water Resources

P. O. Box 10631
Jackson, MS 39289-0631
WATER WELL DRILLERS LOG

| | |
|--------------------------------------|-------|
| COUNTY WELL LOCATED Marion | |
| WELL NUMBER Φ 2026 | CODED |
| DATE WELL COMPLETED 4/8/92 | |

| |
|--|
| PERMIT NUMBER 0-402 |
| NAME OF DRILLING FIRM Tom Griffith |
| Water Well Inc. |

| | | |
|---|-----------|---------------|
| NAME & MAILING ADDRESS OF LANDOWNER Frances Morgan | | |
| 1340 Old Hwy. 35 S. | | |
| Foxworth, MS 39483 | | |
| WELL LOCATION: SEC | TOWNSHIP | RANGE |
| 7 | 2 | 18W |
| DISTANCE | DIRECTION | NEAREST TOWN |
| 1 1/2 Miles | E | Cheraw |
| OTHER LANDMARK | | |
| WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc. Home | | |

| | | |
|---|---------------|--------------------------------|
| PUMP DATA | | |
| PUMP TYPE (Circle One): Submersible , Turbine, Jet, Flowing Well, Other (Describe) | | |
| POWER TYPE (Circle One): Electric , Tractor, Diesel, Gasoline, Butane, Other (Describe) H/P 1/2 | | |
| Pump Capacity (GPM) 18 | No. of Stages | Setting Depth 40 FT. |
| PUMP TEST Well yielded 70 w/AIR GPM with a drawdown of _____ ft. after _____ hours of pumping | | |

| | | |
|---|------------------------------------|---|
| WELL DATA | | |
| Well Depth 100' | Casing Diameter (In.) 4" | Casing Length (Ft.) 80' |
| Type of Casing PVC | Hole Depth 100' | Depth to Static Water Level 15' |
| TYPE OF COMPLETION: (Circle One or More): Natural Development , Gravel Packed, Underreamed, Telescoped, Open Hole, Other | | |
| Top of Lap Pipe or Reduction in Casing FEET IF TELESCOPED OR MORE THAN ONE SCREEN: USE BACK PAGE | | |

| | |
|--|--|
| LOG DATA | |
| TYPE OF LOG RUN (Circle One): No Log Run , Electric, Gamma Ray, Density, Sonic, Neutron, Other (Describe) | |
| Name of Organization Running Log | |

| | | |
|--------------------------------|---|-----------------------------------|
| SCREEN DATA | | |
| Diameter - Inches 4" | Length - Feet 20' | Slot Size - Inches .010 |
| Screen Type PVC Slot | Depth to Bottom - Feet 80-100 | |

| | | | |
|--|---------------|----------------|--------------|
| GEOLOGIC DATA (Office Use Only) | | | |
| Surface Elev. | Geologic Unit | Unit Thickness | Depth to Top |
| Subs. SWL | Date | Analysis | Aquifer Test |
| Driller's Remarks sec 7 2N 18W | | | |

| DESCRIPTION OF FORMATIONS ENCOUNTERED | FROM | TO |
|---------------------------------------|-----------|------------|
| Clay | 1 | 8 |
| wash gravel | 8 | 35 |
| sand/gravel | 35 | 75 |
| gravel | 75 | 100 |
| | | |
| | | |
| | | |
| | | |
| | | |

| FORMATIONS (Continued) | FROM | TO |
|--|------|----|
| RECEIVED | | |
| DEC 30 1992 | | |
| Dept. of Environmental Quality Bureau of Land & Water Resources | | |
| IF MORE SPACE IS NEEDED, USE BACK | | |

