Stat	e Well Report				
County: Marion	Part 1				
Mississippi Depa	rtment of Environmental Quality Aquifer: and and Water Resources				
Permit #: Office of I	Land and Water Resources P.O. Box 10631 Well #:				
Driller: Gary Kay Oorn Jacks	son, MS 39289-0631 L. S. Elevation:				
	(601)961-5210 01)354-6938 (fax) E-log #:				
State Law requires that this report be prepared by 30 days of completion of drilling of the well.	by the driller in detail and filed with the Department within				
Well Owner Information	Well Location				
Owner Name D&D Dr. Iling	Latitude: $31 \cdot 04 \cdot 51$ "Longitude: $3^{\circ} \cdot 31 \cdot 55$ "				
Mailing Address: P.O. Box 1634	Method of Lat/Long (circle one): Conventional Survey,				
	USGS quad, Hand-held GPS, Survey-grade GPS				
Ferriday LA 71334 City State Zip Code	NE 14 NW 14 Sec / Twn / N Rng / M				
	Distance Direction Hearest Town Miles V of Day 1600118				
Telephone No. (318) 757 - 3274	Miles W of Day Terville				
	Well Data				
Purpose of Well (circle one) Home Industrial Public Su	upply Irrigation Fish Culture Other: R. C. Supply				
Purpose of Well (chele one) frome industrial rubbe se	618105				
Date well drilling started: 6805	· · · · · · · · · · · · · · · · · · ·				
If flowing, method of flow regulation: Valve	Other (describe)				
Static Water Level:feet above or below circl	e one) land surface Date measured: 6805				
Method of Measurement (circle one) steel tape electric	ric tape air line other:				
Hole depth: 170 Well depth: 170	Well grouted to a depth offeet				
Type of grout (circle one). Cement Bentonite	Mix				
Casing length: 150 feet Casing diameter: 4" inches Type of casing: PVC					
Screen length: 20 feet Screen diameter: 4" inches Type of screen: PVC					
Screen slot size: •0 20 inches Setting depth:	From 150 feet to 170 feet				
Type of completion (circle all applicable): Stavel packed Underreamed Telescoped Open hole Natural Development					
Other (describe)):				
Top of lap pipe or reduction in casing:fe	et If telescoped or more than one screen, describe on back of page				
Logs run (circle all applicable): No log run Electric Gam	ma Ray Density Sonic Neutron Other:				
Name of organization running log(s): I certify that the well was drilled, constructed, and complete	eted in accordance with all applicable requirements of the Mississippi				
Department of Environmental Quality and/or the Mississi					
Rayborn Drilling Inc O-	60 - 10				
Print Name of Water Well Contractor and License No.	Signature of Water Well Contractor				

Ground Level

/1 -	' /		
Description of Formations Encountered	From	То	
			•
Chalk	0	75	
		12:3	
Fine Sand	75	120	
nied Sand	120	140	
77 6 4 36 13	1		
Coarse Sand	1140	170	
	Part Park	<u> </u>	
	100	Jane	
	1 10	+	1
	نفال ا		2005
	DV.	-	
		Uż	WA
			, , ,
		1	
		<u> </u>	
		1	}

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well;
4) indicate direction.
2 + 10 0 N
Je vell
3 4.8 Baxterville
5 Gulf Comp
13/2
5

Signature of Water Well Contractor

Landowner Name:

STATE WELL REPORT

Part 2 County: Marion Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631

Print Name of Pump Installer and License No. (if applicable)

For Office Use Only:		
Aquifer:		
Well #: _	R-51	
Elevation	•	

Date completed: 6.8.05		(601)961-5210 (601)354-6938 (fax) Elevation:		
This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump.				
Well Owner Informatio	n	Well Location		
Owner Name: D+DDrill		Latitude: Longitude: JUN 2 4		
Mailing Address: P.O.Box 1634		Method of Lat/Long (circle one): Conventional Survey, Y		
		USGS quad, Hand-held GPS, Survey-grade GPS		
Ferriday Lf City State	71334 Zip Code	1414 Sec_ Twn [N Rng 17W		
	•	Distance Direction Nearest Town		
Telephone No. (318) 757 - 32 74		4 Miles W of Bafferville		
Pump Type Circle one		Power Type Circle one		
Air Lift Jet	Submersible	Diesel Engine Gasoline Engine Natural Gas		
Bucket Piston	Turbine	Electric Motor Hand Tractor PTO		
Centrifugal Rotary	Flowing Well	Windmill Other (specify):		
Other (specify):	·	Horse Power Rating of Motor:		
Date Pump Installed: 6-8-05		Setting Depth: 126 feet		
Rated Pump Capacity:C	Gallons Per Minute	Number of Stages: 13		
Pump Test Data		Method of Measuring Water Level		
Date Well Tested:		Circle one		
Static Water Level (A): 75 Feet Below Land Surface		Air Line Electric Measuring Line Steel Tape		
Pumping Water Level (B):Feet Be	elow Land Surface	Other (specify):		
Drawdown [(B) – (A)]:Feet B	Selow Land Surface	For flowing well, measured shut in head:feet		
Test Pumping Rate: 60	Gallons Per Minute	Well yielded 60 GPM with a drawdown of		
Duration of Pump Test (minimum 4 hours): _	hours	feet afterhours of pumping		
I HEREBY CERTIFY that the above statement		f my knowledge.		
Rayborn Drilling In	C 0-60	2/		

Signature Pump Installer