State W	ell Report	For Office Use Only:
	art 1	
	t of Environmental Quality	Aquifer:
	nd Water Resources Box 10631	Well #: R-62
Driller: Gary Rayborn Jackson, M	IS 39289-0631	L. S. Elevation:
Date drilling completed: $2 - 20 - 07$ (601)	961-5210	77 1 #r
(601)35	4-6938 (fax)	E-log #:
State Law requires that this report be prepared by the 30 days of completion of drilling of the well.	driller in detail and filed w	with the Department within
Well Owner Information	Wel	l Location
Owner Name D+D Drilling Inc	Latitude: <u>31 • 0 3 · 52</u>	" Longitude: <u>89 • 40 • 38</u> "
Mailing Address: P.O. Box 1634	Method of Lat/Long (circle o	ne): Conventional Survey,
	USGS quad, Hand-held	d GPS, Survey-grade GPS
Ferriday, LA 71334 City State Zip Code	5W 14 NG 14 Sec_ 11	Twn IN Rng 17W
Telephone No. (318) 757-1634	Distance Direction 7 Miles NW	of Baxerville
	•	
Well		
Purpose of Well (circle one) Home Industrial Public Supply	Irrigation Fish Culture	Other: Rig Supply
Date well drilling started: <u>2-20-07</u> Date	well drilling completed:	2-20-07
If flowing, method of flow regulation: Valve Other (	describe)	
Static Water Level: 45feet above on below (circle one)	land surface Date measured	2-20-07
Method of Measurement (circle one) steel tape electric tape	air line other:	·····
Hole depth: 160 Well depth: 160	_ Well grouted to a depth of	feet
Type of grout (circle one): Cement Bentonite Mix		N 12 0 1 200
	inches Type of casing:	PVC PVC
Casing longuitfoot Cusing diamotori		
Screen length: <u>20</u> feet Screen diameter: <u>4</u>	inches Type of screen:	FVC
Screen slot size: <u>1020</u> inches Setting depth: From	feet to	60 feet
Type of completion (circle all applicable): Gravel packed Under	prreamed Telescoped Ope	n hole Natural Development
Other (describe):		
Top of lap pipe or reduction in casing:feet. If t	telescoped or more than one so	creen, describe on back of page
Logs run (circle all applicable) No log run Electric Gamma Ra	y Density Sonic Neutron	Other:
Name of organization running log(s):		
I certify that the well was drilled, constructed, and completed in		
Department of Environmental Quality and/or the Mississippi De RAYBORN DRILLING, INC.	epartment of Health regulation	ns and state laws.
0-60		
Print Name of Water Well Contractor and License No.	Signature	of Water Well Contractor

R-62

If well telescopes please sketch below and show depths.

Ground Level

Description of Formations Encountered	From	To
chalk	0	30
Red sand E clay mix	30	30
Chalk	80	115
Chalk Fine Sand Med Sand	115	130
med sand	130	160
		+
		<u> </u>
		+
		+
		1

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) indicate direction.

Signature of Water Vell Contractor

County: <u>Marion</u> Permit #: Driller: <u>Gary Raybor</u> Date completed: <u>2-20-0</u> 7	Part 2 Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)		For Office Use Only: Aquifer: Well #: <u>R-62</u> Elevation:	
This report should be prepared by th installation of pump.			Il Location	
Well Owner Informa				
Owner Name: DtDDrillin			_ Longitude:	
Mailing Address: P.O. Box II Ferriday, L City State	A 71334 Zip Code	<u> </u>	d-held GPS, Survey-grade GPS <u>Twn</u> <u>I</u> Rng <u>I</u> <del>W</del> Nearest Town	
Telephone No. (318) 757 - 32	.74	<u>7</u> Miles <u>NW</u>	of Baxterville	
		Pe	ower Type	
Pump Type Circle one		1	Circle one	
Air Lift Jet	Submersible	Diesel Engine Gasol	ine Engine Natural Gas	
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO	
Centrifugal Rotary	Flowing Well		r (specify):	
Other (specify):		Horse Power Rating of Moto	or: <u>5</u>	
Date Pump Installed: <u>2-20</u>		Setting Depth:	4 Freet	
1 1 -	Gallons Per Minute	Number of Stages:	14 MAR 8 7 20	
Pump Test Dat	9	Method of M	leasuring Water Level	
Tump Tot Due			Circle one	
		Air Line Electric Measuring Line Steel Tape		
Date Well Tested: Static Water Level (A):45Fe				
Static Water Level (A): <u>45</u> Fe	eet Below Land Surface		easuring Line Steel Tape	
Static Water Level (A): <u>45</u> Fe Pumping Water Level (B):Fe	et Below Land Surface et Below Land Surface	Other (specify):		
Static Water Level (A): <u>45</u> Fe	eet Below Land Surface et Below Land Surface eet Below Land Surface	Other (specify): For flowing well, measured		

Print Name of Pump Installer and License No. (if applicable)

\*

۵

Signature of Pump Installer

.