<i></i>	State W	ell Report			
County: Marion		art 1	For Office Use Only:		
		t of Environmental Quality	Aquifer:		
Permit #: Driller: GaryRayborn	mit #: Office of Land an P.O. B		Well #:		
	Jackson, M	IS 39289-0631	L. S. Elevation:		
Date drilling completed: <u>11-13-0-1</u>	Date drilling completed: $\frac{11-13-07}{(601)!}$		E-log #:		
State Law requires that this report be prepared by the driller in detail and filed with the Department within 30 days of completion of drilling of the well.					
Well Owner Information		Well	Location		
Owner Name D+D Drilling, Inc,		Latitude: <u>31 • 03 · 10 </u> " Longitude: <u>89 • 40 · 21 </u> "			
Mailing Address: P.O. BOX 1634		Method of Lat/Long (circle one): Conventional Survey,			
		USGS quad, Hand-held GPS, Survey-grade GPS			
Ferriday LA 71334 City State Zip Code		<u>NE 14 NE 14 Sec 14 Twn / N Rng 17 W</u>			
Telephone No. (318) 757-3274		Distance Direction Nearest Town Miles of Daxerville			
	Well I	Data	a na ana ang ang ang ang ang ang ang ang		
Rissial					
Purpose of Well (circle one) Home Industrial Public Supply Irrigation Fish Culture Other: <u>MIS Supply</u> Date well drilling started: <u>11-12-07</u> Date well drilling completed: <u>11-13-07</u>					
If flowing, method of flow regulation: Val	ve Other (d	escribe)	<u> </u>		
Static Water Level: <u>901</u> feet above or below circle one) land surface Date measured: <u>11-13-07</u>					
Method of Measurement (circle one) steel tape electric tape air line other:					
Hole depth: 160' Well depth: 160' Well grouted to a depth of 10 feet					
Type of grout (circle one): Cement	Bentonite Mix		0		
Casing length: 140 feet Casing diameter: 4 inches Type of casing: PVC					
Screen length: <u>20</u> feet Screen diameter: <u>4</u> inches Type of screen: <u>PVC</u>					
Screen slot size: <u>•020</u> inches Setting depth: From <u>140</u> feet to <u>160</u> feet					
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development					
Other (describe):					
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on back of page					
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:					
Name of organization running log(s):					
I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi					
Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.					
RAYBORN DRILLING, INC.	0-61		CEIVED		
Print Name of Water Well Contractor and	License No.		Water Well Contractor		
BY: OLWR					


R-71

If well telescopes please sketch below and show depths.



Description of Formations Encountered	From	To
Red Clay	0	15
Sand WClay Strks	15	60
Sand	60	120
Charse Sand	120	160
	_	
	_	

If more than one screen, show location of each on sketch



STATE WELL REPORT Part 2 For Office Use Only:					
	s Completion Report				
Permit #: Office of Land a	and Water Resources				
Driller: Gary Rayborn Jackson, N	Box 10631 AS 39289-0631 Well #: <u><u><u>R</u>-71</u></u>				
Data completed: $1 - 13 - 07$ (601)	961-5210 4-6938 (fax) Elevation:				
This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump.					
Well Owner Information	Well Location				
Owner Name: D+D Drilling Inc	Latitude: Longitude:				
Mailing Address: P.O.Box 1634	Method of Lat/Long (circle one): Conventional Survey,				
	USGS quad, Hand-held GPS, Survey-grade GPS				
Ferriday LA 71334 City State Zip Code	<u>14</u> <u>14 Sec 14</u> Twn <u>IN</u> Rng 17W				
	Distance Direction Nearest Town				
Telephone No. 318 757-3274	_7_Miles_W_of_Baxterville_				
	P. 7				
Pump Type Circle one	Power Type Circle one				
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas				
Bucket Piston Turbine	Electric Motor Hand Tractor PTO				
Centrifugal Rotary Flowing Well	Windmill Other (specify):				
Other (specify):	Horse Power Rating of Motor:5HP				
Date Pump Installed: 11-13-07	Setting Depth:feet				
Rated Pump Capacity: Gallons Per Minute	Number of Stages: 1 4				
Pump Test Data	Method of Measuring Water Level				
Date Well Tested: 11-13-07	Circle one				
Static Water Level (A):Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape				
Pumping Water Level (B):Feet Below Land Surface	Other (specify):				
Drawdown [(B) – (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet				
Test Pumping Rate: Gallons Per Minute	Well yielded GPM with a drawdown of				
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping				
I HEREBY CERTIFY that the above statements are true to the best of my knowledge.					
Gary Rayborn 0.60					
Print Name of Pump Installer and License No. (if applicable) Signature of Pump Installer					

RECEIVED NOV 2 5 2007 BY: OLWR