County: Morshall	State Well Report Part 1 – Driller's Log	For Office Use Only:
Permit #:	Mississippi Department of Environmental Qu Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)	Well #:  L. S. Elevation:  E-log #:
State Law requires that this report Department at the above address Information on Well ( (Landowner if borehole is not for	t be prepared by the license holder responsib within 30 days of completion of drilling of th Owner Well	le for the work and filed with the

(Landowner if borehole is not for a water well)	34 51 820 80 42 201		
Owner Name Joe Moore	Latitude: 34 • 54 • 839 " Longitude: 89 • 43 • 394 "		
· ···	Method of Lat/Long (circle one): Conventional Survey,		
Mailing Address: 10 woodinew	USGS quad Hand-held GPS, Survey-grade GPS		
Bubalia Ms 38611	SW 1/4 pw 1/4 Sec 15 Twn 25 Rng 5w		
Byhalia Ms 38611 City State Zip Code	Distance Direction Nearest Town 31/2 Miles 5 w of Borton		
Telephone No. (662) 838 - 8576	STa Miles Sw of Borton		
Well / Bore			
Date drilling started: 12-6-07 Date drilling completed: 12-6-0	Hole depth: 140' Hole diameter: 63/4		
Location of the source of any surface water used for drilling:			
Method of dosing and volume of Chlorine used in drilling and devel	lopment: WH		
Logs run (circle all applicable) No log run Electric Gamma Ray Name of organization running log(s):			
Purpose of borehole (check one): Water WellGeotechnical/Geol-	ogical Investigation Ground Source Heat Pump		
Seismic Survey Other (describe  If drilling is not related to water well construction	e) n, skip the remainder of this block		
Purpose of Well (check one): Home / Industrial Public Supply	Irrigation Fish Culture Other:		
If a flowing well, method of flow regulation: ValveO	ther (describe)		
Static Water Level:feet above of below circle one) land surface Date measured: 12-18-07			
Method of Measurement (circle one) steel tape electric tape air line other: String weight			
Well depth: 140 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix			
Casing length: 130 feet Casing diameter: 4 inches Type of casing: pro			
Screen length: 10 feet Screen diameter: 1 inches Type of screen: $\rho \sim C$			
Screen slot size:inches Setting depth: From 130feet tofeet			
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development			
Other (describe):			
Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page			

Form: OLWR-SWR-1A

RECEIVED

JAN 07 2008

BY: OLWR

## The sketch below only required for water wells

If well	telescope	s, show	depths	on sketch.

Ground Level			

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered  Clay diff  white sand	From (depth)	To (depth)
clay dist.	Ground Level	30
white soud	30	140

If more than one screen, show location of each on sketch

Sketch the property layout and include the follo aid in locating the well; 3) any roa 4) a north arrow.	owing: 1) the well location; 2) any permanent structures on the property that may hads, power lines, or other items that may aid in locating the property and the well;
5	house
	J. Marines
Landowner Name: Joe Moore.	

Form: OLWR-SWR-1A

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state Mississippi Department of Environmental Signature of Licensee RECEIVED

laws.

Print Name of Responsible Licensee and License No.

JAN 07 2008

BY: OLWR

## STATE WELL REPORT

## County: Marshall Permit #:

## Part 2

Pump Installer's Completion Report Mississippi Department of Environmental Quality

For Office Use Only:		
Aquifer:		
Well #:	D-	122

Driller: James W- Moson		and Water Resources Box 10631	1 122		
Date completed: 12-18-07		1S 39289-0631	Well #:		
		961-5210 4-6938 (fax)	Elevation:		
Copy information from block on Part 1	` ′	` '			
This part of the report must be completed report must be attached and both parts fil	by a licensed water well of ed with the Department a	contractor or a licensed pump in t the above address within 30 da	istaller. A copy of Part I of the ivs of well completion.		
Well Owner Informati			Location		
Owner Name: Joe Moore		Latitude: 34.54,839 Longitude: 89,43,394			
Mailing Address: 170 wood	يرروس	Method of Lat/Long (check on	Method of Lat/Long (check one): Conventional Survey,		
		USGS quad, Hand-held GPS, Survey-grade GPS			
Byrolia Ms City State	38611	5w 4 Nw 4 Sec 15	<u>T OS R 5い</u>		
Cîty State	Zip Code	Distance Direction Nearest Town			
Telephone No. (662) 838-8576		3112 Miles Sw of	Borton		
Pump Type Circle one		Power Type Circle one			
Air Lift Jet	Submersible	Diesel Engine Gasolin	e Engine Natural Gas		
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO		
Centrifugal Rotary	Flowing Well	Windmill Other (	specify):		
Other (specify):		Horse Power Rating of Motor:	81 hp-		
Date Pump Installed: 12-18-07		Setting Depth: 100	<u>feet</u>		
Rated Pump Capacity: Gallons Per Minute		Number of Stages:	<u> </u>		
Pump Test Data		Method of Me	asuring Water Level		
			ircle one		
Date Well Tested: 12-18-07		Air Line Electric Mea	suring Line Steel Tape		
Static Water Level (A):Feet Below Land Surface		Other (specify): 5tring			
Pumping Water Level (B): Feet Below Land Surface					
Drawdown [(B) – (A)]:Feet Below Land Surface		For flowing well, measured sh	nut in head:feet		
Test Pumping Rate:Gallons Per Minute		Well yielded 10	GPM with a drawdown of		
Duration of Pump Test (minimum 4 hours): 24 hours		feet after _	hours of pumping		
I HEREBY CERTIFY that the above states	ments are true to the best of	of my knowledge.			
Jones W-Mason O-6	20	() 1/10			

Print Name of Pump Installer and License No. (if applicable)

/ Signature of Pump Installer

Form: OLWR-SWR-1B

RECEIVED

JAN 07 2008

BY: OLWR