State V	Vell Report			
County: Mcrshall Part 1 -	Driller's Log	For Office Use Only:		
Mississippi Departme	ent of Environmental Quality	Aquifer:		
P.O	Office of Land and Water Resources P.O. Box 2309			
(004	on, MS 39225)961- 5210	L. S. Elevation:		
Date drilling completed: W. C. C. C. C.	61- 5228 (fax)	E-log #:		
State Law requires that this report be prepared by the li Department at the above address within 30 days of con				
Information on Well Owner		rehole Location		
(Landowner if borehole is not for a water well)	Latitude: 34 . 51 . 560	" Longitude: 89. 42,633,		
Owner Name Dervis Wotking	Method of Lat/Long (circle or	" Longitude: 89. 42.633, 41 ne): Conventional Survey,		
Mailing Address: 884 sed will a	USGS quad, Hand-held GPS, Survey-grade GPS			
	SE 1/4 SE 1/4 Sec 34			
Sylvalia My 38611 City State Zip Code	3W			
	Distance Direction Miles Nw			
Telephone No. <u>662</u>) 838-3343				
Well / Bor	ehole Data			
Date drilling started: 10-3-08 Date drilling completed: 10-3-0	Hole depth: 155	Hole diameter: 63/4		
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and deve	NA Flopment:			
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):				
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump				
Seismic Survey Other (describe) If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 100 feet above or below (direct one) land surface Date measured: 10-3-00				
Method of Measurement (circle one) steel tape electric tape air line other:				
Well depth: 15) Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 145 feet Casing diameter:inches Type of casing:				
Screen length: 10 feet Screen diameter: inches Type of screen:				
Screen slot size: OLO inches Setting depth: From 145 feet to 155 feet				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page				

Form: OLWR-SWR-1A (04/08)

RECEIVE

NOV 0 1 2008

BY: OLW F

The sketch	holow	only	ronuired	for	water wells
THE SKEICH	veiuw	omy	requireu	<u>IVI</u>	water wetts

If well telescopes, show depths on sketch.

Ground Level-

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
class diff	Ground Level	15
red said	15	38
white clay	38	76
white send.	76	155
	<u> </u>	

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any pe aid in locating the well; 3) any roads, power lines, or other items that 4) a north arrow.	ermanent structures on the property that may may aid in locating the property and the well;
177	
house	
2.	~
S Soll	
Landowner Name: Dennis wattins.	Form: OI WP-SWP-1A (04/08)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

	• •	•				,
laws.	- •~c	s <u>u</u>	~.Mc30~	0~620	10-30-00	Gran Man
						<i>1</i> /

Print Name of Responsible Licensee and License No.

Date

Signature of Licensee

NOV 0 1 2008

BY: OLWR

STATE WELL REPORT

Permit #: Driller: Joe; w-Meson Date completed: 10 - 3 - 0 P Copy information from block on Part 1

Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225
(601)961-5210

For Office Use Only:			
Aquifer:			
Well #:			

Jackson, MS 39225
(601)961-5210 (601)961-5228 (fax) Elevation:
nust be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the and both parts filed with the Department at the above address within 30 days of well completion.
Owner Information Well Location
Latitude: 34.51.560 Longitude: 89.42.633
Method of Lat/Long (check one): Conventional Survey,
USGS quad, Hand-held GPS, Survey-grade GPS
State Zip Code SE 4 Sec 34 T 25 R 5W
Distance Direction Nearest Town
838-3343
Pump Type Power Type
Circle one Circle one
Jet Submersible Diesel Engine Gasoline Engine Natural Gas
Piston Turbine Electric Motor Hand Tractor PTO
Rotary Flowing Well Windmill Other (specify):
Horse Power Rating of Motor: 314
Setting Depth: 136 feet
Gallons Per Minute Number of Stages: 8
Pump Test Data Method of Measuring Water Level
Circle one
Air Line Electric Measuring Line Steel Tape 100 Feet Below Land Surface
Feet Below Land Surface Other (specify): Other (
Feet Below Land Surface For flowing well, measured shut in head:feet
Gallons Per Minute Well yielded GPM with a drawdown of
inimum 4 hours): 24 hours feet after 24 hours of pumping
2 :

I HEREBY CERTIFY that the above statements are true to the best of	my knowledge.
Joses w. Misu 6-600	Jan v. Men
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer
	Form: OLWR-SMF=1(01#/08)/ [-[

NOV 0 1 2008