State W	ell Report	For Office Use Only:		
Part 1 - Driller's Log		Aquifer:		
Mississippi Department	i Mississippi i Jenarimeni oi Envirolinichtai Quanty i			
P.O. B	ox 10631	Well #: <u>E-131</u>		
Jackson, IVI	S 39289-0631 061-5210	L. S. Elevation:		
Date drilling completed: (601)354	-6938 (fax)	E-log #:		
State Law requires that this report be prepared by the lice	State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.			
Information on Well Owner	Well or Bo	renote Location		
(Landowner if borehole is not for a water well)	Latitude: 34 · 52 · 749	" Longitude: 89 . 36 , 204,"		
Owner Name Cassandro Riley	Method of Lat/Long (circle or	ne): Conventional Survey,		
Mailing Address: 86 W. Gaston		GPS, Survey-grade GPS		
	NE 1/SE 1/2 Sec 2	1/2 4 1 AS		
Bulantia MS 38611				
Byholia MS 38611 City State Zip Code	Distance Direction 3'14 Miles ~ E	Nearest Town		
Telephone No. 662838-3164	3 14 Miles 19 E	0		
Well / Bore	hole Data			
Date drilling started: 9-7-05 Date drilling completed: 9-7-	05 Hole depth: 140'	Hole diameter: 8''		
Location of the source of any surface water used for drilling:				
Logs run (circle all applicable): Vo log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):				
Purpose of borehole (check one): Water Well Geotechnical/Geo	logical Investigation Groun	d Source Heat Pump		
Seismic Survey Other (describ	e)	lock		
Seismic SurveyOuter (aestrib) If drilling is not related to water well construction	on, skip the remainaer of this e	Other		
Purpose of Well (check one): Home Industrial Public Suppl	y Irrigation Fish Culture	e Otner:		
If a flowing well, method of flow regulation: Valve	Other (describe)			
Static Water Level: 55feet above of below (circle one) land surface Date measured: 4-7-03				
Method of Measurement (circle one) steel tape electric tape air line other: 5 tring lweight				
Well depth: 140 Well grouted to a depth of 15 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 130 feet Casing diameter: 4 inches Type of casing: pcc				
Screen length: 10 feet Screen diameter: 4 inches Type of screen: poc				
Screen slot size:				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Top of lap pipe or reduction in casing:feet. If	telescoped or more than one so	reen, describe on next page Form: OLWR-SWR-1A		

RECEIVED

OCT 0 3 2005

The	skotch	helow	only	required	for	water	wells
ıne	snewn	veluw	oniv	requireu	ĮUT	water	weus

<u>If well telesco</u>	pes, show	depths or	sketch.
	•		

If well telescopes.	show depths on sketch.
Ground Level	

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
clay dist	Ground Level	10
while soud	(0	30
white clay	30	40
white soud	40	75
white clay	75	90
while soud	90	140
	ļ	ļ
		ļ
		ļ
		ļ
		ļ
		ļi
	-	ļl
	ļ	
		1
	ļ	
		ļ
		1

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the aid in locating the well; 3) any roads, power 4) a north arrow.	le well location; 2) any permanent structures on the property that may lines, or other items that may aid in locating the property and the well;
	∞ well
Monze	E
er's	5
Landowner Name: Cassandra Riley	Form: OLIMP SWP-1

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No.

RECEIVED

OCT 0 3 2005

BY: OLWR

STATE WELL REPORT Part 2 For Office Use Only: morshall Pump Installer's Completion Report Mississippi Department of Environmental Quality Aquifer: Permit #: Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 Date completed: 9-7-05 (601)961-5210 Elevation: (601)354-6938 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Latitude: 34, 53, 749 Longitude: 89, 36, 204 Owner Name: Method of Lat/Long (check one): Conventional Survey_____, Mailing Address: USGS quad____, Hand-held GPS___, Survey-grade GPS___ ME "SE " Sec 27 T 4W R 25 Direction Nearest Town 214 Miles NE of Victoria Telephone No. 662 838 - 316 Power Type Pump Type Circle one Circle one Natural Gas Gasoline Engine Diesel Engine Submersible Jet Air Lift Tractor PTO Hand Electric Motor Turbine Piston Bucket Other (specify): Windmill Flowing Well Rotary Centrifugal Horse Power Rating of Motor: ____ Other (specify): feet 100 Setting Depth: 9-7-05 Date Pump Installed: Number of Stages: 9 Gallons Per Minute Rated Pump Capacity: Method of Measuring Water Level Pump Test Data Circle one 0-7-05 Date Well Tested: Steel Tape Electric Measuring Line Air Line 55 string weight Feet Below Land Surface Static Water Level (A): Other (specify): Pumping Water Level (B): _ A Feet Below Land Surface For flowing well, measured shut in head: __ Feet Below Land Surface Drawdown [(B) - (A)]: _ GPM with a drawdown of Well yielded Gallons Per Minute Test Pumping Rate: hours of pumping feet after Duration of Pump Test (minimum 4 hours):

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

Print Name of Pump Installer and License No. (if applicable)

RECEIVED

Form: OLWR-SWR-1B

nature of Pump Installer

OCT 0 3 2005

BY: OLWR