State V	Vell Report			
	Driller's Log	For Office Use Only:		
Mississippi Departmen	nt of Environmental Quality	Aquifer: E 270		
Permit #: Office of Land	and Water Resources	Well #: <b>D</b> # #		
	Box 10631			
	MS 39289-0631 )961-5210	L. S. Elevation:		
		F-log #·		
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.				
Information on Well Owner	Well or Bo	rehole Location		
(Landowner if borehole is not for a water well)	Latitude: 34 . 53 . 299	" Langitude: 89.39 , 150"		
Owner Name Bubba Brown	18 18	"Longitude: 89°39 150" e): Conventional Survey,		
Mailing Address: 536 Bottle 1d.	·			
		GPS, Survey-grade GPS		
2	NW 1/2 NW 1/2 Sec 39	Twn 25 Rng 565		
Byholia MS 38611 City State Zip Code		44/ 1		
	Distance Direction  Miles NW	Nearest Town		
Telephone No. ( ( ) 734 - 7535		or <u>Oreror</u>		
Well / Bor	ehole Data			
Decidence of CASS Decidence	.C 1115			
Date drilling started: 6-4-06 Date drilling completed: 6-4-0	Hole depth: 190	Hole diameter: 6314		
Location of the source of any surface water used for drilling: NA  Method of dosing and volume of Chlorine used in drilling and development:				
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other:				
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump				
Seismic Survey Other (describe)				
If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): Home / Industrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 33 feet above of below (circle one) land surface Date measured: 6-14-06				
Method of Measurement (circle one) steel tape electric tape air line other: String lucis nt				
Well depth: Well grouted to a depth of feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 130 feet Casing diameter: 4 inches Type of casing:				
Screen length: 10 feet Screen diameter: 4 inches Type of screen: 000				
Screen slot size: inches Setting depth: From 130 feet to feet				
Type of completion (circle all applicable) Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				

Top of lap pipe or reduction in casing: PA. feet. If telescoped or more than one screen, describe on next page

RECEIVED

BY: OLWR



#### The sketch below only required for water wells

### If well telescopes, show depths on sketch.

Ground Level
--------------

#### Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
cley det	Ground Level	15
(ed sand	15	30
cultite soud	30	70
white clay	70	75
white clay	75	140
	1	1
	†	<del>                                     </del>
	1	
	1	

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.	
$\omega$	
2 Second	The second secon
Landowner Name: Bubbo Brown 3	
Form: OLWR-SWR	-1 <sub>A</sub>

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state Signature of Licensee

JUL 10 2006

Tows w. Moser 6-620 5-30-06

Print Name of Responsible Licensee and License No. Date

BY: OLWR

## STATE WELL REPORT

# County: Morshall Part 2 Pump Installer's Completion Report

For Office Use Only:	
Aquifer:	E270
Well #:	2-106
Elevation: _	

Driller: Janes w Mosar  Date completed: 6-14-06	Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631		Aquifer: E270 Well#:	
Copy information from block on Part 1	(601)961-5210 (601)354-6938 (fax)		Elevation:	
This part of the report must be completed	contractor or a licensed pump in	staller. A copy of Part 1 of the		
Well Owner Informat	rts filed with the Department at the above address within 30 days of well completion.  Well Location			
Owner Name: Bubba Brown.	Latitude: 34.53.39 Longitude: 89.39.150			
Mailing Address: 536 Bottle			e): Conventional Survey,	
	USGS quad, Hand-held (		GPS, Survey-grade GPS	
Byholia MS City State	3861 Zip Code	Distance Direction Nearest Town		
Telephone No. (901) 734 ~ 75	92	3 Miles NW of victoria		
Pump Type Circle one		Power Type Circle one		
Air Lift Jet (	Submersible	Diesel Engine Gasolin	e Engine Natural Gas	
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO	
Centrifugal Rotary	Flowing Well	Windmill Other (	specify):	
Other (specify):		Horse Power Rating of Motor: 3/4		
Date Pump Installed: 6-14-06	Date Pump Installed: 60 feet		<u>O</u> feet	
Rated Pump Capacity: 12	_Gallons Per Minute	Number of Stages:	<u>(                                    </u>	
Pump Test Data			asuring Water Level ircle one	
Date Well Tested: 6-14-06  Static Water Level (A): 33 Feet		Air Line Electric Mea	suring Line Steel Tape	
Pumping Water Level (B): NA Feet		Other (specify): String (weight		
Drawdown [(B) − (A)]: A Feet	Below Land Surface	For flowing well, measured sh	nut in head: $\mu A$ feet	
Test Pumping Rate:	Gallons Per Minute Well yielded GPM with a drawdown of			
Duration of Pump Test (minimum 4 hours)	: <u>Ə</u> 4hours	feet after _	hours of pumping	
I HEDERY CERTIFY that the above states	ments are true to the hest o	of my knowledge		

Print Name of Pump Installer and License No. (if applicable) Signature of Pump Installer

> JUL 1 0 2006 BY: OLWR