State W	ell Report				
County: Danfell Part 1 - D	Priller's Log				
County: Mississippi Departmen	t of Environmental Quality Aquifer:				
	and Water Resources Well #: 6-85				
no 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	30x 10631				
	1S 39289-0631 L. S. Elevation:				
	961-5210				
(601)354	4-6938 (fax) E-log #:				
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.					
Information on Well Owner	Well or Borehole Location				
(Landowner if borehole is not for a water well)	Latitude:°' Longitude:°'"				
Owner Name Joseph Smith	Latitude:Longitude:				
Mailing Address: 9235 Plantation	Method of Lat/Long (circle one): Conventional Survey,				
Lake Drive	USGS quad, Hand-held GPS, Survey-grade GPS				
Olin Branch mr. 38654					
City State Zip Code	Distance Direction Nearest Town 3/4 Miles South of Slagler				
Telephone No. (901) 619 710-5	JUN 17 2				
Well / Borehole Data					
Date drilling started: 6-3-05 Date drilling completed: 6-3-05 Hole depth: 175 Hole diameter: 8 mg					
Location of the source of any surface water used for drilling: Well Woter Method of dosing and volume of Chlorine used in drilling and development: 2 fol Blanch Par 1000 fol of Walter					
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):					
Purpose of borehole (check one): Water Well Monthsquare Geotechnical/Geological Investigation Ground Source Heat Pump					
Seismic Survey Other (describe)					
Purpose of Well (check one): Home X Industrial Public Supply Irrigation Fish Culture Other:					
If a flowing well, method of flow regulation: Valve Other (describe)					
Static Water Level: 1/5 feet above on below (circle one) land surface Date measured: 6-6-65					
Method of Measurement (circle one) steel tape electric tape					
Well depth: 175 Well grouted to a depth of 16 feet Type of grout (circle one) Neat Cement Bentonite Mix					
Casing length: 165 feet Casing diameter: 4 inches Type of casing: 165					
Screen length: / O feet Screen diameter: 4 inches Type of screen:					
Screen slot size: . 0 / 3 inches Setting depth: From / 65 feet to / 75 feet					
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development					

Other (describe):

Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page

Form: OLWR-SWR-1A

The sketch below only required for water wells

If well telescopes, show depths on sketch. Ground LevelDescription of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	Γο (depth)
	Ground Level	
Surfer Soil	0	Zo
000		
ned Red Sand	26	42
ned White Sort	42	80
2.1.0		
while clay	80	105
2 9		
Thet White Soul	115	130
White coose Sal	130	175
		<u> </u>
	<u> </u>	
		ļ
		
		
		ļ
		ļ
t	<u> </u>	
		- m.

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location: 2) any permanent structures on the property that may 177 200
Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.
and in locating the went, 5) any loads, power lines, or other nems that may aid in locating the property and the went, 5) any loads, power lines, or other nems that may aid in locating the property and the went, 5) any loads, power lines, or other nems that may aid in locating the property and the went, 5) any loads, power lines, or other nems that may aid in locating the property and the went, 5) any loads, power lines, or other nems that may aid in locating the property and the went, 5) any loads, power lines, or other nems that may aid in locating the property and the went, 5) any loads, power lines, or other nems that may aid in locating the property and the went, 5) and 10 a
4) a north arrow.
Chineles 1
House
1 Sintherely I be Property
1 Well I
13
1
, 71
South Slogles Rd
· · · · · · · · · · · · · · · · · · ·
1 00 - H
Landowner Name:

Form: OLWR-SWR-1A I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

LARRY CARPENTER 6-16-05

Print Name of Responsible Licensee and License No.

STATE WELL REPORT				
County: Norshall	P	art 2	For Office Use Only	
	Pump Installer's	s Completion Report	For Office Use Only:	- 1
Permit #: 0 - 16 2	Mississippi Departmer	nt of Environmental Quality	Aquifer:	1
PC	Office of Land	and Water Resources		[
Driller: Long Caparte		Box 10631	Well #: 6 - 85	
Date completed: 6-6.05	•	AS 39289-0631	Well#: D JU	
Date completed: 20 20 20	• • • • • • • • • • • • • • • • • • • •	961-5210	Elevation:	
Copy information from block on Part 1	(601)35	4-6938 (fax)		
			restaller A comp of Part 1 of the	
This part of the report must be completed be report must be attached and both parts file.	y a ucensea water well	contractor or a acensea pump to	isitater. A copy of Furt Follow The of well completion	
report must be attached and both parts file Well Owner Informati		Well	Location	
	4	1762	Location	
Owner Name: 25H 5m	H	Latitude:	Longitude:	
			-	
Mailing Address: 9235 Mark	lion	Method of Lat/Long (check on	e): Conventional Survey,	
Loke Sher	4.	1		1
Lobe Stur		USGS quad, Hand-held	GPS, Survey-grade GPS	_
			A = 2 C = 411	
Pline Brosch me.	38634	¼ ¼ Sec_2 d	TLORLW	,
City State	Zip Code	Distance Discosting	Nearest Town	
		Distance Direction		11274
Telephone No. (901) 6 19 - 7	7/05	3/2 Miles South of	Slaglentie	レニア
l'elephone No. (707)	-	Vines Of the or	lin	Survey Sand
		<u> </u>	JUN	117 200E
Pump Type		Por	wer Type	
Circle one		•	ircle one	Ollins
				O T W H
Air Lift Jet	Submersible	Diesel Engine Gasolin	e Engine Natural Gas	
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO	•
Centrifugal Rotary	Flowing Well	Windmill Other (specify):	
Other (consider)		Horse Power Rating of Motor:	3/4	
Other (specify):				İ
Date Pump Installed: 6-6-05 Setting Depth: 140 feet				
Rated Pump Capacity:	Gallons Per Minute	Number of Stages:/	٤	
Rated I minb Capacity.		14umoci of Stages.		
		· L		
Pump Test Data		Method of Me	asuring Water Level	
•			ircle one	
Date Well Tested:	····			
110		Air Line Electric Mea	suring Line Steel Tape	'
Static Water Level (A): // 5 Feet I	Below Land Surface	Other (marife)		
Pumping Water Level (B): 122 Feet B	Below Land Surface	Other (specify):		
Drawdown [(B) - (A)]:	Below Land Surface	For flowing well, measured sh	ut in head:feet	
Test Pumping Rate:		Well yielded /	GPM with a drawdown of	
Duration of Pump Test (minimum 4 hours):	4 hours	feet after	hours of pumping	;
				
LUCDEDY CERTIFY should be about advanced and declarate and				
I HEREBY CERTIFY that the above statements are true to the best of my knowledge?				
LARRY CARPENTER O-162 Long Conjecte				
Print Name of Pump Installer and License No. (if applicable) Signature of Pump Installer				
Form: OLWR-SWR-1B				