State W	ell Report		
State Well Report		For Office Use Only:	
County: Micciccinni Denartmen	Part 1 – Driller's Log Mississippi Department of Environmental Quality		
	and Water Resources	Aquifer:	
	Box 10631	Well#: 6 119	
1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	IS 39289-0631	L. S. Elevation:	
	961-5210	T 1 #-	
(601)33	4-6938 (fax)	E-log #:	
State Law requires that this report be prepared by the lic Department at the above address within 30 days of comp			
Information on Well Owner	Well or Bo	rehole Location	
(Landowner if borehole is not for a water well)	Latitude: 34 • 55 • 59	" Longitude:89 • 26 , 2k"	
Owner Name For Early			
Mailing Address: 328 South Slage Rel.	Method of Lat/Long (circle or	e): Conventional Survey,	
	•	GPS, Survey-grade GPS	
Long 38649	5W45W4 Sec_5	Twn 25 Rng 2 W	
Zona 7-2, 38449 City State Zip Code	Distance Direction	Nearest Town	
Telephone No. (90/) 870 - 6209	Distance Direction Miles South	of Slay lan	
Telephone No. (70/) 0 7 2 2 7		_	
Well / Bore	hole Data		
Date drilling started: 9-/207 Date drilling completed: 9-/2-	67 Hole denth: 265	Hole diameter:	
			
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and development: 12 PH Charia to 1000 Dol Wolfe			
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:			
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump Seismic Survey Other (describe)			
Seismic Survey Other (describe)			
If drilling is not related to water well construction, skip the remainder of this block			
Purpose of Well (check one): Home / Industrial Public Supply Irrigation Fish Culture Other			
Purpose of Well (check one): Home / Industrial Public Supply Irrigation Fish Culture Other Other Other (describe)			
Static Water Level:/4 feet above or below (circle one) land surface Date measured:/3_67			
Method of Measurement (circle one) (steel tape) electric tape air line other:			
Well depth: 205 Well grouted to a depth of 10 feet Type of grout (circle one) Neat Cement Bentonite Mix			
Casing length: 190 feet Casing diameter: 4 inches Type of casing: PVC			
Screen length: 15 feet Screen diameter: 4 inches Type of screen: PVC			
Screen slot size: 0/3 inches Setting depth: From 190 feet to 205 feet			
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development			
Other (describe):			
Top of lap pipe or reduction in casing: feet. If tel	escoped or more than one scree	en, describe on next page	

The sketch below only required for water wells

<u>if well telescopes, show dept</u>	hs on sketch.
Ground Level	
&	I

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

From (depth)	To (depth)
Ground Level	
0	21
<u> </u>	
21	44
44	8.5
L	
82	110
4.6.	166
1//	150
 	
1 / 30	170
171	205
1 / / 0	1 2 0 0
 	
 	
	
†	
†	<u> </u>
	Ground Level

If more than one screen, show location of each on sketch

Sketch the property layout and include the aid in locating the well; 3) at 4) a north arrow.	ny roads, power li	may aid in locating the pro	
House Well Landowner Name:	Salg	Drivery hopeity	RECEIVED OCT 12 2007 BY: OLWA
		 	Form: OLWR-SWR-1A

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

LARRY CARPERTER 9-26-07

Print Name of Responsible Licensee and License No.

STATE WELL REPORT Part 2

County: Marsfell Permit #: 6-162 Driller: Lang Caysette Date completed: 9-13-07

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources

P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)

For Office Use Only:	
Aquifer:	
Well #: 6-114	
Elevation:	_

Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Location Owner Name: Low Zady Latitude: Longitude: Mailing Address: 3 280 South Slander Method of Lat/Long (check one): Conventional Survey, USGS quad , Hand-held GPS___, Survey-grade GPS___ City State Zip Code __¼___¼ Sec 5 T 25 R Z 4 Distance Direction Nearest Town Telephone No. (901) 870 - 6209 Miles South of Slayler. Pump Type **Power Type** Circle one Circle one Air Lift Submersible Diesel Engine Jet Gasoline Engine **Natural Gas** (Electric Motor Bucket Piston Turbine Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify): __ Other (specify): Date Pump Installed: 9-13-67 Rated Pump Capacity: 20 Gallons Per Minute Number of Stages: Pump Test Data Method of Measuring Water Level Circle one Date Well Tested: 9-13-07 Air Line Steel Tape Electric Measuring Line Static Water Level (A): / 4 5 Feet Below Land Surface Other (specify): Pumping Water Level (B): / 5 6 Feet Below Land Surface Drawdown [(B) – (A)]: Feet Below Land Surface For flowing well, measured shut in head: ______feet Well yielded 25 GPM with a drawdown of Test Pumping Rate: 2 - Gallons Per Minute 5 feet after 4 hours of pumping Duration of Pump Test (minimum 4 hours): 4 hours

I HEREBY CERTIFY that the above statements are true to the best o	f my knowledge.	
LARRY CARPENTER 6-162	Lang Conserter	
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer	

Form: OLWR-SWR-1B