State W	ell Report	For Office Use Only:	
County: Marshall Part 1-1	_ ,		
Mississinni Jenartmer	nt of Environmental Quality	Aquifer: 6 13 0	
Jane V. Belle.	Permit #: O-160 Office of Land and Water Resources		
Driller: Jarry Carpenter P.O. Box 10631 Jackson MS 39289-0631		Well #: L. S. Elevation:	
1 O A T T T			
	4-6938 (fax)	E-log #:	
	()		
State Law requires that this report be prepared by the lic Department at the above address within 30 days of com			
Information on Well Owner		rehole Location	
(Landowner if borehole is not for a water well)			
Owner Name_ Richard Easley	Latitude: 59 ° 50 ' 90	" Longitude: 89 ° 26 ', 08 "	
Mailing Address: 2415 Husy 72	Method of Lat/Long (circle or	e): Conventional Survey,	
	USGS quad, Hand-held GPS, Survey-grade GPS		
Lawar MS 38642 City State Zip Code	NE 1/2 NW 1/4 Sec_ 5		
	Distance Direction	Nearest Town of Slayden	
Telephone No. (901) 485 - 8600		23344	
Well / Bore	hole Data		
Date drilling started: 2 27.10 Date drilling completed: 2-27.	-14 Hole depth: 280'	Hole diameter:	
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and development: Yz Pl. Chlorine to 1000 Hel-Well			
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):			
Purpose of borehole (check one): Water Well_X Geotechnical/Geole	ogical Investigation Ground	Source Heat Pump	
Seismic SurveyOther (describe			
If drilling is not related to water well construction	n, skip the remainder of this blo	ock	
Purpose of Well (check one): Home Industrial _ Public Supply	Irrigation Fish Culture	Other:	
If a flowing well, method of flow regulation: Valve Other (describe)			
Static Water Level: 126 feet above of below (circle one) land surface Date measured: 22710			
Method of Measurement (circle one) steel tape electric tape air line other:			
Well depth: 200 Well grouted to a depth of 10 feet Type of grout (circle one) Neat Cement Bentonite Mix			
Casing length: / 80 feet Casing diameter:			
Screen length: Zo feet Screen diameter: 4 inches Type of screen:			
Screen slot size: . 0 / 3 inches Setting depth: From / 80 feet to 200 feet			
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development			
Other (describe):			

feet. If telescoped or more than one screen, describe on next page

Top of lap pipe or reduction in casing: __

HAND ZON HANDOLER

The sketch below only required for water wells

If well telescopes, show depths on sketch. Ground Level

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
Surface Soil	0	25
nel Rel Sort	25	46
med While Sort	, ,	74
ned. While Sort	46	/
Jin White Sand	76	110
White Clay	//0	126
net white Soul	126	160
per a per gen	1	
Course White South	160	200
	 	

If more than one screen, show location of each on sketch

LARRY CARPENTER 6-162 3-10-10

Print Name of Responsible Licensee and License No.

Sketch the property layout and include the faid in locating the well; 3) any 4) a north arrow.	ollowing: 1) the well location; 2) any permanent structures on the property that may roads, power lines, or other items that may aid in locating the property and the well;
	House 12 Reputy
Landowner Name: Rappa Cu.	ton Hones
	Form: OLWR-SWR, constructed, and completed in accordance with all applicable requirements of the

Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicants, and shade

STATE WELL REPORT

County: Marshall Date completed: 2-27-10

Part 2

Pump Installer's Completion Report

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210

For Office Use Only:		
Aquifer:	/2 l'	30
Well #:		
Elevation: _		

(601)354-6938 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Location Latitude: Longitude: Mailing Address: 4326 Hwy 178 Method of Lat/Long (check one): Conventional Survey USGS quad . Hand-held GPS ... Survey-grade GPS Direction Nearest Town Distance 1/4 Miles Fast of Slauden Telephone No. 662 252 - 2114 Power Type Pump Type Circle one Circle one Submersible Diesel Engine Gasoline Engine **Natural Gas** Air Lift Jet Tractor PTO Electric Motor Hand Piston Turbine Bucket Flowing Well Windmill Other (specify): Centrifugal Rotary Horse Power Rating of Motor: Other (specify): 3-27-10 Date Pump Installed: Setting Depth: Rated Pump Capacity: 20 Gallons Per Minute Number of Stages: / 4

Pump Test Data	Method of Measuring Water Level Circle one	
Date Well Tested: 2 - 2 7 - 1 o Static Water Level (A): 1 2 0 Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape Other (specify):	
Pumping Water Level (B): / 3 6 Feet Below Land Surface Drawdown [(B) - (A)]: / 6 Feet Below Land Surface	For flowing well, measured shut in head:feet	
Test Pumping Rate: Gallons Per Minute Duration of Pump Test (minimum 4 hours): hours	Well yielded 2 5 GPM with a drawdown of hours of pumping	
	And lead the little	

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

LARRY CARPENTER 6-162
Print Name of Pump Installer and License No. (if applicable)

Signature of Pump Installer