State Well Report			
County: Mars hall	Part 1 – Driller's Log		For Office Use Only:
Permit #:	Mississippi Department of Environmental Quality		Aquifer:
	Office of Land and Water Resources		Well #: H- 266
Driller: Doves W. Mosow.	P.O. Box 10631 Jackson, MS 39289-0631		L. S. Elevation:
Date drilling completed: 4-12-06		961-5210	
- Wat 11	(601)354	4-6938 (fax)	E-log #:
State Law requires that this report Department at the above address			
Information on Well C		Well or Bo	rehole Location
(Landowner if borehole is not fo	ŕ	Latitude: 34 . 48 . 682	" Longitude: 89 . 42 , 636"
Owner Name Joson Moor	<u>e                                     </u>	41	38
Mailing Address: 589 Show	wher Name 5000 Moore.  ailing Address: 589 Shownok 1000  Method of Lat/Long (circle one): Conventional Survey,		_
LOT 55	•		GPS Survey-grade GPS
B. J. J.	2811	56 30 W NE 1/ Sec 30	V <sub>Twn</sub> 35 Rng 5w
Byhalia N City Sta	te Zip Code	SE Distance Direction	Nearest Town
Telephone No. (901) 497-63		112 Miles Now	of woton
Telephone No. (701)			
	Well / Bore	hole Data	
Date drilling started: 4-12-06 Date dri	illing completed: 4-12-	06 Hole depth: 135'	Hole diameter: 63/4
Location of the source of any surface water	er used for drilling.	A	
Method of dosing and volume of Chlorine	e used in drilling and devel	opment: N/	
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s): NA			
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump			
Seismic S  If drilling is not related	SurveyOther (describe) to water_well construction	) n, skip the remainder of this blo	ock
Purpose of Well (check one): HomeI			
	_		Other:
If a flowing well, method of flow regulation: Valve Other (describe)			
Static Water Level: 55 feet above rebelow circle one) land surface Date measured: 4-13-06			
Method of Measurement (circle one) steel tape electric tape air line other: String weight			
Well depth: 135 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix			
Casing length: 115 feet Casing diameter: 4 inches Type of casing: poc			
Screen length: 10 feet Screen diameter: 10 inches Type of screen: $\rho \sim c$			
Screen slot size: OIO inches Setting depth: From 115 feet to 125 feet			
Type of completion (circle all applicable) Gravel packed Underreamed Telescoped Open hole Natural Development			
Other (describe):			
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page			

Form: OLWR-SWR-1A

The sketch below only	required fo	r water wells

## If well telescopes, show depths on sketch.

Ground Level-

## Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
clay dirt.	Ground Level	25
white soud	92	50
white clar	50	70
white soud	70	125
		1
		<del>                                     </del>
	<del> </del>	1
		-
	<u> </u>	

If more than one screen, show location of each on sketch

Sketch the	property layout and include the following: 1) the well locati- aid in locating the well; 3) any roads, power lines, or other 4) a north arrow.	on; 2) any permanent structures on the par items that may aid in locating the prop	roperty that may perty and the well;
8	Louse		~
Landowner	Name: Joson Moore	رما (۱۲) معدار	·

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

laws. Print Name of Responsible Licensee and License No.

> RECEIVED MAY 1 1 2006 BY: OLWR

## STATE WELL REPORT

# County: Morshall Permit #:

# Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality Office of Land and Water Resources

For Office Use Only:		
Aquifer:		
Well #: _	H-266	
Elevation:		

Driller: Janes W. N Osen	P.O. Box 10631 Jackson, MS 39289-0631		Well #: H-266
Date completed: 4-13-06		961-5210	
Copy information from block on Part 1	(601)35	4-6938 (fax)	Elevation:
This part of the report must be completed report must be attached and both parts file			
Well Owner Informat	ion	Well	Location
Owner Name: Jason Moore		Latitude: 34.48.682	Longitude: 89.42.636
Mailing Address: 582 Shaara	mt 1000	Latitude: 34.48.683 Longitude: 89.42.636  Method of Lat/Long (check one): Conventional Survey,	
Mailing Address: 582 Shannok (oop			,
<u> </u>		USGS quad, Hand-held GPS, Survey-grade GPS	
Byhalia Ms 38611 City State Zin Code		<u>5ω μρε μ Sec 22 τ 35 R 5ω</u>	
5.1,	2.p 00 <b>00</b>	Distance Direction Nearest Town	
Telephone No. (901) 497-6320		112 Miles NW of wotson	
Pump Type		Doy	you Type
Circle one		Power Type Circle one	
Air Lift Jet (	Submersible	Diesel Engine Gasolin	e Engine Natural Gas
Bucket Piston	Turbine (	Electric Motor Hand	Tractor PTO
Centrifugal Rotary	Flowing Well	Windmill Other (	specify):
Other (specify):		Horse Power Rating of Motor: 3/4	
Date Pump Installed: 4-13-06		Setting Depth: 80 feet	
Rated Pump Capacity: Gallons Per Minute		Number of Stages: [ [	
Pump Test Data		Method of Me	asuring Water Level
<u> </u>			rcle one
Date Well Tested: 4-13-06		Air Line Electric Meas	suring Line Steel Tape
Static Water Level (A):Feet Below Land Surface		Other (specify): 5tring	lineight
Pumping Water Level (B): A Feet Below Land Surface		(absory),	<u> </u>
Drawdown [(B) – (A)]:		For flowing well, measured sh	ut in head: NA feet
Test Pumping Rate: Gallons Per Minute		Well yielded [2	_GPM with a drawdown of
Duration of Pump Test (minimum 4 hours): 24 hours			Hours of pumping

I HEREBY CERTIFY that the above statements are true to the best of	f my knowledge.
Jones w. Moson	Jose w. Man.
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer
	Form: OLWD-CHIP & DE

MAY 1 1 2006

BY: OLWR