	State W	Jall Danawt		
00 0-1 11		Vell Report Driller's Log	For Office Use Only:	
County: Mokshall		nt of Environmental Quality	Aquifer:	
Permit #:	Office of Land	and Water Resources	Well #: #-307	
Driller: Jones w. Mason		Box 10631	• -	
Date drilling completed: (- 33-07		AS 39289-0631 961-5210	L. S. Elevation:	
Date drilling completed.		4-6938 (fax)	E-log #:	
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.				
Information on Well			rehole Location	
(Landowner if borehole is not f	for a water well)	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	" 1: 43 °40 '3)3 "	
Owner Name Homes Swee	+ Holnes.	Latitude: 3 1 9 1 00 E	Conventional Survey, 22	
Lot 139		Method of Lat/Long (circle or	e): Conventional Survey,	
Mailing Address: dudley drive				
Moores Plan	<u>station</u>	SE 1/ NA 1/ Sec 13	Twn 35 Rng 5w	
Byhalia ~	15 38 B 11	INF. CE		
City State Zip Code Distance Direction Nearest Town				
Telephone No. <u>(401)</u> 488-23	297		51 <u></u>	
	Well / Bore	ehole Data		
Date drilling started: 6' 32-07 Date drilling completed: 6-33-07 Hole depth: 140' Hole diameter: 63/4				
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and development:				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):				
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump				
Seismic Survey Other (describe)				
Purpose of Well (check one): Home / Industrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 50 feet al	bove or below (pircle one)	land surface Date measured:_	6-36-07	
Method of Measurement (circle one) steel tape electric tape air line other: String lueight				
	Well depth: 140 Well grouted to a depth of () feet Type of grout (circle one): Neat Cement Bentonite Mix			
Well depth: 140 Well grouted to a decay Casing length: 130 feet Casi Screen length: 16 feet Screen	ng diameter:	inches Type of casing:	puc	

Setting depth: From 130 feet to 140 feet

feet. If telescoped or more than one screen, describe on next page


Type of completion (circle all applicable) Gravel packed Underreamed Telescoped Open hole Natural Development

Other (describe):

Screen slot size: _______inches

Top of lap pipe or reduction in casing:

Form: OLWR-SWR-1A



The sketch below only required for water wells

f well telescopes,	show	depths	on	sketch
Ground Level.		7		

<u>Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations</u>

Description of Formations Encountered	From (depth)	To (depth)
Clay dit.	Ground Level	18
Livile soud	18	30
white clay	30	20
while soud	50	140

If more than one screen, show location of each on sketch

Sketch the property layout and include t aid in locating the well; 3) 4) a north arrow.	any roads, power lines, or	cation; 2) any permanent structures of other items that may aid in locating t	n the property that may he property and the well;
T) a north arrow.	7		
ري	house	القس الم	E
	5	61	
Landowner Name:	weet Holnes.		
·			Form: OLWR-SWR-1/

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

James W. Moson 0-620 \$-20.07 Jens in Man		
	ar ii Tara Mai	2 ,
Print Name of Responsible Licensee and License No. Date Signature of Licensee	en eng	

B.Y CLWA

STATE WELL REPORT

Part 2

County: Marshall

Permit #: _

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources

For Office Use Only:
Aquifer:
1/ 0-0
Well #: # 30')
Elevation:

Driller: Jones W. Moson		Box 10631	11 200
Date completed: 6-36-07	,	IS 39289-0631	Well #: <u>H - 309</u>
Copy information from block on Part 1		961-5210 4-6938 (fax)	Elevation:
This part of the report must be completed to	h 13		staller A some of Bant 1 of the
report must be attached and both parts file			
Well Owner Informati			Location
Owner Name: Homes Sweet	Holmes	Latitude: 34.49.226	Longitude: 89. 40.373.
Mailing Address: dualey drive		Method of Lat/Long (check on	Longitude: 87.40.373 e): Conventional Survey
Moores Plan	tation	USGS quad, Hand-held	GPS, Survey-grade GPS
Byholio MS City State		SE 1/2 NW 1/4 Sec 13	5 _T 3s _R 5~
		Distance Direction	Nearest Town
Telephone No. (901) 488 - 22	297	12 Miles 5 of	Morsow
Pump Type Circle one		1	ver Type rele one
Air Lift Jet	Submersible	Diesel Engine Gasolin	e Engine Natural Gas
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO
Centrifugal Rotary	Flowing Well	Windmill Other (s	specify):
Other (specify):		Horse Power Rating of Motor:	3/4
Date Pump Installed: 6-36-07		Setting Depth:	80feet
Rated Pump Capacity:	Gallons Per Minute	Number of Stages:	1 (
Pump Test Data		Mathad of Ma	aguring Water Level
			asuring Water Level rcle one
Date Well Tested: 6 - 36 - 67		Air Line Electric Meas	suring Line Steel Tape
Static Water Level (A): Feet Below Land Surface		Other (specify): 5tring	
Pumping Water Level (B):Feet l	Below Land Surface	Other (specify): 3 (\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	(weight
Drawdown [(B) – (A)]:Feet	Below Land Surface	For flowing well, measured sh	ut in head:feet
Test Pumping Rate: (2	Gallons Per Minute	Well yielded	GPM with a drawdown of
Duration of Pump Test (minimum 4 hours):	<u> 24</u> hours	feet after	hours of pumping
I HEREBY CERTIFY that the above statem	nents are true to the best o	f my knowledge.	

Print Name of Pump Installer and License No. (if applicable) Form: OLWR-SWR-1B Signature of Pump Installer

SY: OLVVA