		ch report	For Office Use Only:		
County: MOCSholl	Part 1 – Driller's Log		·		
Permit #:	Mississippi Department of Environmental Quality Office of Land and Water Resources		Aquifer:		
Driller: James W. Moson	P.O. Box 10631		Well #: H- 311		
	1	1S 39289-0631	L. S. Elevation:		
Date drilling completed: 8-33.00		961-5210 4-6938 (fax)	E-log #:		
L.,] (001)55	1-0750 (lax)	L-10g #.		
State Law requires that this repo					
Department at the above address within 30 days of completion of drilling of the well or borehole. Information on Well Owner Well or Borehole Location					
(Landanina) if harahala is not for a quater well					
Oumer Name / a R. Na.		Latitude: 34 ° 47 , 134	" Longitude: 89 • 42 · 875"		
Owner Name Logon Boiley	Method of Lat/Long (circle o		" Longitude: 89 º 42 ' 975" ne): Conventional Survey, 52		
Mailing Address: wotsow			_		
_ 112- East of Co	unty line rd.		GPS Survey-grade GPS		
		34 NE 4 Sec 34	Twn 35 Rng 5w		
Byholia M. City Sta	te Zip Code	N'W Distance Direction	Nearest Town		
Telephone No. (662) 544 - 4951		Distance Direction All a Miles	of wotson		
Telephone No. (663) 3 191-995	3				
Well / Borehole Data					
Date drilling started: 8-33-07 Date drilling completed: 8-33-07 Hole depth: 135' Hole diameter: 6314					
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and development:					
Purpose of borehole (check one): Water WellGeotechnical/Geological InvestigationGround Source Heat PumpleCEIVE Seismic SurveyOther (describe)					
Seismic	SurveyOther (describe)	SEP 2		
If drilling is not related	<u>l to water well constructio</u>	n, skip the remainder of this blo	ock 2007		
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:					
If a flowing well, method of flow regulation: Valve Other (describe)					
Static Water Level: 80 feet above or below (circle one) land surface Date measured: 8-31-07					
Method of Measurement (circle one) steel tape electric tape air line other: <u>String I weight</u>					
Well depth: 135 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cemen Bentonite Mix					
Casing length: 115 feet Casing diameter: 4 inches Type of casing: puc					
Screen length: Ocean diameter: Inches Type of screen: Ocean					
Screen slot size:, O1Oinches					
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development					
Other (describe):					

Top of lap pipe or reduction in casing: _______feet. If telescoped or more than one screen, describe on next page

State Well Report

The sketch below only required for water wells

If well telescopes, show depths on sketch.

Ground Level

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	Γo (depth)
clay dist	Ground Level	30
grovel	30	65
white clay	65	23
white soud	63	135
	·	
		ļ
		ļ
	<u> </u>	ļ
		ļ <u></u>

If more than one screen, show location of each on sketch

aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.
1
(S) (S)
RECEIVED SEP 2 4 2007 BY: OLWR
SEDIVED
Dis 2 4 2007
87: O/ 14:
UNR VENT
3
3
8
' ~
Landowner Name: Logon Boiley.
Form: OLWR-SWR

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state lows

STATE WELL REPORT

County: Morshall Permit #:

Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources

For Office Use Only:		
Aquifer:		
Well #: 14-311		
Elevation:		

Driller: Somes as Nosan	P.O. Box 10631 Jackson, MS 39289-0631		Well #:	-311	
Date completed: 2-31-07	(601)961-5210			• •	
Copy information from block on Part 1	(601)354-6938 (fax)			Lievation	
This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.					
Well Owner Information		Well Location			
Owner Name: Logon Boiley.	Latitude: 34,47, 121 Longitude: 89,42,875				
Mailing Address: wotson (d		Method of Lat/Long (check one): Conventional Survey,			
"Banile Eost of country line rd.		USGS quad, Hand-held GPS, Survey-grade GPS			
Bybolio Ms 38611 City State Zip Code		SW 4 NE 4 Sec 34 T 35 R SW			
City State Zip Code		Distance Direction Nearest Town			
Telephone No. (662) 544 - 4959	3	21/9 Miles u of matson			
Pump Type Circle one				er Type cle one	
Air Lift Jet	Submersible	Diesel Engine	Gasoline	e Engine	Natural Gas
Bucket Piston	Turbine (Electric Motor	Hand		Tractor PTO
Centrifugal Rotary	Flowing Well	Windmill	Other (s	specify):	
Other (specify):		Horse Power Rating of Motor: Setting Depth: Number of Stages: 14 SEP 2 4 2007			
Date Pump Installed: 8-31-07		Setting Depth: _	110	J	BECFIVE
Rated Pump Capacity:	Gallons Per Minute	Number of Stage	s: 14		-SEP 2 4 2007
D. T. A D. A.					W. T
Pump Test Data		MI		suring Water rele one	LEVELOLINA
Date Well Tested: 8-31-07		Air Line	Electric Meas	uring Line	Steel Tape
Static Water Level (A):Feet Below Land Surface		Other (specify):	strials 1	ismicial	•
Pumping Water Level (B): Feet Below Land Surface		Curer (speers):	<u> </u>	0.00	
Drawdown [(B) – (A)]:Feet Below Land Surface		For flowing well	, measured shu	ut in head:	<u></u> feet
Test Pumping Rate:		Well yielded GPM with a drawdown of			
Duration of Pump Test (minimum 4 hours):hours			_feet after	<u>24</u> ho	ours of pumping
I HEREBY CERTIFY that the above statements are true to the best of my knowledge.					

I HEREBY CERTIFY that the above statements are true to the best of	my knowledge.
Jones W. Moson 0-620	Jans w. Man
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer

Form: OLWR-SWR-1B