State Well Report			
	Driller's Log	For Office Use Only:	
l Mississippi Departme	ent of Environmental Quality	Aquifer:	
1	d and Water Resources	Well #: 14 33 1	
Driller JNAPS SS. /V CYC/P	. Box 10631		
•	MS 39289-0631 1)961-5210	L. S. Elevation:	
	354-6938 (fax)	E-log #:	
State Law requires that this report be prepared by the l Department at the above address within 30 days of con	npletion of drilling of the well	he work and filed with the or borehole.	
Information on Well Owner (Landowner if borehole is not for a water well)		rehole Location	
•	Latitude: 34 . 48 ,281	" Longitude: 89 °42 '286" 45"	
Owner Name Champion Hones	1	· - 1	
Mailing Address: 116 Shomwok	Method of Lat/Long (circle or		
Training / touress.	USGS quad, Hand-held	GPS, Survey-grade GPS	
	NW SE	GPS Survey-grade GPS Twn 3 Rng 5 4	
Oyholia Ms 38611 City State Zip Code	1.22 74.42 74 Sec 0.0	Kiig 3 C	
City State Zip Code	Distance Direction	Nearest Town	
Telephone No. (66) 536-500	Miles NW	of cotton	
Telephone 140. (<u>9-5)</u> 500 5 7 50			
Well / Bo	rehole Data		
Date drilling started: 4-18-08 Date drilling completed: 4-18-0	Nole depth: 157'	Hole diameter: 63/4	
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and development:			
Logs run (circle all applicable). No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):			
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump			
Seismic SurveyOther (descrited to water well constructed to water well and water well constructed to water well and water water well and water water well and water well and water water well and water well and water water well and water wate	be) ion. skip the remainder of this blo	ock	
Purpose of Well (check one): HomeIndustrial Public Supp		i	
4		Other.	
If a flowing well, method of flow regulation: Valve Other (describe)			
Static Water Level: feet above of below circle one) land surface Date measured:			
Method of Measurement (circle one) steel tape electric tape air line other: String luciful.			
Well depth: 155 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix			
Casing length: 145 feet Casing diameter: 4 inches Type of casing:			
Screen length: 10 feet Screen diameter: 4 inches Type of screen: puc			
Screen slot size: , OIO inches Setting depth: From 145 feet to 155 feet			
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development			
Other (describe):			

Top of lap pipe or reduction in casing: ______feet. If telescoped or more than one screen, describe on next page

RECEIVED

MAY 2 3 2008

BY: OLWR

The sketch below only required for water wells	Description of formations encountered must be provided for all
	wells and boreholes, unless specifically exempted by regulations

If well telescopes, show depths on sketch. Ground Level		

Description of Formations Encountered	From (depth)	To (depth)
Cley dich	Ground Level	30
Claydich while sand.	30	155
		
		
	-	
		-
	-	
		
		ļ
		ļ
		<u> </u>

If more than one screen, show location of each on sketch

Sketch the property layout and include aid in locating the well 4) a north arrow.	de the following: 1) the well location; 2) any j ; 3) any roads, power lines, or other items tha	permanent structures on the property that may t may aid in locating the property and the well;
	Man (2)	
2	house	<
	W. S.	
Landowner Name: Champiun	Hones	Form: OI WR-SWR-1

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state laws.

Print Name of Responsible Licensee and License No.

RECEIVED

MAY 2 3 2008

BY: OLWR

STATE WELL REPORT

Copy information from block on Part 1

Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631
(601)961-5210

(601)354-6938 (fax)

For Office Use Only:		
Aquifer:		
Well #: H33		

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.

Well Owner Information Well Coation	
Owner Name: Charpion Hones Mailing Address: 116 shannok Byholia Ms 38611 City State Zip Code	Latitude: 34.48.201 Longitude: 89.42.256 17 45 Method of Lat/Long (check one): Conventional Survey, USGS quad, Hand-held GPS, Survey-grade GPS NW 55, Value Sec 32 T 35 R 5w
2.0 0000	Distance Direction Nearest Town
Telephone No. (662) 526-5700	1314 Miles Nw of wotson
Pump Type	Power Type

	Pump Type Circle one				Power Type Circle one	
Air Lift	Jet	Submersible		Diesel Engine	Gasoline Engine	Natural Gas
Bucket	Piston	Turbine	\triangleleft	Electric Motor	Hand	Tractor PTO
Centrifugal	Rotary	Flowing Well		Windmill	Other (specify):	
Other (specify):				Horse Power Rating	of Motor: 3/4	
Date Pump Installed:	4-18-08			Setting Depth:	120	feet
Rated Pump Capacity	: <u>(0</u>	Gallons Per Minute		Number of Stages: _	8	

Pump Test Data Date Well Tested: 4-18-08	Method of Measuring Water Level Circle one
Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape Other (specify): String Lucigud
Drawdown [(B) – (A)]: Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Duration of Pump Test (minimum 4 hours): hours	For flowing well, measured shut in head:

I HEREBY CERTIFY that the above statements are true to the best o	f my knowledge.
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer

Form: PECEIVED