	State W	ell Report	7 07 H 0 L
County: MArshall	Part 1 – Driller's Log		For Office Use Only:
	Mississippi Department of Environmental Quality		Aquifer:
Permit #:	Office of Land and Water Resources P.O. Box 2309		Well#: 4366
Driller: Janes w. Mason	Jacksor	n, MS 39225	L. S. Elevation:
Date drilling completed: 8-16-(1		961- 5210 1- 5228 (fax)	E-log #:
State Law requires that this repor	 t he prepared by the lic.	ense halder resnansible for i	
Department at the above address			
Information on Well C	Owner		rehole Location
(Landowner if borehole is not fo	or a water well)	Latitude: 34 º 46 , 88	?" Longitude: 89º 41 , 324,"
Owner Name Koren Horr	is		2" Longitude: 89° 41 '338"
Mailing Address: 716 beale	rd	Method of Lat/Long (circle or	
		/	GPS) Survey-grade GPS
Rubalia M.	38611	SE 1/4 NE 1/4 Sec_ 35	$\sqrt{\text{Twn}} \frac{35}{\text{Nng}} \frac{5\omega}{\text{Nng}}$
Byholic Ms 38611 City State Zip Code Distance Direction		Distance Direction	Nearest Town
Telephone No. (901) 413- 1435		Miles S	01_ CO6750N
	Well / Bore	hole Date	
Date drilling started: 8-16-11 Date dri	lling completed: 8-16-1	Hole depth: 155	Hole diameter: 63/4
Location of the source of any surface wate Method of dosing and volume of Chlorine	r used for drilling: used in drilling and devel	opment:	
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):			
Purpose of borehole (check one): Water We	ellGeotechnical/Geol	ogical Investigation Ground	Source Heat Pump
Seismic S	Survey Other (describe)	NA .	
If drilling is not related	to water well construction	n, skip the remainder of this blo	ock
Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture Other:			
If a flowing well, method of flow regulation	n: ValveO	ther (describe)	
Static Water Level: 58 feet above of below (circle one) land surface Date measured: 8-16-11			
Method of Measurement (circle one) steel tape electric tape air line other: stry (weight			
Well depth: 155 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cemen Bentonite Mix			
Casing length: 135 feet Casing diameter: 4 inches Type of casing: puc			
Screen length: 30 feet Screen diameter: 4 inches Type of screen: 500			
Screen slot size:O 10inches Setting depth: From135feet to155feet			
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development			
Other (describe):			
Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page			
Form: OLWR SWR-TA (04708)			

The sketch	below on	dy required	for	water we	211

Ground Level-

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
clay dict	Ground Level	10
rd soud	10	30
	30	45
white clay	45	60
white clay	60	S
-		
	T	
t		

If more than one screen, show location of each on sketch

Sketch the property layout and aid in locating the 4) a north arrow.	clude the following: 1) the well location; 2) any permanent structures on the property that may well; 3) any roads, power lines, or other items that may aid in locating the property and the well;
	5
E Plan	Lanse Server
Landowner Name: Fore	Horris Deale rd.

Form: OLWR-SWR-1A (04/08)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state laws.

Jenes W. Moson 0-620 Print Name of Responsible Licensee and License No.

STATE WELL REPORT

Part 2

County: Marshall Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309 Jackson, MS 39225 Date completed: 8-16-11 (601)961-5210

For Office Use Only:			
Aquifer:			
Well #:	H366		
Elevation:			

Copy information from block on Part 1	01-5228 (Tax)		
This part of the report must be completed by a licensed water well report must be attached and both parts filed with the Department	contractor or a licensed pump installer. A copy of Part 1 of the at the above address within 30 days of well completion.		
Well Owner Information	Well Location		
Owner Name: Koren Horris	Latitude: 34.46. 853 Longitude: 89.41.339		
Mailing Address: 316 beole rd.	Method of Lat/Long (check one): Conventional Survey,		
	USGS quad, Hand-held GPS, Survey-grade GPS		
Byholia ns 38611 City State Zip Code	SE 1/2 NE 1/4 Sec 35 T 35 R 5w		
City State 21p code	Distance Direction Nearest Town		
Telephone No. (901) 413 - 1435	1/2 Miles 5 of watson		
	P Time		
Pump Type Circle one	Power Type Circle one		
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas		
Bucket Piston Turbine	Electric Motor Hand Tractor PTO		
Centrifugal Rotary Flowing Well	Windmill Other (specify):		
Other (specify):	Horse Power Rating of Motor:		
Date Pump Installed: &-16-11	Setting Depth:feet		
Rated Pump Capacity: Gallons Per Minute	Number of Stages:		
	Method of Measuring Water Level		
Pump Test Data	Circle one		
Date Well Tested: 8-16-11	Air Line Electric Measuring Line Steel Tape		
Static Water Level (A):Feet Below Land Surface	Other (specify): String weight		
Pumping Water Level (B): Feet Below Land Surface	omor (speed)).		
Drawdown [(B) – (A)]: Feet Below Land Surface	For flowing well, measured shut in head:feet		
Test Pumping Rate:Gallons Per Minute	Well yielded GPM with a drawdown of		
Duration of Pump Test (minimum 4 hours):hours	feet after 24 hours of pumping		

I HEREBY CERTIFY that the above statements are true to the best o	f my knowledge.	
Jaes W. Moson O-620_	Jas w. Maar	
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer	<u> </u>
Time traine of tamp movement and	Form: O	LWR-SWR-1B (04/08)