St	ate Well Report	For Office Use Only:			
Par	rt 1 – Driller's Log	For Other est stary			
County: / VIOCS Wall Mississippi De	partment of Environmental Quality	Aquifer:			
Permit #: Office o	f Land and Water Resources	Well #: J -219			
	P.O. Box 10631	L. S. Elevation:			
7.0	ckson, MS 39289-0631 (601)961-5210	L. S. Elevation:			
Date drilling completed: 11-22-05	(601)354-6938 (fax)	E-log #:			
		. I Cl. I wish the			
State Law requires that this report be prepared b	y the license holder responsible for	the work and filed with the			
Department at the above address within 30 days		orehole Location			
		2			
(Landowner is borenote is not for a many	Latitude: 34° 49', 86	Congitude: 47 50 44			
Owner Name Tony Reel	Method of Lat/Long (circle of	2. Longitude: 89 · 38 · 239. One): Conventional Survey,			
Mailing Address: 407 27		4 CDC Survey grade GPS			
Bennett crl.	USGS quad, Hand-hei	Twn $3s$ Rng 4ω			
DENNETT UI	NE 4SE 4 Sec 1	$7\sqrt{\text{Twn} 3s} \text{Rng } 9\omega$			
Byhalia Ms 386 City State Zip Co	Distance Direction				
	Distance Direction Old Miles SE	of Worsow.			
Telephone No. (62) 838- 9838					
	Vell / Borehole Data				
· ·	13cg	8'1			
	Date drilling started: 11-22-05 Date drilling completed: 11-22-05 Hole depth: 130' Hole diameter: 8'				
Location of the source of any surface water used for drilling:					
Logs run (circle all applicable) No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):					
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump					
Seismic SurveyOthe	er (describe) construction, skip the remainder of this				
If drilling is not related to water well	construction, skip the remainder of this	block			
Purpose of Well (check one): HomeIndustrialPo	ablic Supply Irrigation Fish Cultu	re Other:			
If a flowing well, method of flow regulation: Valve NA Other (describe)					
Static Water Level: feet above of below	Static Water Level: 100 feet above of below (circle one) land surface Date measured: 11-29-05				
Method of Measurement (circle one) steel tape electric tape air line other:					
Well depth: 130 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix					
Casing length: 120 feet Casing diameter:	inches Type of casing	: puc			
Screen length: 10 feet Screen diameter:					
Screen slot size: Do inches Setting de	pth: Fromfeet to	/ 3 ()feet			
Type of completion (circle all applicable): Gravel pack	ded Underreamed Telescoped O	pen hole Natural Development			
Other (desc	ribe):	RECENT			
Top of lap pipe or reduction in casing:	feet. If telescoped or more than one	screen, describe on next bage EIVED			
Form: OptyR-2V/R2105					
BY: OLWR					
		A M			

well telescopes, show depths on sketch.	wells and boreholes, unless specifically		
Ground Level.	Description of Formations Encountered		To (depth)
Ground 2010.	clay dirt	Ground Level	25
	while soud	35	60
	white class	60	15
	Herd rock	75	76
	white clay	76	95
	white sand	95	130
	White sou		
Y 1 1 12 1 2			
			-
aid in locating the well; 3) any roads, po 4) a north arrow.	: 1) the well location; 2) any permanent structures on the ower lines, or other items that may aid in locating the p	property and the wo	ell;
2. / ho.	258	7)
andowner Name: Tonny Ree	جا.	Form: OLV	WP_SWP

11-19-05

Print Name of Responsible Licensee and License No.

STATE WELL REPORT

County: Marsho Permit #:

Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631

For Office Use Only:	
Aquifer	
Well #:	J-219
Elevation	n:

Date completed: 11 - 29 -05	Jackson, MS 39289-0631 (601)961-5210		Well#:	
Copy information from block on Part 1	, ,	4-6938 (fax)	Elevation:	
This part of the report must be completed by a	licensed water well	contractor or a licensed pump in	staller. A copy of Part 1 of the	
report must be attached and both parts filed wi	ith the Department a	t the above address within 30 dd Well	Location	
Owner Name: Tonny Reel		//4	Longitude: 89 - 38 - 239	
Mailing Address: LOT 27		Method of Lat/Long (check on		
Bennett circle			GPS, Survey-grade GPS	
Bytolia M 38611 City State Zip Code		NE 4 SE 4 Sec 1	7 T 35 R 4W	
City State	Zip Code	Distance Direction	Nearest Town	
Telephone No. (62) 838 - 9838		214 Miles SE of	Worsow	
		<u> </u>		
Pump Type Circle one		l company	ver Type rcle one	
Air Lift Jet Su	bmersible	Diesel Engine Gasolin	e Engine Natural Gas	
Bucket Piston Tu	rbine	Electric Motor Hand	Tractor PTO	
Centrifugal Rotary Flo	owing Well		specify):	
Other (specify):		Horse Power Rating of Motor:3/-4		
Date Pump Installed: 11-29-05		Setting Depth:	do feet	
Rated Pump Capacity: Gal	lons Per Minute	Number of Stages:		
D. C. A. D. A.		Mathad of Ma	asuring Water Level	
Pump Test Data			ircle one	
Date Well Tested: 11-29-05		Air Line Electric Mea	suring Line Steel Tape	
Static Water Level (A):Feet Below Land Surface		Other (specify): Star	g (meight	
Pumping Water Level (B): \(\sum_A \) Feet Belo	ow Land Surface	ome (options): Only		
Drawdown [(B) – (A)]: A Feet Belo	ow Land Surface	For flowing well, measured sh	nut in head:feet	
Test Pumping Rate:Gal	llons Per Minute	Well yielded	GPM with a drawdown of	
Duration of Pump Test (minimum 4 hours):	hours	feet after	hours of pumping	
I HEREBY CERTIFY that the above statement	s are true to the best	of my knowledge.	RECEIVED	
Jones W Mason	(familiashia)	Signature of Pump In	estaller DEC o	
Print Name of Pump Installer and License No.	(п аррисаоте)	Asignature of Fullip III	BForm: OLWR MR-1B	

I HEREBY CERTIFY that the above statements are true to the b	st of my knowledge. RECEIVE		
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer	DFC 27	
Time (tame of tamp instance and accounts)		Form: OLWR-3WR-1B	
		Y: OLIVE	