State Well Report					
	1 – Driller's Log	For Office Use Only:			
Mississippi Depa	artment of Environmental Quality	Aquifer:			
	Land and Water Resources P.O. Box 10631	Well #: <u>5-221</u>			
Jack	son, MS 39289-0631	L. S. Elevation:			
Date drilling completed: 5-9-06	(601)961-5210				
(6	01)354-6938 (fax)	E-log #:			
State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.					
Information on Well Owner	······································	rehole Location			
(Landowner if borehole is not for a water well)	Latitude: 34 . 49 , 202	" Longitude: <u>89 • 37 • 473 "</u>			
Owner Name J-B Builders-	1 9	.) >~			
Mailing Address: LOT 9 timberidge	Method of Lat/Long (circle or	ne): Conventional Survey,			
	USGS quad, Hand-held	GPS Survey-grade GPS			
311: M: 38611	<u>5ω 4 ΝΕ</u> 4 Sec 21	Twn 35 Rng 4w			
Byholia Ms 38611 City State Zip Code	Distance Direction	Nearest Town			
Telephone No. (14) 351-3496	<u> </u>	of <u>cictoria</u>			
Telephone No. (141) 271 71 70					
Well	/ Borehole Data				
Date drilling started: 5-9-06 Date drilling completed: 5-9-06 Hole depth: 135' Hole diameter: 63/4					
Location of the source of any surface water used for drilling:	NA				
Method of dosing and volume of Chlorine used in drilling an	d development: NA				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:					
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump					
Seismic Survey Other (describe)					
If drilling is not related to water well construction, skip the remainder of this block					
Purpose of Well (check one): HomeIndustrial Public Supply_ Irrigation Fish Culture Other:					
If a flowing well, method of flow regulation: Valve Other (describe)					
Static Water Level: 78feet above of below (circle one) land surface Date measured: 5-10- 0C					
Method of Measurement (circle one) steel tape electric tape air line other: String weight.					
Well depth: 135 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix					
Casing length: 135 feet Casing diameter: inches Type of casing:					
Screen length: 10 feet Screen diameter: 4 inches Type of screen: 000					
Screen slot size: Old inches Setting depth: From 135 feet to 135 feet					
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development					
Other (describe):					
Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page					

Form: OLWR-SWR-1A

RECEIVED

JUN 0 9 2006

BY: OLWR

The sketch below only required for water wells

If well telescopes, show depths on sketch.

Ground Level_

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
clay dort	Ground Level	15
(ed Soud	15	35
white clay	35	60
Lock	60	61
white soul	61	70
Bho chy	70	95
Rock	75	97
winte sand	97	135
	1	
	<u> </u>	
		·
L		1

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.	
house Could be some to the second of the sec	
Landowner Name: J-B- Builders	

Form: OLWR-SWR-1A

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Tones w. Moson 0-620 6-7-08

Print Name of Responsible Licensee and License No. Date

RECEIVED

JUN 0 9 2006

BY: OLWR

STATE WELL REPORT

County: Marshall Permit #: Driller: Jones W. Moson Date completed: 5-10-06 Copy information from block on Part 1

Part 2

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631

For Office Use Only:		
Aquifer:		
Well #: _	5-227	
Elevation	·	

(601)961-5210 (601)354-6938 (fax) This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Location Latitude: 34.49-202 Longitude: 89.37.473 Builders-Mailing Address: しつて Method of Lat/Long (check one): Conventional Survey_____ USGS quad . Hand-held GPS . Survey-grade GPS SW "NE " Sec 21 T 35 Nearest Town Direction Distance 214 Miles Sw of victoria. Pump Type **Power Type** Circle one Circle one Gasoline Engine Air Lift Submersible Diesel Engine Natural Gas Electric Motor Hand **Tractor PTO** Bucket Piston Turbine Centrifugal Rotary Flowing Well Windmill Other (specify): _ Horse Power Rating of Motor: Other (specify): 5-10-06 Date Pump Installed: Setting Depth: ___ Gallons Per Minute Rated Pump Capacity: Number of Stages: Method of Measuring Water Level **Pump Test Data** Circle one Date Well Tested: 5-10-06 Air Line Electric Measuring Line Steel Tape Static Water Level (A): _______ 8 Feet Below Land Surface Pumping Water Level (B): ___ ^ A Feet Below Land Surface For flowing well, measured shut in head: Drawdown [(B) - (A)]: ____ Feet Below Land Surface 12 Well yielded GPM with a drawdown of Test Pumping Rate: Gallons Per Minute Duration of Pump Test (minimum 4 hours): hours of pumping

I HEREBY CERTIFY that the above statements are true to the best	of my knowledge.	
Jones w. Masa.	Gens w. Morn.	
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer	
		Earm: OLIMP SMP 1R

RECEIVED

JUN 0 9 2006

BY: OI WR