Stata W	ll Report		
County: March 20 State Well Report Part 1 – Driller's Log		For Office Use Only:	
Micciccinni Donortmor	at of Environmental Quality	Aquifer:	
	and Water Resources	Well #: <b>J-</b> 249	
I UTILIET: JCARN LA MININA AN I	Box 10631	•	
Jackson, N	AS 39289-0631	L. S. Elevation:	
	961-5210 4-6938 (fax)	E-log #:	
(001)20			
State Law requires that this report be prepared by the lic Department at the above address within 30 days of comp			
Information on Well Owner	Well or Bo	orehole Location	
(Landowner if borehole is not for a water well)	Latitude: 34 . 49 ,901	" Longitude: 89.37,092,	
Owner Name Albert Zodgers	54	$\frac{1}{59}, \frac{1}{59}, \frac{1}$	
Mailing Address: 26 5+ Poul d	Method of Lat/Long (circle or	ne): Conventional Survey,	
	USGS quad, Hand-held	GPS Survey-grade GPS	
	SE V SE V Ser 9	Twn 35 Rng 4w	
Byhalia Ms 38611 City State Zip Code			
City State Zip Code	Distance Direction	Nearest Town of <u>Victoric</u>	
Telephone No. ( <u>9い) イタフ・ ラフフフ</u>			
Well / Bore	holo Data		
		6.24	
Date drilling started: לביטי Date drilling completed: ביושי ש	$\simeq \gamma$ Hole depth: $100$	Hole diameter: <u>63/4</u>	
Location of the source of any surface water used for drilling:			
Method of dosing and volume of Chlorine used in drilling and deve	lopment: NA		
Logs run (circle all applicable): No log run Electric Gamma Ray	Density Sonic Neutron	Other:	
Name of organization running log(s):			
Purpose of borehole (check one): Water WellGeotechnical/Geol	ogical Investigation Ground	Source Heat Pump	
Seismic Survey Other ( <i>describe</i>	2)		
If drilling is not related to water well construction	on, skip the remainder of this bl	ock	
Purpose of Well (check one): Home / Industrial Public Supply	Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:		
If a flowing well, method of flow regulation: Valve NA			
Static Water Level: 100 feet above of below bircle one) land surface Date measured: 5-33-07			
Method of Measurement (circle one) steel tape electric tape air line other: <u>String [weight</u>			
Well depth: 170 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix			
Casing length: 150 feet Casing diameter: 4 inches Type of casing: puc			
Screen length:			
Screen slot size: 010 inches Setting depth: From 150 feet to 170 feet			
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development			
Other (describe):	Other (describe):		
Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page			
L,		Form: OLWR-SWR-1A	

1 a

RECEIVED

-249

## The sketch below only required for water wells


If well telescopes,	show	depths	on	sketch.
Ground Level.		-		

evel	Description of Formations Encountered		To (depth)
	clay dirt	Ground Level	
	red soud	30	45
	white clay	45	70
	White Soud	70	85
	white clay	85	110
	white sound	110	170
			-
			-
			+
	l <u></u>	1	

Description of formations encountered must be provided for all

wells and boreholes, unless specifically exempted by regulations

If more than one screen, show location of each on sketch



I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

 Iaws.
 Jones w Mosow 0-620
 G-7-07
 Jones w Mosow PECENNE

 Print Name of Responsible Licensee and License No.
 Date
 Signature of Licensee

BY: OF WAS

		STATE W	ELL REPORT
County: <u>Coversion States</u> Permit #: Driller: <u>Joses</u> Date completed: <u>States</u> Copy information fr This part of the re	w. Masar -22-02 om block on Part 1	Pump Installer Mississippi Departme Office of Land P.O. Jackson, (601)32	Part 2       For Office Use Only:         Ps Completion Report       Aquifer:         and Water Resources       Aquifer:         Box 10631       Well #:       Image: Completion Sector         MS 39289-0631       Yell #:       Image: Completion Sector         y961-5210       Sector or a licensed pump installer. A copy of Part 1 of the
report must be attached and both parts filed with the Department a Well Owner Information		ts filed with the Department	at the above address within 30 days of well completion. Well Location
Owner Name:     Albert     Podgers     Latitud       Mailing Address:     26     54     Poul     Method		<b>v</b>	Latitude: 34.49.901 Longitude: 89-37.097 54 Method of Lat/Long (check one): Conventional Survey,
BybolioMS38611CityStateZip CodeDistanceDirectionNearest Town		USGS quad, Hand-held GPS $\underline{V}$ , Survey-grade GPS <u>SE % SE % Sec 9 T 3S R 4</u> Distance Direction Nearest Town <u>1</u> Miles <u>S</u> of <u>uitorig</u>	
	Pump Typ Circle one		Power Type Circle one
Air Lift	Jet	Submersible	Diesel Engine Gasoline Engine Natural Gas
Bucket	Piston	Turbine	Electric Motor Hand Tractor PTO
Centrifugal	Rotary	Flowing Well	Windmill   Other (specify):
Other (specify):			Horse Power Rating of Motor: (`(`a
Date Pump Installe	ed: <u>5-22-</u>	<u>07</u>	Setting Depth:feet
Rated Pump Capacity:Gallons Per Minute		Gallons Per Minute	Number of Stages: 14
	Pump Test I		Method of Measuring Water Level Circle one
Date Well Tested: 5-33-07			Air Line Electric Measuring Line Steel Tape

•

•

Static Water Level (A): <u>IOO</u> Feet Below Land Surface Pumping Water Level (B): <u>PA</u> Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape Other (specify): String weight
Drawdown [(B) – (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet
Test Pumping Rate: Gallons Per Minute	Well yielded GPM with a drawdown of
Duration of Pump Test (minimum 4 hours):hours	hours of pumping

I HEREBY CERTIFY that the above statements are true to the best of	f my knowledge.
Jones w. Moson 0-620	Jone w. Man
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer

JUN 11 2007 BY: OLW P