	tate Well Report	
	art 1 – Driller's Log	For Office Use Only:
Mississinni D	Department of Environmental Quality	Aquifer:
Permit #: Office	of Land and Water Resources	Well#: J273
Driller: Janes w. Masar	P.O. Box 10631 ackson, MS 39289-0631	L. S. Elevation:
Date drilling completed: (2-8-07	(601)961-5210	
	(601)354-6938 (fax)	E-log #:
State Law requires that this report be prepared Department at the above address within 30 day		
Information on Well Owner		rehole Location
(Landowner if borehole is not for a water well)	34.40.78	" 1 amaigned a 29 o 40 o 86"
Owner Name Phyllis Lawer	Latitude: 5 1 4 2	" Longitude: 29 ° 40 , 64" ae): Conventional Survey,
Mailing Address: 61 Sondage dr.	Method of Lat/Long (circle or	ne): Conventional Survey,
Maning riddiess. St. Solksoye 10	USGS quad, Hand-neid	GP8, Survey-grade GPS
		Twn 35 Rng 21 W
Byhalia Ms 3de City State Zip Ci	NM NM	Marina Trans
City State Zip Co	Distance Direction 114 Miles SE	Nearest Lown
Telephone No. (911) 362 - 5784		VI <u>Cass</u> 1 2 2 2 2
V	Vell / Borehole Data	
Date drilling started (2-8-0) Date drilling completed	1:12-8-97 Hole depth: 165'	Hole diameter: 63/4
Location of the source of any surface water used for drilling Method of dosing and volume of Chlorine used in drilling	ng: NA g and development: NA	
Logs run (circle all applicable) No log run Electric Gr Name of organization running log(s):	amma P.ay Density Sonic Neutron	Crivers
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump		
Seismic Survey Othe	r (describe)	
If drilling is not related to water well construction, skip the remainder of this block		
Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture Other:		
If a flowing well, method of flow regulation: Valve Other (describe)		
Static Water Level: feet above or below (circle one) land surface Date measured: 13 - 9 - 07		
Method of Measurement (circle one) steel tape electric tape air line other: 5 tring weight		
Well depth: 165 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix		
Casing length: 155 feet Casing diameter:inches Type of casing:		
Screen length: 10 feet Screen diameter:		
Screen slot size: , C (C inches Setting depth: From 155 feet to 165 feet		

Top of lap pipe or reduction in casing:

Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole

Other (describe): ____

feet. If telescoped or more than one screen, describe on next page

Form: OLWR-SWR-1A

Natural Development

RECEIVED

JAN 07 2008

BY: OLWR

The sketch below only required for water wells

ij well lelescopes, sho	w aepins on skeich.
Ground Level	
0.00.00	lacksquare

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
clay dist.	Ground Level	20
white soud	20	60
Rive Clay	60	110
winte said	110	165
· -		
		†
		1
		1
	T	1
	<u> </u>	

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the pr 4) a north arrow.	e property that may property and the well;
<i>W</i>	
House	5
Landowner Name: Phyllis Lower	
	E OLIMB OMB 4

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Tones W. Moson 0-600 1-3-08

Print Name of Responsible Licensee and License No. Date

RECEIVED

JAN 07 2008

BY: OLWR

STATE WELL REPORT

County: Morshall Permit #: Driller: Jones as Mason.

Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 10631

For Office Use Only:	
Aquifer:	
Well #:	5-272
Elevation:	

Date completed: 12-9-07.	(601)961-5210		Well #:	
Copy information from block on Part 1	(601)354-6938 (fax)		Elevation:	
This part of the report must be completed report must be attached and both parts file	by a licensed water well c ed with the Department at	contractor or a licensed pump in t the above address within 30 de	nstaller. A copy of Part 1 of the tys of well completion.	
Well Owner Informat	tion		Location	
Owner Name: Phyllis Cours		Latitude: 34,49-751	Longitude: <u>89-40.6699</u>	
Mailing Address: 61 Sondog	e d-	-	ne): Conventional Survey,	
		USGS quad, Hand-held	GPS, Survey-grade GPS	
Byhalia Ms	Bynalia Ms 3861) City State Zip Code		SE 1/2 NW 1/2 Sec 18 T 35 R 4W	
City State	Zip code	Distance Direction Nearest Town		
Telephone No. (901) 262 - 578	પ	114 Miles SE o	f WOSSOW	
D. T.		D _a .	wer Type	
Pump Type Circle one			ircle one	
Air Lift Jet	Submersible	Diesel Engine Gasolir	ne Engine Natural Gas	
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO	
Centrifugal Rotary	Flowing Well		(specify):	
Other (specify):		Horse Power Rating of Motor	: 314	
Date Pump Installed: 12-8-07		Setting Depth: 80	feet	
Rated Pump Capacity:(_Gallons Per Minute	Number of Stages:		
Pump Test Data		Method of Me	asuring Water Level	
Date Well Tested: 12-9-07		C	ircle one	
Static Water Level (A): 65 Feet		Air Line Electric Mea	suring Line Steel Tape	
Pumping Water Level (B): NA Feet		Other (specify): String	weight	
Drawdown [(B) – (A)]: Feet		For flowing well, measured sl	nut in head:feet	
Test Pumping Rate: ()	_Gallons Per Minute	Well yielded('\(\sigma\)	GPM with a drawdown of	
Duration of Pump Test (minimum 4 hours)	: <u> </u>	feet after_	hours of pumping	

I HEREBY CERTIFY that the above statements are true to the best of	of my knowledge.
Jones w. Nosan 0-620	Jans w. Man
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer

PECEIVED

JAN 07 2008

BY: OLWR