State W	ell Report			
	-	For Office Use Only:		
Mississinni Denartmen	Part 1 – Driller's Log Mississippi Department of Environmental Quality			
Permit #: Office of Land a	Office of Land and Water Resources			
Driller: Joans (L) Mark	Box 10631 IS 39289-0631	Well #: <u>5 - 277</u> L. S. Elevation:		
Date drilling completed: 1 2 - 5 - 07 (601)	961-5210			
(601)354	4-6938 (fax)	E-log #:		
State Law requires that this report be prepared by the lice Department at the above address within 30 days of comp				
Information on Well Owner		rehole Location		
(Landowner if borehole is not for a water well)	Latinda 34 . 49 , 903	" Longitude: 89 · 40 · 003."		
Owner Name OGN Browning	SA Method of Lat/Long (circle on	Longitude. or ro pot		
Mailing Address: 19 worsow woods		_		
	USGS quad Hand-held	GPS Survey-grade GPS		
3.4.1:	5E 1/2 SW 1/2 Sec 7	Twn 3s Rng Yw		
Byholia MS 38611 City State Zip Code	SW Distance Direction	!		
	Miles E	of Worsaw		
Telephone No. (66-) 838-4004				
Well / Bore	hole Data			
Date drilling started: 12-5-07 Date drilling completed: (2-10-07 Hole depth: 185 Hole diameter: 63/4				
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and development:				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):				
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump				
Seismic Survey Other (describe)				
If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: feet above of below (circle one) land surface Date measured: 12-10-07				
Method of Measurement (circle one) steel tape electric tape air line other:				
Well depth: 185 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 175 feet Casing diameter: 4 inches Type of casing: 000				
Screen length: 10 feet Screen diameter: 4 inches Type of screen:				
Screen slot size:				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				

Other (describe): ____

NA feet. If telescoped or more than one screen, describe on next page

Top of lap pipe or reduction in casing:

Form: OLWR-SWR-1A

RECEIVED

JAN 07 2008

BY: OLWR

The sketch below only required for water wells

f well telescopes,	show	depths	on	sketch.
Ground Level.		-		

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
clay dist.	Ground Level	25
white soud	32	70
white clay	70	08
white soud	රිර	125
Blue chy	125	150
white gold.	150	185
		1
	†	
· · · · · · · · · · · · · · · · · · ·		
		
		
	 	
		
L.,	L	

If more than one screen, show location of each on sketch

Sketch the property layout aid in locatin 4) a north an	and include the following: 1) the well location; 2) any page the well; 3) any roads, power lines, or other items that row.	ermanent structures on the property that may may aid in locating the property and the well;
8	House New Year	2
Landowner Name:	Blowning	Π

Form: OLWR-SWR-1A

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state laws.

Print Name of Responsible Licensee and License No.

JAN 07 2008

BY: OLWR

STATE WELL REPORT Part 2 County: Macshall For Office Use Only: **Pump Installer's Completion Report** Mississippi Department of Environmental Quality Permit #: Aquifer: Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 Date completed: 12ー10ー0つ (601)961-5210 Elevation: (601)354-6938 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Location Well Owner Information Latitude: 34, 49, 903 Longitude: 89.40, 002 Scouning Owner Name: Method of Lat/Long (check one): Conventional Survey Mailing Address: USGS quad , Hand-held GPS , Survey-grade GPS SE 1/2 SW 1/2 Sec 7 Distance Direction Nearest Town Telephone No. (662) 838-Pump Type Power Type Circle one Circle one Submersible Diesel Engine Gasoline Engine Natural Gas Air Lift Jet Bucket Piston Turbine Electric Motor Hand Tractor PTO Other (specify): Centrifugal Rotary Flowing Well Windmill Horse Power Rating of Motor: 3/4 Other (specify): 130 Date Pump Installed: 13-10-07 Setting Depth: Rated Pump Capacity: Gallons Per Minute Number of Stages: Method of Measuring Water Level Pump Test Data Circle one Date Well Tested: 13-10-07 Electric Measuring Line Air Line Steel Tape Static Water Level (A): Feet Below Land Surface Other (specify): String I weight Pumping Water Level (B): \sim A Feet Below Land Surface Drawdown [(B) – (A)]: _________ For flowing well, measured shut in head: \(\sum_A \) Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Well yielded GPM with a drawdown of hours of pumping Duration of Pump Test (minimum 4 hours): hours

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

Tomes wo Moson Cooperation of Pump Installer and License No. (if applicable)

Bignature of Pump Installer

JAN 07 2008

BY: OLWR