
$\mathcal{N}_{\mathcal{M}} = \mathcal{M}_{\mathcal{M}}$		
Mailing Address: 1224 <+ Coul	is Log For Office Use Only: vironmental Quality Aquifer: iter Resources Image: Comparison of the compa	
Byhalia Ms 38611 City State Zip Code Distan	1/4 SE 1/4 Sec 7 Twn 35 Rng 46	
Well / Borehole Da	ta	
Location of the source of any surface water used for drilling: <u>NA</u> Method of dosing and volume of Chlorine used in drilling and development: Logs run (circle all applicable): <u>No log run</u> Electric Gamma Ray Densin Name of organization running log(s): <u>NA</u> Purpose of borehole (check one): Water Well <u>C</u> Geotechnical/Geological In Seismic Survey_ Other (<i>describe</i>)	ty Sonic Neutron Other:	
If drilling is not related to water well construction, skip to	he remainder of this block	
Purpose of Well (check one): Home \checkmark Industrial Public Supply Irrig If a flowing well, method of flow regulation: Valve $\checkmark A$ Other (des Static Water Level: $25'$ feet above of below bircle one) land surf Method of Measurement (circle one) steel tape electric tape air	scribe)	
Well depth: 185 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix		
Casing length: <u>175</u> feet Casing diameter: <u>4</u> inches Type of casing: <u>ρ uc</u>		
Screen length: <u>()</u> feet Screen diameter: <u>4</u> inches Screen slot size: <u>0(0</u> inches Setting depth: From <u>/ 75</u>	Type of screen:	
Screen slot size: <u>000</u> inches Setting depth: From <u>175</u> feet to <u>000</u> feet		
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development		
Other (describe):		
Top of lap pipe or reduction in casing:feet. <u>If telescoped</u>	or more than one screen, describe on next page	

Form: OLWR-SWR-1A

A A SA A A A A

J-283

The sketch below only required for water wells




5

Description of formations encountered must be provided for all
wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered		To (depth)
clay dist	Ground Level	25
red Soud	92	32
white sound	32	70
white clay	20	85
white soud	85	155
white clay	155	160
white sound	160	185
	_	

If more than one screen, show location of each on sketch



Form: OLWR-SWR-1A

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state laws.

Print Name of Responsible Licensee and License No. Date

fero w Mon

	SIALE WE	LL REPORT		
County: Morshall	Part 2 Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)		For Office Use Only:	
Permit #:			Aquifer:	
Driller: Jones W. Mason			T 283	
Date completed: 1-16-08			Well #: <u>J - 283</u>	
Copy information from block on Part 1			Elevation:	
This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.				
Well Owner Information		Well	Location	

OTATE WELL DEDODT

.

÷

Well Owner Information		Well Location			
Owner Name: Dennis Wotkins		Latitude: 34-49-884 Longitude: 89-39-502			
Mailing Address:	1224 5	+ Poul	Method of Lat/Lor	ng (check one): Conventio	onal Survey,
				Hand-held GPS_, Surv	
Bu	Lolia Ms State	<u>38611</u> Zip Code	SW 1/2 SE	¹ /4 Sec 7 T 3S	R_{W}
City	State	zip Code	Distance I	Direction Nearest T	own
Telephone No. (662)	838-37	>3	1'la_Miles_	5 of worse	ow'
	D T		T		
	Pump Type Circle one			Power Type Circle one	
Air Lift	Jet	Submersible	Diesel Engine	Gasoline Engine	Natural Gas
Bucket	Piston	Turbine	Electric Motor	Hand	Tractor PTO
Centrifugal	Rotary	Flowing Well	Windmill	Other (specify):	
Other (specify):			Horse Power Ratin	g of Motor: 3/4	
Date Pump Installed:	1-16-00	£	Setting Depth:	(00)	feet
Rated Pump Capacity:	10	Gallons Per Minute	Number of Stages:	8	_
	Pump Test Dat		Met	hod of Measuring Water Circle one	r Level
Date Well Tested:	1-16-00	5			0.17
~ · ··· · · · · · ·	25 -		Air Line E	lectric Measuring Line	Steel Tape

Date well lested:	Air Line Electric Measuring Line Steel Tape
Static Water Level (A):7 5 Feet Below Land Surface	Other (specify): String Incinh
Pumping Water Level (B) Feet Below Land Surface	
Drawdown [(B) – (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet
Test Pumping Rate: (OGallons Per Minute	Well yielded GPM with a drawdown of
Duration of Pump Test (minimum 4 hours): <u> </u>	feet after _ Ə \hours of pumping

> an thai BY: O C MB