State Well Report			
County: Marshall	Part 1 - Driller's Log		- , , ,
	Mississippi Department of Environmental Quality		Aquifer: 3 3 4
Permit #:	Office of Land and Water Resources P.O. Box 2309 Well #:		Well #:
Driller: Janes w Mason	Jackson MC 20225		L. S. Elevation:
Date drilling completed: 3-33-10		961-5210 1-5228 (fav)	L. S. ElEVALIVII.
	, ,	1- 5228 (fax)	E-log #:
State Law requires that this report Department at the above address	rt be prepared by the lice within 30 days of comp	letion of drilling of the well	or borehole.
Information on Well (Owner	Well or Bo	orehole Location
(Landowner if borehole is not fo		Latitude: 34 . 51 . 354	" Longitude: <u>89 • 37 , 461 "</u>
Owner Name Any Eimbrou		Latitude 34 ° 51 354" Longitude: 59 ° 37 '464" Method of Lat/Long (circle one): Conventional Survey,	
Mailing Address: 178 Spins	y dove	USGS quad, (Hand-held	GPS) Survey-grade GPS
<u> </u>	. 26/11	SW NE 1/ Sec 4	GPS) Survey-grade GPS Twn 3 S Rng 4 w
Byhalia M City Sta	te Zin Code	Distance Direction	Nearest Town
_		314 Miles NW	of <u>Unctaria</u>
Telephone No. (662) 838- 837	<u> </u>		
	Well / Bore		c. 1
Date drilling started: 3-33-10 Date dr	rilling completed: $3 - 3$	10 Hole depth: 160	Hole diameter: 6314
Location of the source of any surface wat Method of dosing and volume of Chlorin	er used for drilling: <u>~ A A</u> e used in drilling and devel	opment:	
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):			
Purpose of borehole (check one): Water W	/ell/Geotechnical/Geol	ogical Investigation Ground	d Source Heat Pump
Seismic Survey Other (describe)			
If drilling is not related to water well construction, skip the remainder of this block			
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:			
If a flowing well, method of flow regulation: Valve Other (describe)			
Static Water Level: 90 feet above of below (circle one) land surface Date measured: 3-33-10			
Method of Measurement (circle one) steel tape electric tape air line other: String I waight			
Well depth: 160 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix			
Casing length: 150 feet Casing diameter:inches Type of casing:			
Screen length: 10 feet Screen diameter: 1 inches Type of screen: 10			
Screen slot size: OIO inches Setting depth: From 150 feet to 160 feet			
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development			
Other (describe):			

feet. If telescoped or more than one screen, describe on next page

Top of lap pipe or reduction in casing: _

Form: OLWR-SWR-1A (04/08)

The sketch below only required for water wells

If well telesc	opes,	show	depths	on	sketch.
Cround 1	aval				

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
class dist	Ground Level	35
clay dist	35	160

If more than one screen, show location of each on sketch

4) a north arrow.	2		
ريع العد العد العد العد العد العد العد الع		E	
spring doe spring doe indowner Name: Amy Kimbrough	2		
ndowner Name: AM Kimbrough			

Form: OLWR-SWR-1A (04/08)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Jones W. Maron

0-620

4-20-10

Signature of License

RECEIVED

APR 2 2 2010

BY: OLWA

Print Name of Responsible Licensee and License No.

Date

STATE WELL REPORT

Permit #: Driller: Tores w. Major Date completed: 3-33-10

Copy information from block on Part 1

Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225
(601)961-5210

(601)961-5228 (fax)

For Office Use Only:			
Aquifer:	5	314	
Well #:			
Elevation:			

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.

Well Owner Information	Well Location
Owner Name: Any Kimbrough.	Latitude: 34, 51-354 Longitude: 89 . 37. 461
Mailing Address: 178 spring dove	Method of Lat/Long (check one): Conventional Survey,
	USGS quad, Hand-held GPS, Survey-grade GPS
Byhalia W 38611 City State Zip Code	SW 1/NE 1/2 Sec 4 T 35 R YW
City State Zip Code	Distance Direction Nearest Town
Telephone No. (662) 838-8374	314 Miles NW of victoria

	Pump Type Circle one			Power Type Circle one	
Air Lift	Jet	Submersible	Diesel Engine	Gasoline Engine	Natural Gas
Bucket	Piston	Turbine	Electric Motor	Hand	Tractor PTO
Centrifugal	Rotary	Flowing Well	Windmill	Other (specify):	
Other (specify):		<u> </u>	Horse Power Rating	of Motor: 314	
Date Pump Installed:	3-93-10		Setting Depth:	120	feet
Rated Pump Capacity: _	10	_Gallons Per Minute	Number of Stages: _	8	_

Pump Test Data	Method of Measuring Water Level Circle one		
Date Well Tested: 3-3-10 Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape Other (specify): String I weight		
Drawdown [(B) – (A)]: Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Duration of Pump Test (minimum 4 hours): hours	For flowing well, measured shut in head:		

I HEREBY CERTIFY that the above statements are true to the best o	f my knowledge.
Janes W. Mason 0-620	gas a Masor
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer
	Form: OLWR-SWR-1B (04/08)