	State W	ell Report			
	Part 1 – Driller's Log		For Office Use Only:		
County: Marshall	Mississippi Department of Environmental Quality		Aquifer:		
Permit #:	Office of Land and Water Resources		Well #: N - 75		
	P.O. Box 10631		Well #: V		
Driller: Joves w. Masur	Jackson, MS 39289-0631		L. S. Elevation:		
Date drilling completed: 2-16-06	(601)961-5210		L. S. Elevation:		
Date driving completed:	(601)354-6938 (fax)		E-log #:		
	•				
State Law requires that this repo Department at the above address					
Information on Well		Well or Bo	orehole Location		
(Landowner if borehole is not f	(Landowner if borehole is not for a water well)		{		
Owner Name Robet Slate			Latitude: 34 · 43 · 983" Longitude: 89 · 36 · 994" Method of Lat/Long (circle one): Conventional Survey,		
Mailing Address: 309 Union Volley 10. Method of Lat/Long (cir		Method of Lat/Long (circle or	ne): Conventional Survey,		
Lot of Morionna rd. forms. USGS quad, Hand-hel		GPS) Survey-grade GPS			
		Twn 45 Rng 4w			
HOLLY Spring MS 38635 SE NE		Nearest Town			
Telephone No. (901) 503-1921 July Miles No. 90 Marionesa.		of Mariouna			
1 reception 140. ((41) 3 - 3 - 1 + 18					
	Well / Bore	ehole Data			
Date drilling started: 3-16-06 Date drilling completed: 3-16-06 Hole depth: 300 Hole diameter: 8"					
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and development:					
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):					
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump					
Seismic Survey Other (describe)					
If drilling is not related to water well construction, skip the remainder of this block					
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:					
If a flowing well, method of flow regulation: Valve Other (describe)					
Static Water Level: 130 feet above or below circle one) land surface Date measured: 3 - 16-06					
Method of Measurement (circle one) steel tape electric tape air line other: String weight					
Well depth: 200 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cemen Bentonite Mix					
Casing length: 180 feet Casing diameter: 4 inches Type of casing: 04					
Screen length: 30 feet Screen diameter: 4 inches Type of screen: 02C					
Screen slot size: 610 inches Setting depth: From 180 feet to 300 feet					
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development					
	- α. ε				

NA

Top of lap pipe or reduction in casing:

Form: OLWR-SWR-1A

feet. If telescoped or more than one screen, describe on next page

RECEIVED

MAR 16 2006

BY: OLWR

The sketch below only required for water wells

If well telescopes, show depths on sketch.

Ground Level	· · · · · · · · · · · · · · · · · · ·	
	ł	

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
clay dirt.	Ground Level	40
Blue clay	40	80
Rack .	२६	91
Blue clay	91	125
Rock	125	126
Blue clay lock write sand	126	200
,		
	·	
		1
		
		1
		
	 -	

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.
We will.
Landowner Name: Robert Stater TT

Form: OLWR-SWR-1A

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

laws. Print Name of Responsible Licensee and License No.

Signature of Licensee RECEIVED

MAR 16 2006

BY: OLWR

STATE WELL REPORT Part 2 County: Macshall For Office Use Only: Pump Installer's Completion Report Permit #: Mississippi Department of Environmental Quality Aquifer: Office of Land and Water Resources Driller: Jones J. Masa P.O. Box 10631 Well #: Jackson, MS 39289-0631 Date completed: 2-16-06 (601)961-5210 Elevation: (601)354-6938 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Location Latitude: 34-43, 403 Longitude: 89-36, 024 Mailing Address:_ Method of Lat/Long (check one): Conventional Survey, USGS quad , Hand-held GPS , Survey-grade GPS____ NE 1/ SE 1/ Sec 22 T 45 R 4W Distance Direction Nearest Town Telephone No. (901) 503-1921 of Marianna __Miles hoPump Type Power Type Circle one Circle one Air Lift Jet Submersible Diesel Engine Gasoline Engine Natural Gas Bucket Piston Turbine Electric Motor Hand Tractor PTO Centrifugal Rotary Flowing Well Windmill Other (specify): Other (specify): Horse Power Rating of Motor: Date Pump Installed: 2-16-06. 160 Setting Depth: feet 11 しつ Rated Pump Capacity: Gallons Per Minute Number of Stages: **Pump Test Data** Method of Measuring Water Level Circle one 3-16-06 Date Well Tested: Air Line Electric Measuring Line Steel Tape Static Water Level (A): 130 Feet Below Land Surface Other (specify): Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) – (A)]: Feet Below Land Surface For flowing well, measured shut in head: Iλ Gallons Per Minute Well yielded GPM with a drawdown of Duration of Pump Test (minimum 4 hours): ЪG feet after hours of pumping I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

w.Maza

Print Name of Pump Installer and License No. (if applicable)

Form: PREWEIVED

Signature of Pump Installer

MAR 16 2006

BY: OLWR