State W	ell Report	
	Oriller's Log	For Office Use Only:
Mississippi Departmei	nt of Environmental Quality nd Water Resources	Aquifer: 104
= ··· \	Box 2309 n, MS 39225	Well #:
	961- 5210	L. S. Elevation:
(601)96	1- 5228 (fax)	E-log #:
State Law requires that this report be prepared by the lic	ا ense holder responsible for t	he work and filed with the
Department at the above address within 30 days of com		
Information on Well Owner (Landowner if borehole is not for a water well)		rehole Location
,	Latitude: 34 · 41 , 580	2. Longitude: $\frac{\partial^2 \mathcal{G}}{\partial x^2}$.
Owner Name Augela Poole/Vineila Harper Mailing Address: 5660 smith 3000 rd	Method of Lat/Long (circle on	Longitude: 8 % 33,956, (e): Conventional Survey,
Mailing Address: 5660 smith	USGS quad, Hand-held	GPS Survey-grade GPS
	56 1/4 DE 1/4 Sec 36	Twn 45 Rng 4w
Holly spring, MU 38635 City State Zip Code	NE SE	
		Nearest Town of Marionna
Telephone No. (901) 368 - 0135		
Well / Boro	chole Data	
Date drilling started: 11-5-69 Date drilling completed: 11-5-	<u>09</u> Hole depth: <u>190</u>	Hole diameter: 6314
	4.8.8	
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and deve	lopment:	
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:		
Purpose of borehole (check one): Water WellGeotechnical/Geo	ogical Investigation Ground	Source Heat Pump
Seismic Survey Other (describe)		
If drilling is not related to water well construction, skip the remainder of this block		
Purpose of Well (check one): HomeIndustrial Public Supply		
If a flowing well, method of flow regulation: Valve Other (describe)		
Static Water Level: 140 feet above of below (Grele one) land surface Date measured: 11-5-09		
Method of Measurement (circle one) steel tape electric tape air line other:		
Well depth: 190 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix		
Casing length: 180 feet Casing diameter:inches Type of casing:		
Screen length: 10 feet Screen diameter: inches Type of screen:		
Screen slot size: O(O inches Setting depth: From (60 feet to 190 feet		
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development		
Other (describe):		
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page		

Form: OLWR-SWR-1A (04/08)



DEC 0 3 2009

The sketch below only required for water wells


If well telescopes, show depths on sketch.

Ground Level

<u>Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations</u>

Description of Formations Encountered	From (depth)	To (depth)
eley dirt.	Ground Level	10
red soud	10	35
white sand	30	90
white clay	90	140
white soud	140	190
		<u> </u>
		ļ
		-
	ļ	
		ļI
		<u> </u>
		
		ļ
		<u> </u>

If more than one screen, show location of each on sketch



I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

laws.			
Jans W. MOSCH 0-620	12-1-09	Your w. Man	
Print Name of Responsible Licensee and License No.	Date	Signature of Licensee	RECEIVE

DEC 0 3 2009

BY: OLWR

STATE WELL REPORT

Part 2

County: Marshall Permit #: Date completed: 11-5-09

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225 (601)961-5210 (601)961-5228 (fax)

For Office Use Only:			
Aquifer:	N	104	
Well #:			-
Elevation:			

Copy information from	block on Part I	(601)96	01-5228 (fax)	
This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.				
	Well Owner Information			Location
Owner Name: A~	Owner Name: Angela Poole/Vineila Harper		Latitude: 34.41.580	Longitude: 89.33.95%
Mailing Address: 5660 smith grove rd		Method of Lat/Long (check one): Conventional Survey,		
			USGS quad, Hand-held	GPS, Survey-grade GPS
H <u>all</u> City	State	Zip Code	Sw 1/2 NE 1/2 Sec 36. Distance Direction	Nearest Town
Telephone No. (501) 268 - 0137			Maricung	
	Pump Type Circle one			wer Type rcle one
Air Lift	Jet	Submersible	Diesel Engine Gasolin	e Engine Natural Gas
Bucket	Piston	Turbine	Electric Motor Hand	Tractor PTO
Centrifugal	Rotary	Flowing Well		specify):
Other (specify): Horse Power Rating of Motor:		3/4		
		Setting Depth: [60	feet	
Rated Pump Capacity:	0)	Gallons Per Minute	Number of Stages:	
	Pump Test Dat	a		asuring Water Level role one
Date Well Tested:	11-5-09			suring Line Steel Tape
Static Water Level (A): 140 Feet Below Land Surface		Other (specify): String I weight		
Pumping Water Level (B):Feet Below Land Surface		,		
Drawdown [(B) – (A)]	wdown [(B) – (A)]:Feet Below Land Surface For flowing well, measured shut in head:fe			
Test Pumping Rate: Gallons Per Minute Well yielded GPM with		_GPM with a drawdown of		

I HEREBY CERTIFY that the above statements are true to the best	t of my knowledge.
THEREBY CERTIFY MALE OF BUILDING ME WAS TO MALE TO MAL	
Joses w. Moson 0-620	Jan W. Maron
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer
	Form: OLWR-SWP-12 (14)(8)

Duration of Pump Test (minimum 4 hours): $\underline{\mathcal{I}}$

DEC 9 3 2009

hours of pumping