State V	Vell Report	
l	_	For Office Use Only:
Minning Department	Driller's Log at of Environmental Quality	Aquifer:
	and Water Resources	
Driller: Long Corporte P.O. Jackson I	Box 10631	Well #: <u>&~ 56</u>
judason, i	MS 39289-0631	L. S. Elevation:
,)961-5210 54 (028 (5)	E-log #:
(601)33	54-6938 (fax)	E-10g #:
State Law requires that this report be prepared by the lic Department at the above address within 30 days of com		
Information on Well Owner		orehole Location
(Landowner if borehole is not for a water well)	Latitude: 34 . 41 . 24	" Longitude: 84° 32, AG
Owner Name Jones Lowery	Latitude. 3 1 11 844	Longitude. 0 1 335
Owner Name Jones Lowery Mailing Address: 332/ Hung 311	Method of Lat/Long (circle or	ne): Conventional Survey,
3	-,	GPS, Survey-grade GPS
Hely Spring 2 38635 City State Zip Code	$\frac{NW}{M} \frac{M}{M} \frac{SW}{M} \frac{M}{M} \operatorname{Sec} \frac{32}{M}$	Twn 45 Rng 3 W
City State Zip Code	Distance Direction	Nearest Town of Holly Syrvian
Telephone No. (62) 252-6214	Miles	or roug springs
Well / Bor	chole Data	
Date drilling started: 5-27-68 Date drilling completed: 5-27		
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and deve	well water	e to 1000 Dlivotes
Logs run (circle all applicable). No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):		
Purpose of borehole (check one): Water Well X Geotechnical/Geo	logical Investigation Ground	Source Heat Pump
Seismic Survey Other (describe		
If drilling is not related to water well construction	on, skip the remainder of this bl	ock
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:		
If a flowing well, method of flow regulation: Valve (Other (describe)	
Static Water Level: 140 feet above of below (circle one) land surface Date measured: 5-27-08		
Method of Measurement (circle one) steel tape electric tape air line other:		
Well depth: 190' Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix		
Casing length: 180 feet Casing diameter: 4 inches Type of casing:		
Screen length: / / feet Screen diameter: 4 inches Type of screen: PVC		
Screen slot size: 1013 inches Setting depth: From 180 feet to 190 feet		
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development		
Other (describe):		
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page		
BEQUINED		
		·

JUN 12 2008

BY: OLWR

The sketch below only required for water wells

If well telesc	opes, show	depths on	sketch
Ground L	evel	_	

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
Surface Soul	0	25
1		
nel Red Sond	25	48
	<u> </u>	
Tred White Soul	48	71
1.00		-
White clay	91	110
Trie White Said	 	
I've White Said	116	133
Coose White Sank	 	190
Crose Whole Josh	155	170
		
	 	<u> </u>
	 	1
		
	 	
		1
		†
	1	

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.	
Ty a north arrow.	House of Well
	20ctl
	All Hung 4
Landowner Name: Jones Lowery	Farm, OLIMP CIMP 4

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

LARRY CARPENTER 6-112 5-31-08 Print Name of Responsible Licensee and License No.

Signature of Licensee

JUN 12 2008

BY: OLWR

STATE WELL REPORT Part 2 For Office Use Only: **Pump Installer's Completion Report** Mississippi Department of Environmental Quality Aquifer: Office of Land and Water Resources Driller: Lang Consert P.O. Box 10631 Jackson, MS 39289-0631 Date completed: 5-27-0 (601)961-5210 Elevation: (601)354-6938 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Location Owner Name: Josses Lowery Latitude: Longitude: Mailing Address: 3321 Hay 311 Method of Lat/Long (check one): Conventional Survey , USGS quad , Hand-held GPS , Survey-grade GPS 4 4 Sec 32 T 45 R 3W Direction Nearest Town Distance 5 Miles 5 W of Holly Springe Telephone No. (____) **Pump Type Power Type** Circle one Circle one Air Lift Submersible Gasoline Engine Jet Diesel Engine Natural Gas Electric Motor Bucket Piston Turbine Hand **Tractor PTO** Other (specify): Centrifugal Rotary Flowing Well Windmill Horse Power Rating of Motor: Other (specify): Date Pump Installed: 5-27-08 Setting Depth: 160 feet Rated Pump Capacity: / O Gallons Per Minute Number of Stages: // Pump Test Data Method of Measuring Water Level Circle one Date Well Tested: 5-27-69 Air Line Steel Tape Electric Measuring Line Static Water Level (A): / 40 Feet Below Land Surface Other (specify): Pumping Water Level (B): 145 Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface For flowing well, measured shut in head: feet Test Pumping Rate: _______ Gallons Per Minute Well yielded /5 GPM with a drawdown of

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.	RECEIVED
	Carperton 12 2008
	of Pump Installer
	B Yojm OLWANG-1B

Duration of Pump Test (minimum 4 hours): 4 hours

feet after hours of pumping