Part 1 – I	Oriller's Log	For Office Use Only:	
	Mississippi Department of Environmental Quality		
Permit #: Office of Land a	Office of Land and Water Resources		
\	Box 2309	Well #:	
(601)	n, MS 39225 961- 5210	L. S. Elevation:	
	1- 5228 (fax)	E-log #:	
State Law requires that this report be prepared by the lic	 ense holder responsible for t	he work and filed with the	
Department at the above address within 30 days of comp	pletion of drilling of the well	or borehole.	
Information on Well Owner	Well or Bo	rehole Location	
(Landowner if borehole is not for a water well)	Latitude: 34 . 38 . 951	" Longitude: 89 ° 37 , 85%,	
Owner Name Co line Dovis.	Method of Lat/Long (circle on	01	
Mailing Address: 140 Tyro rd.			
No. 1985 Acres 1985 March 1985	Osos quad, trand-neid	GPS) Survey-grade GPS Twn 4 5 5 5 4 W	
Holly Springs MS 38635	NW 1/4 Sec_ 1/4	TwnRng	
City State Zip Code	Distance Direction	Nearest Town of chulohoma	
Telephone No. (66) 564 - 3187		or <u>evenous</u>	
Well / Bore	hole Data		
Date drilling started: 5-17-09 Date drilling completed: 5-17-0	9 Hole depth: 170'	Hole diameter: 6314	
Location of the source of any surface water used for drilling:	lopment:		
Logs run (circle all applicable): No log run Electric Gamma Ray	Density Sonic Neutron	Other:	
Name of organization running log(s):			
Purpose of borehole (check one): Water WellGeotechnical/Geol	ogical Investigation Ground	Source Heat Pump	
Seismic Survey Other (describe)			
If drilling is not related to water well construction	n, skip the remainder of this blo	ock	
Purpose of Well (check one): HomeIndustrial Public Supply	Irrigation Fish Culture	Other:	
If a flowing well, method of flow regulation: Valve O	other (describe)		
Static Water Level: 113 feet above & below (circle one) land surface Date measured: 5-17-09			
Method of Measurement (circle one) steel tape electric tape	air line other:	tring ludeight	
Well depth: 170' Well grouted to a depth of 10 feet Type	of grout (circle one): Neat Cem	ent Bentonite Mix	
Casing length: 160 feet Casing diameter:	inches Type of casing:	puc	
Screen length: 10 feet Screen diameter: 4			
Screen slot size: , O 10inches Setting depth: From _	160feet to	1 7 0 feet	
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development			
Other (describe):	ut		
Top of lap pipe or reduction in casing: feet. If ten	lescoped or more than one scree	en, describe on next page	

State Well Report

Form: OLWR-SWR-1A (04/08)

JUN 1 7 2009 BY: OLWR

BY: OLWR

The sketch below only required for water wells	Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations		
If well telescopes, show depths on sketch. Ground Level———————————————————————————————————	Description of Formations Encountered	From (depth)	To (depth)
Ground Level	1cd 5ord	Ground Level	15
	while send.	15	170
			<u> </u>
Nouse		て	
Ø see	Janany C		
andowner Name: (o(ive Dovis	For	n: OLWR-SWR-1/	A (04/08)
ertify that the well/borehole was drilled, constructed, and ssissippi Department of Environmental Quality and the N	completed in accordance with all applicable	e requirements of	the
O CHARLE TO THE COLUMN TO THE	15-09 Jone w. M.	~ #EC	
int Name of Responsible Licensee and License No.	Date Signature of Licer		7 200

STATE WELL REPORT

County: Marshall Permit #: ____ Driller: Jores w. Moson

Part 2

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309

For Office Use Only:		
Aquifer:		
Well#: R60	_	
Elevation:		

Date completed: 5-17-09		, MS 39225 961-5210	Well#: <u> </u>	
Copy information from block on Part 1	()	1-5228 (fax)	Elevation:	
This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Location				
Well Owner Informat				
Owner Name: (orine Dovi	<u> </u>	Latitude: 37.38. 381	Latitude: 34.38.981 Longitude: 89.37.881	
Mailing Address: 140 Tyro	1.1 - 1		Method of Lat/Long (check one): Conventional Survey,	
		USGS quad, Hand-held	GPS, Survey-grade GPS	
Holly Springs	Holly Spring MS 38635		NW 1/4 SW 1/4 Sec 16 T YW R SW	
City State	Zip Code	Distance Direction	S A W Nearest Town	
Telephone No. (<u>662)</u> 564-218	7	<u>'/</u> Miles S of		
Pump Type		Pov	ver Type	
Circle one	_ ~		rcle one	
Air Lift Jet	Submersible	Diesel Engine Gasoline	e Engine Natural Gas	
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO	
Centrifugal Rotary	Flowing Well	Windmill Other (s	specify):	
Other (specify):		Horse Power Rating of Motor:	3)4	
Date Pump Installed: 5-17-09		Setting Depth:	<u>U</u> feet	
Rated Pump Capacity:	Gallons Per Minute	Number of Stages:		
Pump Test Data			isuring Water Level	
Date Well Tested: 5-17-09				
Static Water Level (A): 113 Feet	Below Land Surface	Air Line Electric Measuring Line Steel Tape		
Pumping Water Level (B): Feet	Below Land Surface	Other (specify):	(weight	
Drawdown [(B) – (A)]:Feet	Below Land Surface	For flowing well, measured sho	ut in head:feet	
Test Pumping Rate: ()	Gallons Per Minute	Well yielded CPM with a drawdown of		
Duration of Pump Test (minimum 4 hours):	24 hours	feet after	hours of pumping	
1 HEREBY CERTIFY that the above statem	ents are true to the best o	f my knowledge.		

1 HEREBY CERTIFY that the above statements are true to the best	of my knowledge.	
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer	D
	Form: OLWR-SWR-1B (04/08)	9

BY: OLWR