	State W	ell Report		
County: Marshall		riller's Log	For Office Use Only:	
County: 1 1075 VOC 1	Mississippi Department of Environmental Quality		Aquifer:	
Permit #:		nd Water Resources	Well #: 5-51	
Driller: Jone, W. Mason		ox 10631	Well #:	
Driller: Johns Williams	Jackson, M	S 39289-0631	L. S. Elevation:	
Date drilling completed: 2-1-06	(601)9	961-5210		
	(601)354	l-6938 (fax)	E-log #:	
State Law requires that this report Department at the above address				
Information on Well			rehole Location	
(Landowner if borehole is not f	The state of the s	2.1 20 0	0 / 111	
		Latitude: 39, 30	" Longitude: 89 • 27 , 641 "	
Owner Name K - C Builde	25	Method of Lat/Long (circle or	38	
Mailing Address 4369 H.	.)	Method of Lat/Long (circle of	ie): Conventional Survey,	
Mailing Address: 1366 1750	Mailing Address: 4368 Hay 7 USGS quad, Hand-hel		1 GPS, Survey-grade GPS	
			Twn 5s Rng 3w	
as broked	5 75000	1 1 1/4 NF 1/4 Sec / 3	Wn 33 Rng 3	
City Sta	te Zin Code	Distance Direction	Nearest Town	
		112 Miles NU	Nearest Town of water ford	
Telephone No. (662) 890 - 56	99			
	Well / Bore	hala Data		
			. 71	
Date drilling started: 9-1-06 Date dr	rilling completed:	Hole depth: / 40	Hole diameter: 6314	
Location of the source of any surface wat Method of dosing and volume of Chlorin				
	_			
Logs run (circle all applicable): No log run Name of organization running log(s):		Density Sonic Neutron	Other:	
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump				
Seismic	Survey Other (describe)		
If drilling is not relate	d to water well construction	n, skip the remainder of this bl	ock	
Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level:feet above or below (circle one) land surface Date measured:				
Method of Measurement (circle one) steel tape electric tape air line other:				
Well depth: 140 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 100 feet Casing diameter: 1 inches Type of casing: 100				
Screen length: feet Screen diameter: inches Type of screen:				
Screen slot size: 1010 inches Setting depth: From 125 feet to 140 feet				

Underreamed Telescoped Open hole

feet. If telescoped or more than one screen, describe on next page

Type of completion (circle all applicable): Gravel packed,

Top of lap pipe or reduction in casing:

Other (describe):

Form: OLWR-SWR-1AVED

Natural Development

SEP 2 9 2006

The sketch below only required for water wells	Description of formations encountered	Description of formations encountered must be provided for all					
	wells and boreholes, unless specifically exempted by regulations						
f well telescopes, show depths on sketch. Ground Level———	Description of Formations Encountered	From (depth)	To (depth)				
<u> </u>	clay dist.	Ground Level	35				
	fed soud	25	40				
	white soud	40	140				
			_				

aid in locating the well; 3) any roads, p	g: 1) the well location; 2) any permanent structures on the property that may power lines, or other items that may aid in locating the property and the well;
4) a north arrow.	6
SI	ned
Well Isom	house
√	
Landowner Name: K-C Builde	Form: OLWR-SWR

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

laws. iones w. Moson

Print Name of Responsible Licensee and License No.

Date

RECEIVED

SEP 2 9 2006

BY: OLWR

STATE WELL REPORT

Part 2 County: Mostpoll Permit #:

Print Name of Pump Installer and License No. (if applicable)

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631

For Office Use Only:			
Aquifer:			
Well #:	5-51		
Elevation	ı:		

(601)35)961-5210 54-6938 (fax) Elevation:			
Copy information from block on Part 1				
This part of the report must be completed by a licensed water well report must be attached and both parts filed with the Department of	contractor or a licensea pump installer. A copy of Part 1 of the at the above address within 30 days of well completion.			
Well Owner Information	Well Location			
Owner Name: K-C Builders Mailing Address: 4368- Hury 7	Latitude: 34-39-200 Longitude: 89-27.641 Method of Lat/Long (check one): Conventional Survey,			
	USGS quad, Hand-held GPS, Survey-grade GPS			
City State Zip Code	NE 1/2 NE 1/2 Sec 13 T 55 R 3 ws Distance Direction Nearest Town			
Telephone No. (462) 890 - 5629	112 Miles NW of waterford			
Pump Type Circle one	Power Type Circle one			
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas			
Bucket Piston Turbine	Electric Motor Hand Tractor PTO			
Centrifugal Rotary Flowing Well	Windmill Other (specify):			
Other (specify):	Horse Power Rating of Motor:3/4			
Date Pump Installed:	Setting Depth:feet			
Rated Pump Capacity: Gallons Per Minute	Number of Stages:			
Pump Test Data	Method of Measuring Water Level			
Date Well Tested: 9-7-06	Circle one			
Static Water Level (A):Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape Other (specify): String (weight			
Pumping Water Level (B): NA Feet Below Land Surface	Suite (op 500)).			
Drawdown [(B) – (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet			
Test Pumping Rate:Gallons Per Minute	Well yieldedGPM with a drawdown of			
Destina Character Test (minimum 4 hours), 24 hours	A 14 feet after 24 hours of numping			

Test Pumping Rate: Duration of Pump Test (n		Gallons Per Minute	Well yielded	feet after		h a drawdown of hours of pumping
I HEREBY CERTIFY the	osa	atements are true to the best	Goro	ire of Pump I	nstaller	

Form PLWR-SWR18ED

SEP 2 9 2006