County: Warshall Part 1 -	unty: Marshall Part 1 - Driller's Log			
Mississippi Departmen	Mississinni Denartment of Environmental Quality			
A STATE OF LAND	office of Land and Water Resources			
I DINICICA NA CAPA L'OXADELLA NA LA LA	Box 10631 MS 39289-0631	Well #:S 64		
Jackson, 1	)961-5210	L. S. Elevation:		
	64-6938 (fax)	E-log #:		
	` ′			
State Law requires that this report be prepared by the lie	ense holder responsible for t	he work and filed with the		
Department at the above address within 30 days of com Information on Well Owner		or borehole.		
(Landowner if borehole is not for a water well)				
	Latitude: 34 ° 36 '586	" Longitude: 87°29, 443		
Owner Name Shandra Williams	Thanka Williams Washed of Lattle and (sing 5)			
Mailing Address: 1263 Ext Office 171	Mailing Address: 1263 Old Offord Rd USGS quad, Hand-held			
1 /2 to 1 - 1 me 2010	NW 14 NW 14 Sec 35	Twn 5 5 Rng 3W		
Waterfood, 175 38685 City State Zip Code	Distance Direction,	Nearest Town		
Telephone No. (663 274- 4862	Miles South	of waterfood		
Well / Bore	hole Data			
Date drilling started: 8-27-12 Date drilling completed: 8-27	12 Hole depth: 2 60 '	Hole diameter:		
Location of the source of any surface water used for drilling:  Method of dosing and volume of Chlorine used in drilling and development:   Le R. Chlorice To 1000 Del Wolfe				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):				
Purpose of borehole (check one): Water Well X Geotechnical/Geol	ogical Investigation Ground	Source Heat Pump		
Seismic Survey Other (describe)  If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check one): Home Industrial Public Supply	Irrigation Fish Culture _	Other:		
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 140 feet above on below (circle one) land surface Date measured: 8-27/2				
Method of Measurement (circle one) Steel tape electric tape air line other:				
Well depth: 260 Well grouted to a depth of 10 feet Type of grout (circle one) Neat Cement Bentonite Mix				
Casing length: 190 feet Casing diameter: 4 inches Type of casing: PVC				
Screen length: 10 feet Screen diameter: 4 inches Type of screen: PVC				
Screen slot size:				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):		!		

Top of lap pipe or reduction in casing: \_\_\_\_\_\_feet. If telescoped or more than one screen, describe on next page

**State Well Report** 

Form: OLWR-SWR-1A

BY OWN

### The sketch below only required for water wells

f well telescopes,	show	depths	on	sketch.
Ground Level.		_		

#### Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
Surface Soit	0	20
made Red Soul.	20	38
med petite Sand		
men while said	38	8.5
White clay		
while clay	82	78
net belite Sail		
per lifete sont	78	160
Fire White Soil	ļ	1.
J	140	185
Coase While Soil	185	7 4 4
Const Office Sail	183	200
	<del></del>	
	<del>                                     </del>	<del> </del>
		<del>                                     </del>
	<u> </u>	<del>                                     </del>
	<u> </u>	<del>                                     </del>
	<del> </del>	<del>                                     </del>
<u> </u>	<u> </u>	<del></del>

If more than one screen, show location of each on sketch

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No.

## STATE WELL REPORT

# County: Ma whall arrenter Date completed: Copy information from block on Part 1

## Part 2

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631

For Office Use Only:		
Aquifer:		
Well #:	564	
Elevation: _		

(601)961-5210 (601)354-6938 (fax) This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Well Location Owner Name: Shandaa Wellicom Latitude: 34'36. 586 Longitude: 89 29. 443 Mailing Address: Method of Lat/Long (check one): Conventional Survey\_\_\_\_, USGS quad . Hand-held GPS X . Survey-grade GPS Distance Direction Nearest Town Telephone No. Miles South of Waterford Pump Type Power Type Circle one Circle one Air Lift Jet Submersible Diesel Engine Gasoline Engine Natural Gas Bucket Electric Motor Piston Turbine Hand Tractor PTO Other (specify): Centrifugal Rotary Flowing Well Windmill Other (specify): Horse Power Rating of Motor: Date Pump Installed: 8-27-12 Rated Pump Capacity: / 2 Gallons Per Minute Number of Stages: Pump Test Data Method of Measuring Water Level Circle one Date Well Tested: 8 - 27 - 12 Air Line Electric Measuring Line Steel Tape Static Water Level (A): /40 Feet Below Land Surface Other (specify): Pumping Water Level (B): 146 Feet Below Land Surface Drawdown [(B) – (A)]: Feet Below Land Surface For flowing well, measured shut in head: feet Test Pumping Rate: 15 Well yielded 15 GPM with a drawdown of Gallons Per Minute Duration of Pump Test (minimum 4 hours): \_\_\_\_\_\_\_\_\_ hours feet after 4 hours of pumping

	4		
I			S Same
1	I HEREBY CERTIFY that the above statements are true to the best	of my knowledge.	CEP / TOTAL
I		Long Coperter	43 L 1 6 5 5 5 5
I	Warry Carpenter #0-162	John Lapena	
	Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer	
			Form: OLWR-SWR-18