| State Well Report | | | | | |
|--|--|--|-----------------------------------|--|--|
| County: Marshall | Part 1 – Driller's Log | | For Office Use Only: | | |
| Permit #: | Mississippi Department of Environmental Quality Office of Land and Water Resources | | Aquifer: | | |
| | P.O. Box 2309 | | Well #: | | |
| Driller: Janes s. Meson | | , MS 39225 961- 5210 | L. S. Elevation: | | |
| Date drilling completed: 5-30-09 | (, | - 5228 (fax) | E-log #: | | |
| State Law requires that this repor | t be prepared by the lice | ense holder responsible for t | | | |
| Department at the above address | within 30 days of comp | letion of drilling of the well | or borenoie. | | |
| Information on Well C | wner | Well or Bo | orehole Location | | |
| (Landowner if borehole is not fo | | Latitude: 34 . 40 , 696 | 2" Longitude: 89 • 36 , 944, 57 " | | |
| Owner Name Tommy Winb | N.V. | 식 등 Method of Lat/Long (circle or | tel: Conventional Survey, | | |
| Mailing Address: 497 water for | Mailing Address: 497 waterford mountainerd. | | | | |
| water ford | 38685 | USGS quad, Hand-held GPS Survey-grade GPS SE 1/4 1/10 1/4 Sec 6/ Twn 55 Rng 200 | | | |
| City Sta | te Zip Code | | | | |
| | | Miles Niction | Nearest Town of woter Ford | | |
| Telephone No. (901) 461 - 93 | 7 0 | | | | |
| | Well / Bore | hole Data | | | |
| Date drilling started: 5-30-09 Date dr | illing completed: 5-20-0 | 29 Hole depth: <u>330</u> | Hole diameter: 6314 | | |
| Location of the source of any surface water Method of dosing and volume of Chloring | er used for drilling: | opment: VA | | | |
| Logs run (circle all applicable) No log ru Name of organization running log(s): | Electric Gamma Ray | Density Sonic Neutron | Other: | | |
| Purpose of borehole (check one): Water W | ell <u> </u> | ogical Investigation Ground | d Source Heat Pump | | |
| Seismic | Survey Other (describe |)i_din annoinder of this b | look . | | |
| | | n, skip the remainder of this bl | | | |
| Purpose of Well (check one): Home1 | ndustrial Public Supply | Irrigation Fish Culture | Other: | | |
| If a flowing well, method of flow regulation: Valve Other (describe) | | | | | |
| Static Water Level: 165 feet above or below scircle one) land surface Date measured: 5-31-09 | | | | | |
| Method of Measurement (circle one) steel tape electric tape air line other: String neight | | | | | |
| Well depth: 330 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix | | | | | |
| Casing length: | | | | | |
| Screen length: 30 feet Screen diameter: 1 inches Type of screen: puc | | | | | |
| Screen slot size: (010 inches Setting depth: From 310 feet to 330 feet | | | | | |
| Type of completion (circle all applicable). Gravel packed Underreamed Telescoped Open hole Natural Development | | | | | |
| Other (describe): | | | | | |
| Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page | | | | | |

Top of lap pipe or reduction in casing:

Form: OLWR-SWR-1A (04/08)

| The sketch | helow | only | required | for | water | wells |
|-------------|-------|-------|----------|-----|-------|-------|
| I HE SKELCH | UELUN | UILLY | requireu | ,,, | muici | Wests |

| If well telescopes, | show | depths | on | sketch. |
|---------------------|------|--------|----|---------|
| Ground Level. | | _ | | • |

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

| Description of Formations Encountered | From (depth) | To (depth) |
|---------------------------------------|--------------|------------|
| clay dict. | Ground Level | 5 |
| cley dist. ce' soud while soud | _5 | 30 |
| white soud | 30 | 230 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | † |
| | | |
| | | <u>†</u> |
| | | L |

If more than one screen, show location of each on sketch

| Sketch the property lay aid in loc 4) a north | ating the well; 3) any roads, power lines, or other | on; 2) any permanent structures on the property that may er items that may aid in locating the property and the well; |
|---|---|---|
| | ω | |
| 2. | house | Vive way |
| | 3 | |
| Landowner Name: | anny winburn. | Form: OL WR-SWR-1A (04/08 |

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state laws.

Print Name of Responsible Licensee and License No.

JUN 1 8 2009

RY: OI WA

STATE WELL REPORT

Permit #: Driller: Toes w-Moson Date completed: 5-21-09 Copy information from block on Part 1

Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309
Jackson, MS 39225

| For Office Use Only: | | | |
|----------------------|--|--|--|
| Aquifer: | | | |
| Well #: | | | |
| Elevation: | | | |

| ` | 601)961-5210 1)961-5228 (fax) | | |
|--|---|--|--|
| This part of the report must be completed by a licensed water w | well contractor or a licensed pump installer. A copy of Part 1 of the | | |
| report must be attached and both parts filed with the Departme Well Owner Information | Well Location | | |
| Owner Name: Torry winburn. Mailing Address: 497 waterford mantoin rd. waterford M3 38685 City State Zip Code Telephone No. (901) 461-9320 | Latitude: 34.40.696 Longitude: 89.36.544 Method of Lat/Long (check one): Conventional Survey | | |
| Pump Type Circle one Air Lift Jet Submersible | Power Type Circle one Diesel Engine Gasoline Engine Natural Gas | | |
| Air Lift Jet Submersible | District Singuity | | |
| Bucket Piston Turbine Centrifugal Rotary Flowing Well Other (specify): Date Pump Installed: Sallons Per Minute | Windmill Other (specify): Horse Power Rating of Motor: hp. Setting Depth: feet Number of Stages: l | | |
| Pump Test Data Date Well Tested: 5-21-09 Static Water Level (A): 165 Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) – (A)]: Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Duration of Pump Test (minimum 4 hours): 4 hours | Method of Measuring Water Level Circle one Air Line Electric Measuring Line Steel Tape Other (specify): | | |
| | | | |

| LUEDEDV CEDTIEV that the above statements are true to the best | of my knowledge | |
|--|-----------------------------|----------------------|
| I HEREBY CERTIFY that the above statements are true to the best of | of my knowledge. | |
| Jones W. Moson 0-620 | Your w. Mar | DECEME |
| Print Name of Pump Installer and License No. (if applicable) | Signature of Pump Installer | NECEIVEL |
| | Form: C | 11 MP SMP-1R (04/08) |

Form: OLWR-SWR-1B (04/08)

JUN 1 8 2009