County: Neshaba 099	Well Driller Report and Well Log		For Office Use Only:	
Permit #:	Office of Land a P.O. I Jackson, M	t of Environmental Quality and Water Resources Box 10631 1S 39289-0631 961-5210 4-6938 (fax)	Aquifer:	
State Law requires that this rep 30 days of completion of drillin	ort be prepared by the		h the Department within	
Well Owner Informa		Well Location		
Owner Name Milse Belivett		Latitude: 32 85 6 1  Method of Lat/Long (circle o	" Longitude: <u>89° 16896</u> , 09 28	
Mailing Address: 10110 Rd		USGS quad, Hand-held	d GPS, Survey-grade GPS	
$\frac{\rho_{H_{1}/A}}{\text{City}}$ , $\frac{M}{\text{S}}$	39350 tate Zip Code	5E 1/4 NW /4 Sec_32	Twn /2 N Rng / / E	
Telephone No. $(6d)$ 656 - 74		Distance Direction  Miles South	Nearest Town of Anington	
	Well	Data		
Purpose of Well (circle one) Home In Date well drilling started: 2 - 2 5 -			/	
f flowing, method of flow regulation: V	alve Othe	r (describe)		
Static Water Level:feet	above or below (circle or	e) land surface Date measur	red: 2-25-05	
Method of Measurement (circle one)		Carried		
Hole depth: //O Well d	epth: // 0 1	Well grouted to a depth of	of /O feet	
Type of grout (circle one): Cement	Bentonite M	ix		
Casing length: 100 feet Cas				
Screen length: / O feet Scr				
Screen slot size:ooloinches	Setting depth: From	nfeet to	110 feet	
Type of completion (circle all applicable)	: Gravel packed Un	derreamed Telescoped O	pen hole Natural Developmen	
	Other (describe):			
op of lap pipe or reduction in casing:	feet. If	telescoped or more than one	screen, describe on back of pag	
ogs run (circle all applicable): No log r	Electric Gamma R	ay Density Sonic Neutron	n Other:	

Name of organization running log(s): I certify that the well was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and/or the Mississippi Department of Health regulations and state laws.

Print Name of Water Well Contractor and License No.

Signature of Water Well Contractor

Ground	Level	

Description of Formations Encountered	F	rom	То
		0	17
Nod Dirt White SAND		17	30
Graz Clay	نب ا	30	80
Gray SAND		80	110
3,7			
-			
			-
		_	

If more than one screen, show location of each on sketch

	Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may
	aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well;
	4) indicate direction
	Well
	Lucker III D D
	Chicken TO TO
	1141665
	4 - 1
	1/2 / /
J	Landowner Name: Mike Bennett
1	<del></del>

Signature of Water Well contractor

**REC**EIVED

MAR 2 3 2005

BY: OLWR

## STATE WELL REPORT

## Part 2 Pump Installer's Completion Report Aississippi Department of Environmental Quality

For Office Use Only:	
Aquifer:	
Well #: 13-27	
Elevation:	

Well Location

Permit #:

Driller: Themas Drilling

Date completed: 2-18-05

**Well Owner Information** 

County: Nestaba

Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631

> (601)961-5210 (601)354-6938 (fax)

This report must be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump. A copy of Part 1 of this report must be attached to this report.

Owner Name: Mike Bennett	Latitude: 32,85461 Longitude: 89,16986			
Mailing Address: 10110 Rd 394	Method of Lat/Long (circle one): Conventional Survey,			
Ph/A. MS 3933 City State Zip Co Telephone No. (601) 656-7489	Distance Direction Nearest Town  Miles South of Arlington			
Pump Type Circle one	Power Type Circle one			
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas			
Bucket Piston Turbine	Electric Motor Hand Tractor PTO			
Centrifugal Rotary Flowing We				
Other (specify):	Horse Power Rating of Motor:			
Date Pump Installed: 2 - 18-05	Setting Depth: //o feet			
Rated Pump Capacity:Gallons Per M	Number of Stages:/			
Pump Test Data Method of Measuring Water Level				
•	Circle one			
Date Well Tested: 2-29-05  Static Water Level (A): 40 Feet Below Land S	Air Line Electric Measuring Line Steel Tape urface Other (specify):			
Pumping Water Level (B): ~ 60 Feet Below Land S	urface			
Drawdown [(B) – (A)]:Feet Below Land S	urface For flowing well, measured shut in head:feet			
Test Pumping Rate: 27 Gallons Per M	finute Well yieldedGPM with a drawdown of			
Duration of Pump Test (minimum 4 hours):	hoursfeet afterhours of pumping			
I HEREBY CERTIFY that the above statements are true to the best of my knowledge.				

Signature of Pump Installer

BY: OLWR