111.11#2					
	State Well Report				
County.	Oriller's Log	For Office Use Only:			
	at of Environmental Quality and Water Resources	Aquifer:			
l - , <i>t // .//</i>	Box 10631	Well #:			
Jackson, iv	AS 39289-0631	L. S. Elevation:			
	961-5210	E-log #:			
(001)33	(601)354-6938 (fax)				
State Law requires that this report be prepared by the lic Department at the above address within 30 days of comp					
Information on Well Owner	Well or Bo	rehole Location			
(Landowner if borehole is not for a water well)	Latitude: 32.49,00	" Longitude: <u>610 08 , 56 "</u>			
Owner Name Jeffrey Wathins		_			
Mailing Address: 12720 Luny 16 E	Method of Lat/Long (circle or	ne): Conventional Survey,			
,	-	GPS, Survey-grade GPS			
M11/1 no 2000	SE 45W4 Sec_12	Twn_//N Rng_//E			
City State Zip Code					
	Distance Direction 3.5 Miles	of Philadel phia			
Telephone No. (<u>601</u>) 656-6837		/			
Well / Bore	chole Data				
Date drilling started: 102/36 Date drilling completed: 1/23	Mak Hole denth: 550	Hole diameter: 4			
Date drining stated. 70270 Date drining completed. 7.7	Pol Miller	Tiole diameter			
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and deve	lopment:				
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:					
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump					
Seismic Survey Other (describe) If drilling is not related to water well construction, skip the remainder of this block					
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other: Other: Figure 5					
If a flowing well, method of flow regulation: Valve Other (describe)					
Static Water Level:					
Method of Measurement (circle one) Steel tape electric tape air line other:					
Well depth: 550 Well grouted to a depth of 90 feet Type of grout (circle one): Neat Cement Bentonite					
Casing length: 280 feet Casing diameter: 4 inches Type of casing: PVC					
Screen length: <u>90</u> feet Screen diameter: <u>2</u>	inches Type of screen:	PVC			

Setting depth: From

Underreamed

Gravel packed

Other (describe):

___inches

Type of completion (circle all applicable):

Top of lap pipe or reduction in casing:

34 0 LWR

_feet to ____

Telescoped Open hole

feet. If telescoped or more than one screen, describe on next page

550

_feet

Natural Development

Form: OLWR-SWR-1A

The sketch below only required for water wells

If well telescopes, show depths on sketch.

Ground Level

CASIM

CASIM

Z80 (Bithom of CADING)

Serum

550'

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
C/44	l)	20 /
WhiteSand	20	301
Chry	30	70 '
FIRE Some	70	1051
6kg	105	(15"
Live Sand / Ligar te/C/ps	115	250'
Clan Rocks	220	3601
Lake Sand	300	375
Fine Comese Sand	375	550 /

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any period aid in locating the well; 3) any roads, power lines, or other items that 4) a north arrow.	may aid in locating the property and t	he well;
	AUG 142007 BY: OLWAR	
	* well	Hay 19
Landowner Name: Deffeny Working		Philocolphill

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Liquesee and License No.

Date

Robert Anthony
Signature of Licensee

STATE WELL REPORT

Permit #:

Part 2

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources

For Office Use Only:		
Aquifer:		
Vell #: F-60		
ilevation:		

Driller: Kobert Kn Horry	P.O. Box 10631		Well #: F-60	
Date completed: /2/2/06	·	4S 39289-0631	Well #:	
'	(601)961-5210 (601)354-6938 (fax)		Elevation:	
Copy information from block on Part 1)	, ,		
This part of the report must be completed report must be attached and both parts file				
Well Owner Informat			Location	
Owner Name: Juffrey Wat K	:	T atimedae	Longitudos	
·		Latitude:	Longitude:	
Mailing Address: /2720 Klwy	166	Method of Lat/Long (check one): Conventional Survey,		
<u></u>		USGS quad, Hand-held	GPS, Survey-grade GPS	
<u>Ph:/acle/phia MS</u> City State	39350	SE 1/2 SW 1/2 Sec /2	2 T //N/ R //E	
City State				
	Distance Direction Nearest Town			
Telephone No. (601) 656-6937 3.5 Miles NW of Th:/Adu/phiA			E_Dh:/Acke/ph:A	
Pump Type Circle one		Power Type Circle one		
Air Lift Jet	(ubmersible)	Diesel Engine Gasolin	e Engine Natural Gas	
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO	
Centrifugal Rotary	Flowing Well	Windmill Other (specify):	
Other (specify): Horse Power Rating of Motor:			_5.0	
Date Pump Installed: 12/2/015		Setting Depth:feet		
Rated Pump Capacity:	_Gallons Per Minute	Number of Stages:/5		
Pump Test Data		Method of Me	asuring Water Level	
, ,			rele one	
Date Well Tested:		Air Line Electric Meas	suring Line / Steel Tape	
Static Water Level (A): / Feet Below Land Surface				
Pumping Water Level (B): 45 Feet Below Land Surface Other (specify):				
Orawdown [(B) – (A)]: Feet Below Land Surface For flowing well, measured shut in head:		ut in head:feet		
Test Pumping Rate:75	Rate:			
Duration of Pump Test (minimum 4 hours):				

I HEREBY CERTIFY that the above statements are true to the best of my knowledge. Signature of Pump Installer Print Name of Pump Installer and License No. (if applicable) Form: OLWR-SWR-1B