State V	Vell Report	
County: TONC Part 1-	Part 1 – Driller's Log For Office Use Only	
Mississippi Departme	nt of Environmental Quality	Aquifer:
	Office of Land and Water Resources P.O. Box 10631 Well #: D - 35	
Jackson I	MS 39289-0631	L. S. Elevation:
Date drilling completed: $2 - 26 - 07$ (601)961-5210	
(601)33	54-6938 (fax)	E-log #:
State Law requires that this report be prepared by the lie Department at the above address within 30 days of com	eense holder responsible for t	he work and filed with the
Information on Well Owner	Vell or Bo	<i>or borehole.</i> rehole Location
(Landowner if borehole is not for a water well)		
Owner Name Corneluis Armstrong	Latitude: <u>54 • 56 ,517</u>	" Longitude: 89 • 52 · 547
Mailing Address: 104 Tom Flyod rd.	Method of Lat/Long (circle on	e): Conventional Survey,
	USGS quad, Hand-held	GPS. Survey-grade GPS
[max 28/4/9	<u>SE 1/4 NW 1/4 Sec 30</u>	Twn 65 Rng 64
<u>Cono</u> <u>State</u> <u>Zip Code</u>	Distance Direction	Nearest Town
Telephone No. (901) 488 - 7761	Distance Direction <u>3 1 a</u> Miles <u> </u>	of_ <u>(0~0</u>
Well / Bor	hole Data	
Date drilling started: $2 - 3 - 3 - 3$ Date drilling completed: $2 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - $		G31.
		Hole diameter: 6 7/4
Location of the source of any surface water used for drilling:	A lopment: مر	
Logs run (circle all applicable): No log run Electric Gamma Ray Name of organization running log(s):	Density Sonic Neutron (Dther:
Purpose of borehole (check one): Water Well <u>Geotechnical/Geol</u>	ogical Investigation Ground	Source Heat Pump
Seismic Survey Other, (describe)	
If drilling is not related to water well construction		
Purpose of Well (check one): Home <u></u> Industrial Public Supply		
f a flowing well, method of flow regulation: Valve $\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$		
tatic Water Level: <u>60</u> feet above or below (circle one)	and surface Date measured:	3-6-07
Method of Measurement (circle one) steel tape electric tape air line other: string (weight		
Well depth: $125'$ Well grouted to a depth of <u>10</u> feet Type of grout (circle one): Neat Cement Bentonite Mix		
Casing length: 115 feet Casing diameter: 4 inches Type of casing: 0.2		
Screen length: 10 feet Screen diameter: 1 inches Type of screen: p2C		
creen slot size: <u>, OIO</u> inches Setting depth: From	115 feet to ()	5feet
ype of completion (circle all applicable) Gravel packed Under		
		-
op of lap pipe or reduction in casing:feet. If tel		
		Form: OI WR-SWR-14
		FORMECEIVE
		MAR 2 3 200


~

MAR 2 3 200/ BY: OLWR

The sketch below only required for water wells

The sketch below only required for water wells	Description of formations encountered wells and boreholes, unless specifically		
If well telescopes, show depths on sketch. Ground Level	Description of Formations Encountered	From (depth) Ground Level	To (depth
	gravel	12	20
	white clay	30	35
	Across	35	60
	while Sound.	60	125
			+
		-	1
I			

If more than one screen, show location of each on sketch



I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state laws.

Tores w. Meson 0-620 3-19-07 Print Name of Responsible Licensee and License No. Date Signature of Licensee

MAR 2 3 2007 BY: OLWP

STATE WELL REPORT			
County: Poniela	Part 2 Pump Installer's Completion Report	For Office Use Only:	
Permit #:	Mississippi Department of Environmental Quality	Aquifer:	
Driller: Jones w. Mosor	Office of Land and Water Resources P.O. Box 10631		
Date completed: 3-6-07	Jackson, MS 39289-0631 (601)961-5210	Well #: 1) - 35	
Copy information from block on Part 1	(601)354-6938 (fax)	Elevation:	

This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion.

well Owner Information	Well Location
Owner Name: Corneluis Armstrong	Latitude: 34. 32. 317 Longitude: 89. 52. 547
Mailing Address: 104 Tom Flyod 1d	Method of Lat/Long (check one): Conventional Survey,
	USGS quad, Hand-held GPS , Survey-grade GPS
Como ms 38619 City State Zip Code	<u>SE 1/2 NUJ 1/2 Sec 30 T 65 R 600</u>
	Distance Direction Nearest Town
Telephone No. (901) 488 - 7761	31/2 Miles NE of Como

	Pump Type Circle one	\frown		Power Type Circle one	
Air Lift	Jet	Submersible	Diesel Engine	Gasoline Engine	Natural Gas
Bucket	Piston	Turbine	Electric Motor	Hand	Tractor PTO
Centrifugal	Rotary	Flowing Well	Windmill	Other (specify):	
Other (specify):			Horse Power Rating	of Motor: 3/L	L
Date Pump Installed:	3-6-07		Setting Depth:	80	feet
Rated Pump Capacity	. 12	Gallons Per Minute	Number of Stages: _		

Pump Test Data	Method of Measuring Water Level Circle one	
Date Well Tested: 3-6-07		
Static Water Level (A): 60 Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape Other (specify): String (weight	
Pumping Water Level (B):Feet Below Land Surface	Other (specify): (weight	
Drawdown [(B) – (A)]: \underline{VA} Feet Below Land Surface	For flowing well, measured shut in head:feet	
Test Pumping Rate: Gallons Per Minute	Well yielded GPM with a drawdown of	
Duration of Pump Test (minimum 4 hours): $\underline{\partial 4}$ hours	feet after $\frac{\partial \mathcal{U}}{\partial \mathcal{U}}$ hours of pumping	

I HEREBY CERTIFY that the above statements are true to the best o	f my knowledge.
Jones W Mason 0-620	Gens w. Man
Print Name of Pump Installer and License No. (if applicable)	
	Signature of Pump Installer

MAR 2 3 2007 BY: OLWR