State	ell Report	
Princip F	Part 1	For Office Use Only:
	nt of Environmental Quality	Aquifer:
Doo Start Milling P.O.I	and Water Resources Box 10631	Well #: G-44
	AS 39289-0631 )961-5210	L. S. Elevation:
	64-6938 (fax)	E-log #:
State Law requires that this report be prepared by the	driller in detail and filed w	ith the Department within
30 days of completion of drilling of the well. Well Owner Information	Well	Location
Owner Name MINI 5457EMS		" Longitude: 89 . 56 , 23
Mailing Address: Kuy 51 South	Method of Lat/Long (circle or	e): Conventional Survey,
1		GPS, Survey-grade GPS
City State Zip Code	SW 14 56 14 Sec 5-	KTWn 77-5 Rng R7-W
Telephone No. 662) 519 - 3438	Distance Direction	Nearest Town of
Well	Data	
Date well drilling started: 8-3-01 Date If flowing, method of flow regulation: Valve Other ( Static Water Level: 80 feet above or below (circle one)	describe)	
Method of Measurement (circle one) steel tape (electric taps		BY: C
Hole depth: 126 Well depth: 126	Well grouted to a depth of	<u> </u>
Type of grout (circle one): Cement Bentonite Mix		
Casing length: feet Casing diameter:	inches Type of casing:	pre
Screen length: 10 feet Screen diameter: 4	inches Type of screen:	PUC
bereen iengui.		126 feet
Screen slot size: <u>1471005</u> inches Setting depth: From	feet to	
Screen slot size: 14711015 inches Setting depth: From		hole Natural Development
Screen slot size: 14711045 inches Setting depth: From	rreamed Telescoped Open	hole Natural Development
Screen slot size: <u>1471605</u> inches Setting depth: From Type of completion (circle all applicable): Gravel packed Unde	Treamed Telescoped Open	D
Screen slot size: <u>1471605</u> inches Setting depth: From Type of completion (circle all applicable): Gravel packed Unde Other (describe): <u>4</u> Top of lap pipe or reduction in casing: <u>feet</u> . If t Logs run (circle all applicable): No log run Electric Gamma Ray	erreamed Telescoped Open	een, describe on back of page
Screen slot size: <u>1471605</u> inches Setting depth: From Type of completion (circle all applicable): Gravel packed Unde Other (describe): <u>4</u> Top of lap pipe or reduction in casing: <u>feet. If t</u>	arreamed Telescoped Open ASHED Sub- telescoped or more than one scr y Density Sonic Neutron	een, describe on back of page Other:

Print Name of Water Well Contractor and License No.

Signature of Water Well Contractor

If well telescopes please sketch below and show deput	G-44	Description of Formations Encountered	From	To
Ground Level	<u> </u>	TOP SOLS	$\neg o$	12
		Brow- CIAL	5	D
		RED SAD + GARES	20	60
		WHAECIAN	60	70
		WHITE CINY + Sol	90	110
		WHITE Spo	110	12
				+
				+
				+
				+
				1
				+

to the law and show denths

Signature of Water Well Contractor

County: <u>PANOLA</u> Permit #: Driller: <u>BOB Smith</u> Date completed: <u>8-3-04</u>	Part 2 Pump Installer's Completion Repor Mississippi Department of Environmental Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)	Quality Aquifer: Well #: G - 44 Elevation:	
This report should be prepared by the installation of pump.	he pump installer in detail and filed with the		
Well Owner Informa		Well Location	
Owner Name: MINI 548	TEMS Latitude:	Longitude:	
Mailing Address:	1 Scutt Method of Lat/Lo USGS	ng (circle one): Conventional Survey, quad, Hand-held GPS, Survey-grade GPS	
City MS. City State	<u>386/9</u> Zip Code Distance	$\frac{14 \text{ Sec}}{5} \underbrace{4 \text{ Twn} \underline{T7-S \text{Rng} \underline{A7-W}}}_{\text{Direction}}$ $\underbrace{5}_{\text{of}} \underbrace{6 \text{ WO}}_{\text{ComO}}$	
Telephone No. (662) 519 -			
Pump Type Circle one		Power Type Circle one	
Air Lift Jet	Submersible Diesel Engine	Gasoline Engine Natural Gas	
Bucket Piston	Turbine Electric Motor	Hand Tractor PTO	
Centrifugal Rotary	Flowing Well Windmill	Other (specify):	
Other (specify):	Horse Power Rat	ing of Motor: 34 RI	
Date Pump Installed: 8-3-	D/	Setting Depth: feet S	
Rated Pump Capacity:		s: BY	
Pump Test Data	a M	lethod of Measuring Water Level	
Date Well Tested: 8-3-0		Circle one	
2	et Below Land Surface	Electric Measuring Line Steel Tape	
011	Other (specify):		
11			
		, measured shut in head:feet	
Test Pumping Rate:	Gallons Per Minute Well yielded	GPM with a drawdown of	
Duration of Pump Test (minimum 4 hours	a): <u>5</u> hours <u>4</u>	feet after hours of pumping	