County: Panola		Oriller's Log	Tor Office ese only.	
·	Mississippi Department of Environmental Quality		Aquifer:	
Permit #:	Office of Land and Water Resources		Well #: 4 J20	
Driller: Janes w. Mosen	P.O. Box 2309 Jackson, MS 39225			
	(601)961- 5210		L. S. Elevation:	
Date drilling completed: 4-35-09	(601)96°	1- 5228 (fax)	E-log #:	
State Law requires that this repor			-	
Department at the above address Information on Well C			or porenoie.	
(Landowner if borehole is not fo				
		Latitude: 34 . 29 , Sort	Longitude: 89 ° 46 ' 012"	
Owner Name John Varadi		40	"	
Mailing Address: [ ] ales	-1	Method of Lat/Long (circle on	e): Conventional Survey,	
		USGS quad /Hand-held	GPS, Survey-grade GPS	
Appy 1/2 miles Sof Hwy 310	on Left side	NE NW	Twn 75 Rng 5w	
• •		56 1/2 DIE 1/4 Sec 7	Twn 75 Rng 5w	
City Stat	30619	Discusion	Name of Taxan	
City Stat	e Zip Code	Distance Direction  3'12 Miles 5w	Nearest Town	
Telephone No. (662 ) 526 - 1213			<u> </u>	
	Well / Bore	hole Data		
Date drilling started: 4-25-09 Date dri	lling completed: 4 - 25-0	Hole denth: 125'	Hole diameter: 6314	
Date drilling started. Vo V V	ming completed. 4 63-C	1101c deptil.	Tiole diameter	
Location of the source of any surface water Method of dosing and volume of Chlorine		opment:		
Logs run (circle all applicable) No log run Name of organization running log(s):	A Electric Gamma Ray	Density Sonic Neutron (	Other:	
Purpose of borehole (check one): Water W	ellGeotechnical/Geold	ogical Investigation Ground	Source Heat Pump	
Seismic S	Survey Other (describe)	skin the remainder of this bla	ock	
Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Other (describe)				
Static Water Level: 55 feet above of below scircle one) land surface Date measured: 4-35-09				
Method of Measurement (circle one) steel tape electric tape air line other: String ( weight.				
Well depth: 135' Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 115 feet Casing diameter: 4 inches Type of casing: $\rho \sim C$				
Screen length: 10 feet Screen diameter: 4 inches Type of screen: pvc				
Screen slot size: , OIO inches Setting depth: From 115 feet to (25 feet				
Type of completion (circle all applicable): GraveT packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing:	feet. If teld	escoped or more than one scree	n, describe on next page	

State Well Report

Form: OLWR-SWR-1A (04/08)

RECEIVED

MAY 2 2 2009

BY: OLWR

The sketch	halow	anh	ronnirad	for	water	wells
i ne skeicn	oeiow	only	requirea	IUI	water	weus


#### If well telescopes, show depths on sketch

Ground Level_	Г	·	

#### Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
clay did.	Ground Level	15
red rad	15	18
growl	(8)	20
while class	30	32
white clay	3ə	195
		_L

If more than one screen, show location of each on sketch



Form: OLWR-SWR-1A (04/08)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississioni Department of Environmental Quality and the Mississioni Department of Health regulations, if applicable, and state

Wississippi Department of Envir	oninchtal Quality	and the Mississippi Depi	
laws.	0-620	5-24-09.	Graw. Mars
			_ 4 = 4

Print Name of Responsible Licensee and License No.

Date

Signature of Licensee

RECEIVED

MAY 2 2 2009

BY: OLWR

## STATE WELL REPORT

# County: Ponola Permit #: \_\_\_ Driller: Joses

### Part 2

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309

For Office Use Only:			
Aquifer:			
Well#: Jac			
Elevation:			

Date completed: 4-35-09	(601)	n, MS 39225 Well #:	_	
Copy information from block on Part 1	(601)96	51-5228 (fax)		
This part of the report must be completed by a licensed water well a report must be attached and both parts filed with the Department a		at the above address within 30 days of well completion.		
Well Owner Informa		Well Location		
Owner Name: John Vorad		Latitude: 34.29.672 Longitude: 89.46.012		
Mailing Address: [ioles		Method of Lat/Long (check one): Conventional Survey,		
Appx 1/2miles S of Hwy 31	oon Left side	USGS quad, Hand-held GPS , Survey-grade GPS		
Cono Ms City State	3 8619 Zin Code	5W 1/2 NE 1/4 Sec 7 T 75 R 5W		
ony out	2.5 000	Distance Direction Nearest Town		
Telephone No. (662) 526 - 13	213	212 Miles 5w of Glenville		
		D. T.		
Pump Type Circle one		Power Type Circle one		
Air Lift Jet	Submersible	Diesel Engine Gasoline Engine Natural Gas		
Bucket Piston	Turbine	Electric Motor Hand Tractor PTO		
Centrifugal Rotary	Flowing Well	Windmill Other (specify):		
Other (specify):		Horse Power Rating of Motor:/ لهم		
Date Pump Installed:		Setting Depth:feet		
Rated Pump Capacity:/ \( \) Gallons Per Minute		Number of Stages:		
		Method of Measuring Water Level		
Pump Test Data		Circle one		
Date Well Tested: $\sqrt{-35-09}$		Air Line Electric Measuring Line Steel Tape		
Static Water Level (A):Feet Below Land Surface		Other (specify): 5tring I weight		
Pumping Water Level (B): Feet	Below Land Surface	Since (specify)		
Drawdown [(B) – (A)]:Feet Below Land Surface		For flowing well, measured shut in head:feet		
Test Pumping Rate: Gallons Per Minute		Well yieldedGPM with a drawdown of		
Duration of Pump Test (minimum 4 hours): _ Ə ـhours		feet afterhours of pumping		

I HEREBY CERTIFY that the above statements are true to the best of	of my knowledge.
Jones wir O-6201	Jan w. Man
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer