	State W	'ell Report		
County: Porcla	Part 1 – I	Driller's Log	For Office Use Only:	
		t of Environmental Quality	Aquifer:	
Permit #:	1	and Water Resources Box 10631	Well #: <u>D-56</u>	
Driller: Jones U. Masor		IS 39289-0631	L. S. Elevation:	
Date drilling completed: (0-3-06	(601)	961-5210		
	J (601)35	4-6938 (fax)	E-log #:	
State Law requires that this repo Department at the above address				
Information on Well	Owner		orehole Location	
(Landowner if borehole is not f	for a water well)	Latitude: 34. 22,000	5" Longitude: 89 • 43 , 956"	
Owner Name Micheol Ho	erris	04	Longitude: 89 • 43 , 956" ne): Conventional Survey,	
Mailing Address: 390 robed	san et lone	Method of Lat/Long (circle of	ne): Conventional Survey,	
Walling Madross - VO GC7	1902	USGS quad Hand-held	GPS, Survey-grade GPS	
		NE WNE W Sec 21	Twn 85 Rng 5w	
Socdis N City Sta	<u>ns. 38666</u>			
City Sta	ate Zip Code	Distance Direction	of Bluff Springs	
Telephone No. (90) 859 - 999	9			
	Well / Bore	hole Data		
10 - 2 01				
Date drilling started: 10-3.06 Date d	nlling completed:(3-3-0)	Hole depth: 185	Hole diameter: 63/4	
Location of the source of any surface water used for drilling: $\triangle A$ Method of dosing and volume of Chlorine used in drilling and development: $\triangle A$				
Logs run (circle all applicable). No log n	in Electric Gamma Ray	Density Sonic Neutron	Other:	
Name of organization running log(s):	~\A			
Purpose of borehole (check one): Water V	VellGeotechnical/Geol	ogical Investigation Ground	d Source Heat Pump	
Seismic If drilling is not related	Survey Other (described to water well construction	e)	lock	
Purpose of Well (check one): Home	Industrial Public Supply	y Irrigation Fish Culture	Other:	
If a flowing well, method of flow regulati	on: Valve C	Other (describe)		
Static Water Level: 130 feet a	bove of below (circle one)	land surface Date measured:	10-3-06	
Method of Measurement (circle one)	steel tape electric tape	air line other: 54	ing lureight.	
Well depth: 185 Well grouted to a d	epth of <u>(0</u> feet Type	e of grout (circle one): Neat Cer	nent Bentonite Mix	
Casing length: 165 feet Casing diameter: 4 inches Type of casing: DC				
Screen length: 30 feet Screen diameter: 4 inches Type of screen: put				
Screen slot size: (00 inches Setting depth: From 165 feet to 187 feet				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
	Other (describe):/\/	4		
Top of lap pipe or reduction in casing:	ρΔ feet. If te	lescoped or more than one scre	een, describe on next page	
		•	FINE OLWESVE TA	
			0C1 3 0 2006 BY: OLWR	
			RA. Orva.,	

The sketch below only required for water wells

If well telescopes, show depths on sketch. Ground Level.

Description of formations encountered must be provided for a	<u>ıll</u>
wells and boreholes, unless specifically exempted by regulation	ns

Description of Formations Encountered	From (depth)	To (depth)
Clay dict.	Ground Level	12
red soud	12	30
while clay	30	35
	35	70
Ble cly	20	140
white soud	140	185
		1
	1	
	1	1

If more than one screen, show location of each on sketch

Sketch the	property layout and include the following: 1) the well location; 2) any permaner aid in locating the well; 3) any roads, power lines, or other items that may aid 4) a north arrow.	
W	house	E
Landowne	Tr Name: Micheal Harris	

Form: OLWR-SWR-1A

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the

Total distribution was allied, to istill account to the second se	a, and completed in ac	or animo with an approach required and an
Mississippi Department of Environmental Quality an	d the Mississippi Depar	rtment of Health regulations, if applicable, and state
laws.	10-24-06	RECEIVE
Print Name of Responsible Licensee and License No.	Date	Signature of Licensee
•		BY: OLWR
		L 3 ·

STATE WELL REPORT

County: Parcle

Part 2

Pump Installer's Completion Report

For Office Use Only:			
Aquifer:			
Well#: \$ -56			
Elevation:			

Permit #:		nt of Environmental Quality and Water Resources	Aquifer:	
Driller: Jones w. Moson		Box 10631	h 51	
Date completed: (4-3-66		AS 39289-0631 961-5210	Well #: \Phi - 56	
Copy information from block on Part 1	,	4-6938 (fax)	Elevation:	
This part of the report must be completed	by a licensed water well o	contractor or a licensed pump in	staller. A copy of Part 1 of the	
	report must be attached and both parts filed with the Department a Well Owner Information		Well Location	
Owner Name: Micheel Horr	``	Latitude: 3U. 22.025 Langitude: 28.43, 957		
Mailing Address: 290 robertion lone		Latitude: 34.22.075 Longitude: 89.43.956 Method of Lat/Long (check one): Conventional Survey,		
		USGS quad, Hand-held GPS, Survey-grade GPS		
Sodis Ms 38666 City State Zip Code		NE 1/2 NE 1/2 Sec 21 T 83 R S W		
	•	Distance Direction	Nearest Town	
Telephone No. (Tal) 859 - 999 2		5_Miles ~Eof	· Bluff Springs	
Pump Type		Pow	ver Type	
Circle one			rele one	
Air Lift Jet (Submersible	Diesel Engine Gasoline	Engine Natural Gas	
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO	
Centrifugal Rotary	Flowing Well	Windmill Other (s	pecify):	
Other (specify):		Horse Power Rating of Motor: 3/4		
Date Pump Installed: 16-3-06		Setting Depth: (50 feet		
Rated Pump Capacity: (Number of Stages: //		
Pump Test Data		Mathed of Man	suring Water Level	
Date Well Tested: 10,3,06			cle one	
		Air Line Electric Meas	uring Line Steel Tape	
Static Water Level (A): 120 Feet Below Land Surface		Other (specify): 5+ri~9	lueight	
Pumping Water Level (B): Feet I	Below Land Surface	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
Drawdown [(B) – (A)]: Feet Below Land Surface		For flowing well, measured shu	at in head:feet	
Test Pumping Rate: Gallons Per Minute		Well yielded	_GPM with a drawdown of	
Duration of Pump Test (minimum 4 hours):hours		feet after	hours of pumping	
I HERERY CERTIES that the above statem	ents are true to the best of	F 1		

I HEREBY CERTIFY that the above statements are true to the best	of my knowledge.	
Jan W. Mosor 0-620	gas v. Man.	
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer	STEP V
		Folm: OLWR-SWR-1B
		" 1000 M

BY: OLWR