State W	ell Report		
	Part 1 – Driller's Log		
	nt of Environmental Quality	Aquifer:	
	nd Water Resources	Well #: P- 43	
Dation Parker Mall Inc.	Box 2307	Well #:	
1)	o, MS 39225 961-5210	L. S. Elevation:	
	1- 5228 (fax)		
	· ´	E-log #:	
State Law requires that this report be prepared by the lice			
Department at the above address within 30 days of comp		rehole Location	
(Landowner if borehole is not for a water well)		 	
Owner Name Mill Lake Forms	Latitude: 34 ° /9 '334	2" Longitude: 90 ° 09 ° 279"	
	Method of Lat/Long (circle or		
Mailing Address: P.O. Box 290		GPS, Survey-grade GPS	
	, —		
Batesville MS. 38606 City State Zip Code		•	
	1/2 Miles 55W	Nearest Town Station	
Telephone No. (662 934-8191			
Well / Bore	hole Data		
Date drilling started: $9-10-08$ Date drilling completed: $9-10-08$	28 Hole depth: _/00	Hole diameter: 28"	
Location of the source of any surface water used for drilling: Fis	h Hatchery		
Location of the source of any surface water used for drilling: Fis. Method of dosing and volume of Chlorine used in drilling and devel	opment: Sodium Hypo	chlorite @ 10ppm	
Logs run (circle all applicable): No log-run Electric Gamma Ray Density Sonic Neutron Other:			
Name of organization running log(s):			
Purpose of borehole (check one): Water Well Geotechnical/Geole	ogical Investigation Ground	Source Heat Pump	
Seismic Survey Other (describe			
If drilling is not related to water well construction, skip the remainder of this block			
Purpose of Well (check one): Home Industrial Public Supply Irrigation V Fish Culture Other:			
If a flowing well, method of flow regulation: Valve Other (describe)			
Static Water Level:feet above or below (circle one) land surface Date measured:9-10-08			
Method of Measurement (circle one) steel tape electric tape air line other:			
Well depth: /OO Well grouted to a depth of /O feet Type of grout (circle one): Neat Cement Bentonite Mix			
Casing length: 60 feet Casing diameter: 6 inches Type of casing: 60			
Screen length: 40 feet Screen diameter: 16 inches Type of screen: PVC			
Screen slot size: 032 inches Setting depth: From 60 feet to 100 feet			
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development			
Other (describe):			
Top of lap pipe or reduction in casing:feet. If tell	lescoped or more than one scre	en, describe on next page	
		Form: OLWR-SWR-1A (04/08)	

OCT 07 2008

RECEIVED

BY: OLWR

The sketch below only required for water wells

f well telescopes,	show	depths	on sk	etch
Ground Laval				

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Mud/Clay	Ground Level	16
Fine Sound	28	35
Coorse Sand / Gravel	35	100
		j
		<u> </u>
		<u> </u>
		<u> </u>
		l
		1

If more than one screen, show location of each on sketch

↑ N		80
		2. 2. 2.
	WELL	707-
	Control of the Contro	RM 1 QTRS 2
		FISH HATCHERY

Form: OLWR-SWR-1A (04/08)

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

Print Name of Responsible Licensee and License No.

Date

OCT 07 2008

BY: OLWR

STATE WELL REPORT		
Permit#: Driller: PFTFS WELL DEFLIFIA Date completed: 9-10-08 Copy information from block on Part 1 Pump Installer Mississippi Departm Office of Lance P.O. Jackson, (60)	Part 2 Pump Installer's Completion Report Mississippi Department of Environmental Quality Aquifer:	
report must be attached and both parts filed with the Department at the above address within 30 days of well completion.		
Well Owner Information Owner Name: MIU LAKE FARMS Mailing Address: P.O. BOX 290	Latitude: 34 ° /9' /9.4 Longitude: 090 ° 09' /6.2 Method of Lat/Long (check one): Conventional Survey,	
USGS quad_, Hand-held GPS_, Survey-grade BATE SULLE, MS 38606 City State Zip Code NW 4 NW4 Sec 9 T 95 R 96 Distance Direction Nearest Town 1/2 Miles SSW of Curtis		
Pump Type Circle one	Power Type Circle one	
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas	
Bucket Piston Turbine	Electric Motor Hand Tractor PTO	
Centrifugal Rotary Flowing Well	Windmill Other (specify):	
Other (specify):	Horse Power Rating of Motor: 80	
Date Pump Installed: 9-18-08	Setting Depth: 60 feet	
Rated Pump Capacity: 1200 Gallons Per Minute Number of Stages: 3		
Pump Test Data	Method of Measuring Water Level	
Date Well Tested: Static Water Level (A):Feet Below Land Surface Pumping Water Level (B):Feet Below Land Surface	Circle one Air Line Electric Measuring Line Steel Tape Other (specify):	
Drawdown [(B) (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet	
Test Pumping Rate:Gallons Per Minute	Well yieldedGPM with a drawdown of	
Duration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping	
I HEREBY CERTIFY that the above statements are true to the best of my knowledge. David P. Holt O-752P Print Name of Pump Installer and License No. (if applicable) Signature of Pump Installer Form: OLWR-SWR-1B		

0CT 13 2008 BY: OLWR 308 4529