Job # 10-00/

County: Panola

Permit #: GW-43960

Driller: Rate Sypring tary

Date drilling completed: 3-25-10

State Well Report
Part 1 – Driller's Log

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309

Jackson, MS 39225 (601)961- 5210 (601)961- 5228 (fax)

For Office Use Only:			
Aquifer: P151			
Well #:			
L. S. Elevation:			
E-log #:			

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

Information on Well Owner	Well or Borehole Location			
(Landowner if borehole is not for a water well)				
Owner Name Rolan West	Latitude: 34 ° 20' 186" Longitude: 75° 10' 9/5			
Mailing Address: 266 Walnut Rd.	34 20 // 90 10 34. Method of Lat/Long (circle one): Conventional Survey,			
	USGS quad, Hand-held GPS, Survey-grade GPS			
	5W 1/2 N2 1/2 Sec 6 Twn 4 5 Rng 9 W			
Sardis Miss 38666 City State Zip Code	Distance Direction Nearest Tourn			
Telephone No. (662) 487-3858	Distance Direction Nearest Town Miles W of Carti's Lock			
Well / Bore	hole Data			
Day drilling started: 3-25 Date drilling completed: 3-25 Hole depth: 100 Hole diameter: 28"				
Method of dosing and volume of Chlorine used in drilling and development:				
Method of dosing and volume of Chlorine used in drilling and develo	opinent: Sodier Heyo Colorite a 10 pper			
Logs run (circle all applicable). No log run Blectric Gamma Ray Density Sonic Neutron Other:				
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump				
Seismic Survey Other (describe)	·			
If drilling is not related to water well construction	, skip the remainder of this block			
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:				
If a flowing well, method of flow regulation: Valve Or	her (describe)			
Static Water Level: 72 feet above of below kircle one) land surface Date measured: 3-26-10				
Method of Measurement (circle one) Steel tape electric tape air line other:				
Well depth: 100 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix				
Casing length: 60 feet Casing diameter: 16 inches Type of casing: PVC Sch 40				
Screen length: 40 feet Screen diameter: 16 inches Type of screen: PVC Sol 40				
Screen slot size: .032 inches Setting depth: From 60 feet to 100 feet				
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development				
Other (describe):				
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page				

Form: OLWR-SWR-1A (04/08)



BY: OLWP

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered

Ground Level	Descripti	on of Formations Encountered	From (depth)	To (depth)
· ·		61 61 61	Ground Level	
	Car	Clast Fine Sand	23'	100
		THE STAND A CONTRACT	1 2 3	100
		*		
				<u> </u>
				
	<u> </u>			
			 	
				
·				
	 			
				· · · · · · · · · · · · · · · · · · ·
				
If more than one screen, show location of each on s				
Sketch the property layout and include the following: 1) aid in locating the well: 3) any roads power	the well location; 2) a	iny permanent structures on the p	ronerty that may	
aid in locating the well; 3) any roads, powers and a north arrow.	er lines, or other items	that may aid in locating the prop	erty and the well;	
The state of the s				1
0	11110	M		
See A.	Hackal.	May		
				.
				1
Ω	1-			
Landowner Name: Dolan Whit	1			
				
naville that the same		Form: O	LWR-SWR-1A (04/08)
certify that the well/borehole was drilled, constructed,	and completed in ac	cordance with all applicable rec	juirements of the	,
ississippi Department of Environmental Quality and t ws.	the Mississippi Depar	tment of Health regulations, if	applicable, and s	tate
		12/2	F- 5	G & State
	3-25-10	UN A	A COL	VED
int Name of Responsible Licensee and License No.	Date	Signature of Licensee	MAN 4 5	Charles Const
PETE SAPPINGTON			MAY 1 8	26.1

The sketch below only required for water wells

If well telescopes, show depths on sketch.
Ground Level.

STATE WELL REPORT				
Permit #: GW- 439100 Driller: PEte Saffington Date completed: 4-14-10 Copy information from block on Part 1 Pump Installer's Mississippi Department Office of Land a P.O. Jackson (601)96	For Office Use Only: Aquifer: P S Aquifer: P S Aquifer: P S Aquifer: P S Well #: Elevation:			
This part of the report must be completed by a licensed water well report must be attached and both parts filed with the Department at Well Owner Information Owner Name: Notan WEST Mailing Address: Z2679 HM 5/N Sad.'s M5 38666 City State Zip Code Telephone No. (dd2) 487-3858	Contractor or a licensed pump installer. A copy of Part 1 of the at the above address within 30 days of well completion. Well Location			
Pump Type Circle one Air Lift Jet Submersible	Power Type Circle one Diesel Engine Gasoline Engine Natural Gas			
Bucket Piston Turbing Centrifugal Rotary Flowing Well Other (specify): Date Pump Installed: 4-26-(0 Rated Pump Capacity: 3000 Gallons Per Minute	Windmill Other (specify): Horse Power Rating of Motor: Setting Depth: Number of Stages: Other (specify): Feet Number of Stages:			
Pump Test Data Date Well Tested: Static Water Level (A): 9/2 Feet Below Land Surface	Method of Measuring Water Level Circle one Air Line Electric Measuring Line Steel Tape			
Pumping Water Level (B):Feet Below Land Surface Drawdown [(B) - (A)]:Feet Below Land Surface	Other (specify): For flowing well, measured shut in head:feet			
Test Pumping Rate:Gallons Per Minute Duration of Pump Test (minimum 4 hours):hours	Well yielded GPM with a drawdown of feet after hours of pumping			

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

Print Name of Pump Installer and License No. (if applicable)

Signature of Pump Installer Form DI VESWA 18 (04/08)

MAY 1 8 2010 BY: OUMB

