County: PANOLA

Permit #:

Driller: Houston DRILLING

Date drilling completed: 5/14/05

State Well Report
Part 1 – Driller's Log

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631
(601)961-5210
(601)354-6938 (fax)

For Office Use Only:

Aquifer:

Well #: Q-40

L. S. Elevation:

E-log #:

State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

Information on Well Owner
(Landowner if borehole is not for a water well)

Owner Name: LINT THOMAS

Mailing Address: BATESVILLE, MS
211 WESTMORELAND CIRCLE
BATESVILLE MS 38606
City State Zip Code

Telephone No. (662) 563-3679

Well or Borehole Location

Latitude: 34 ° 18. 58 N Longitude: 090° 00. 32 W

Method of Lat/Long (circle one): Conventional Survey, USGS quad, (Hand-held GPS), Survey-grade GPS

NE ¼ SW ¼ Sec 11 Twn 9S Rng 8W

Distance _____ Miles Direction _____ Nearest Town _____ of

Well / Borehole Data

Date drilling started: 5/14 Date drilling completed: 5/14 Hole depth: 70 Hole diameter: 24

Location of the source of any surface water used for drilling: SAME

Method of dosing and volume of Chlorine used in drilling and development: 1LB PERLOZO

Logs run (circle all applicable): (No log run) Electric Gamma Ray Density Sonic Neutron Other: _____

Name of organization running log(s): _____

Purpose of borehole (check one): Water Well ✓ Geotechnical/Geological Investigation ___ Ground Source Heat Pump ___

Seismic Survey ___ Other (*describe*) _____

If drilling is not related to water well construction, skip the remainder of this block

Purpose of Well (check one): Home ___ Industrial ___ Public Supply ___ Irrigation ✓ Fish Culture ___ Other: _____

If a flowing well, method of flow regulation: Valve _____ Other (describe) _____

Static Water Level: 4 feet above or below (circle one) land surface Date measured: 5/15

Method of Measurement (circle one) (steel tape) electric tape air line other: _____

Well depth: 70 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement (Bentonite) Mix

Casing length: 30 feet Casing diameter: 16 inches Type of casing: PVC

Screen length: 40 feet Screen diameter: 16 inches Type of screen: PVC

Screen slot size: .050 inches Setting depth: From 30 feet to 70 feet

Type of completion (circle all applicable): (Gravel packed) Underreamed Telescoped Open hole Natural Development

Other (describe): _____

Top of lap pipe or reduction in casing: _____ feet. *If telescoped or more than one screen, describe on next page*

RECEIVED
AUG 11 2005
BY: OLWR

RECEIVED
JUN 03 2005
BY: OLWR

Q - 40

The sketch below only required for water wells

If well telescopes, show depths on sketch.

Ground Level

If more than one screen, show location of each on sketch

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth) Ground Level	To (depth)
CLAY	0	13
White COARSE SAND	13	60
GRAY CLAY	60	70

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow.



Landowner Name: _____

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state laws.

PAUL POWELL 0435 — 5/30/05 — RECEIVED

Print Name of Responsible Licensee and License No. — **Date** — **Signature of Licensee**

RECEIVED
AUG 1 1 2005
BY: OLWR

RECEIVED
JUN 0 3 2005
BY: OLWR

Job #98

STATE WELL REPORT
Part 2
Pump Installer's Completion Report

County: Panola
Permit #:
Driller:
Date completed:

Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 10631
Jackson, MS 39289-0631
(601)961-5210
(601)354-6938 (fax)

For Office Use Only:
Aquifer:
Well #: Q - 40
Elevation:

This report must be prepared by the pump installer in detail and filed with the Department within 30 days of the installation of pump. A copy of Part 1 of this report must be attached to this report.

Well Owner Information

Owner Name: THOMAS FARMS
Mailing Address: 211 WESTMORELAND CIRCLE
BATESVILLE MS 38606
City State Zip Code
Telephone No. (662) 563-3679

Well Location

Latitude: 34° 18.58N Longitude: 090° 00.37W
Method of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS, Survey-grade GPS
SW ¼ SE ¼ Sec 11 Twn 9S Rng 8W
Distance Direction Nearest Town
2 Miles W of Batesville

Pump Type
Circle one

Air Lift | Jet | Submersible
Bucket | Piston | Turbine
Centrifugal | Rotary | Flowing Well
Other (specify):
Date Pump Installed: 7/10/05
Rated Pump Capacity: 1300 Gallons Per Minute

Power Type
Circle one

Diesel Engine | Gasoline Engine | Natural Gas
Electric Motor | Hand | Tractor PTO
Windmill | Other (specify):
Horse Power Rating of Motor: 100
Setting Depth: 60 feet
Number of Stages: Two

Pump Test Data

Date Well Tested:
Static Water Level (A): 4 [redacted] Feet Below Land Surface
Pumping Water Level (B): Feet Below Land Surface
Drawdown [(B) – (A)]: Feet Below Land Surface
Test Pumping Rate: Gallons Per Minute
Duration of Pump Test (minimum 4 hours): hours

Method of Measuring Water Level
Circle one

Air Line | Electric Measuring Line | Steel Tape
Other (specify):

For flowing well, measured shut in head: feet
Well yielded GPM with a drawdown of
feet after hours of pumping

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

DAVID P. HOLT 0-752P
Print Name of Pump Installer and License No. (if applicable)

Signature of Pump Installer

RECEIVED
AUG 11 2005
BY: OLWR