	1 State Well Report	For Office Use Only:
County: Panola	Part 1 – Driller's Log	
Permit # (12)-46785/	Mississippi Department of Environmental Quality Office of Land and Water Resources	Aquifer:
	P.O. Box 2309	Well#: <u>G56</u>
Driller: JOEL Jumper	Jackson, MS 39225 (601)961- 5210	L. S. Elevation:
Date drilling completed: <u>4-12-13</u>	(601)961- 5228 (fax)	E-log #:
State I an requires that this repo] rt be prepared by the license holder responsible fo	
	within 30 days of completion of drilling of the we	
Information on Well ((<i>Landowner if borehole is not f</i>		Sorehole Location
	Latitude: 54 ° d) 'ok	[" Longitude: <u>90° 3 , 4</u>
Owner Name JOHN Ir	Method of Lat/Long (circle) one): Conventional Survey
Mailing Address: 5142 (MOP	
- V		d GPS, Survey-grade GPS
0 1 11 1	Ally NEV Son D	5 Twn 025 Rng 080
Batesville N City Sta	te Zip Code Distance Direction	Nearest Town
	$\underline{\underline{5}}_{Miles} \underline{\underline{0}}_{U}$	of isatesuille
Telephone No. ()		
	Weil / Borehole Data	
Date drilling started: $4 - 12 - 3$ Date dri Location of the source of any surface wate	illing completed: <u>4-12-13</u> Hole depth: <u>105</u> r used for drilling: <i>Neare</i> St Well	Hole diameter: 28 in
Method of dosing and volume of Chloring		
Method of dosing and volume of Chloring	e used in drilling and development:	Other:
Method of dosing and volume of Chloring		Other:
Method of dosing and volume of Chlorine Logs run (circle all applicable): No log run Name of organization running log(s):	e used in drilling and development:	
Method of dosing and volume of Chlorine Logs run (circle all applicable): No log run Name of organization running log(s): Purpose of borehole (check one): Water We Seismic S	e used in drilling and development: Electric Gamma Ray Density Sonic Neutron ellGeotechnical/Geological Investigation Groun SurveyOther (<i>describe</i>)	d Source Heat Pump
Method of dosing and volume of Chlorine Logs run (circle all applicable): No log run Name of organization running log(s): Purpose of borehole (check one): Water Wo Seismic S 	e used in drilling and development: Electric Gamma Ray Density Sonic Neutron ellGeotechnical/Geological Investigation Groun SurveyOther (<i>describe</i>) to water well construction, skip the remainder of this b	d Source Heat Pump
Method of dosing and volume of Chlorine Logs run (circle all applicable): No log run Name of organization running log(s): Purpose of borehole (check one): Water Wo Seismic S If drilling is not related	e used in drilling and development: Electric Gamma Ray Density Sonic Neutron ellGeotechnical/Geological Investigation Groun SurveyOther (<i>describe</i>)	d Source Heat Pump
Method of dosing and volume of Chlorine Logs run (circle all applicable): No log run Name of organization running log(s): Purpose of borehole (check one): Water Wo Seismic S 	e used in drilling and development: Electric Gamma Ray Density Sonic Neutron ellGeotechnical/Geological Investigation Groun SurveyOther (<i>describe</i>) to water well construction, skip the remainder of this b	d Source Heat Pump
Method of dosing and volume of Chlorine Logs run (circle all applicable): No log run Name of organization running log(s): Purpose of borehole (check one): Water Wo Seismic S If drilling is not related Purpose of Well (check one): Home Ir If a flowing well, method of flow regulation	e used in drilling and development: Electric Gamma Ray Density Sonic Neutron ellGeotechnical/Geological InvestigationGroun SurveyOther (describe) to water well construction, skip the remainder of this b ndustrialPublic SupplyIrrigationFish Culture	d Source Heat Pump
Method of dosing and volume of Chlorine Logs run (circle all applicable): No log run Name of organization running log(s): Purpose of borehole (check one): Water Wo Seismic S If drilling is not related Purpose of Well (check one): Home Ir If a flowing well, method of flow regulation	e used in drilling and development: Electric Gamma Ray Density Sonic Neutron ellGeotechnical/Geological InvestigationGroun SurveyOther (<i>describe</i>) to water well construction, skip the remainder of this b ndustrialPublic SupplyIrrigationFish Culture n: ValveOther (describe) ove or below (circle one) land surfaceDate measured;	d Source Heat Pump
Method of dosing and volume of Chlorine Logs run (circle all applicable): No log run Name of organization running log(s): Purpose of borehole (check one): Water Wo Seismic S <u>If drilling is not related</u> Purpose of Well (check one): Home Ir If a flowing well, method of flow regulation Static Water Level: feet ab Method of Measurement (circle one) state	e used in drilling and development: Electric Gamma Ray Density Sonic Neutron ellGeotechnical/Geological InvestigationGroun SurveyOther (<i>describe</i>) to water well construction, skip the remainder of this b ndustrialPublic SupplyIrrigationFish Culture n: ValveOther (describe) ove or below (eircle one) land surface Date measured: eel tapeelectric tapeair line other:	d Source Heat Pump lock Other:
Method of dosing and volume of Chlorine Logs run (circle all applicable): No log run Name of organization running log(s): Purpose of borehole (check one): Water Wo Seismic S If drilling is not related Purpose of Well (check one): Home Ir If a flowing well, method of flow regulation Static Water Level: feet above Method of Measurement (circle one) state Well depth: Well grouted to a dep	e used in drilling and development: Electric Gamma Ray Density Sonic Neutron ellGeotechnical/Geological InvestigationGroun SurveyOther (<i>describe</i>) to water well construction, skip the remainder of this b ndustrialPublic SupplyIrrigationFish Culture n: ValveOther (describe) ove or below (circle one) land surface Date measured: eel tapeelectric tapeair line oth offeetType of grout (circle one): Neat Cer	d Source Heat Pump lock Other:
Method of dosing and volume of Chlorine Logs run (circle all applicable): No log run Name of organization running log(s): Purpose of borehole (check one): Water Wo Seismic S <u>If drilling is not related</u> Purpose of Well (check one): Home Ir If a flowing well, method of flow regulation Static Water Level: feet abo Method of Measurement (circle one) ster Well depth: 5 Well grouted to a dep Casing length: 5 feet Casing	e used in drilling and development: Electric Gamma Ray Density Sonic Neutron ellGeotechnical/Geological InvestigationGroun SurveyOther (describe) to water well construction, skip the remainder of this b ndustrialPublic SupplyIrrigationFish Culture n: ValveOther (describe) ove or below (dircle one) land surface Date measured: eel tape other (describe) oth of feet Type of grout (circle one): Neat Cerr g diameter: (o inches Type of casing:	Interiment Bentonite Mix
Method of dosing and volume of Chlorine Logs run (circle all applicable): No log run Name of organization running log(s): Purpose of borehole (check one): Water Wo Seismic S If drilling is not related Purpose of Well (check one): Home Ir If a flowing well, method of flow regulation Static Water Level:feet above Method of Measurement (circle one) ster Well depth:feet above Well depth:feet Casing Screen length:feet Scree	e used in drilling and development: Electric Gamma Ray Density Sonic Neutron ellGeotechnical/Geological InvestigationGroun SurveyOther (describe) to water well construction, skip the remainder of this b ndustrialPublic SupplyIrrigationFish Culture n: ValveOther (describe) ove or below (eircle one) land surface Date measured: eel tapeOther (describe) oth of Other (describe) oth of feet Type of grout (circle one): Neat Cerr g diameter: (o inches Type of screen:	Id Source Heat Pump Iock Other: U-12-13 met Bentonite Mix PUC PVC
Method of dosing and volume of Chlorine Logs run (circle all applicable): No log run Name of organization running log(s): Purpose of borehole (check one): Water Wo Seismic S If drilling is not related Purpose of Well (check one): Home Ir If a flowing well, method of flow regulation Static Water Level:feet above Method of Measurement (circle one) ster Well depth:feet above Well depth:feet Casing Screen length:feet Scree	e used in drilling and development: Electric Gamma Ray Density Sonic Neutron ellGeotechnical/Geological InvestigationGroun SurveyOther (describe) to water well construction, skip the remainder of this b ndustrialPublic SupplyIrrigationFish Culture n: ValveOther (describe) ove or below (dircle one) land surface Date measured: eel tape other (describe) oth of feet Type of grout (circle one): Neat Cerr g diameter: (o inches Type of casing:	Id Source Heat Pump Iock Other: U-12-13 met Bentonite Mix PUC PVC
Method of dosing and volume of Chlorine Logs run (circle all applicable): No log run Name of organization running log(s): Purpose of borehole (check one): Water Wo Seismic S If drilling is not related Purpose of Well (check one): Home Ir If a flowing well, method of flow regulation Static Water Level: feet above Method of Measurement (circle one) state Well depth: D 5 Well grouted to a dep Casing length: feet Scree Screen length: feet Scree Screen slot size: 50 inches	e used in drilling and development: Electric Gamma Ray Density Sonic Neutron ellGeotechnical/Geological InvestigationGroun SurveyOther (describe) to water well construction, skip the remainder of this b ndustrialPublic SupplyIrrigationFish Culture n: ValveOther (describe) ove or below (eircle one) land surface Date measured: eel tapeOther (describe) oth of Other (describe) oth of feet Type of grout (circle one): Neat Cerr g diameter: (o inches Type of screen:	d Source Heat Pump lock Other: 4 - 12 - 13 net Bentonite Mix $\beta U C$ p V C 20 i CS feet
Method of dosing and volume of Chlorine Logs run (circle all applicable): No log run Name of organization running log(s): Purpose of borehole (check one): Water Wo Seismic S If drilling is not related Purpose of Well (check one): Home Ir If a flowing well, method of flow regulation Static Water Level: feet above Method of Measurement (circle one) state Well depth: D 5 Well grouted to a dep Casing length: feet Scree Screen length: feet Scree Screen slot size: 50 inches	e used in drilling and development: Electric Gamma Ray Density Sonic Neutron ellGeotechnical/Geological InvestigationGroun SurveyOther (describe) to water well construction, skip the remainder of this b ndustrialPublic SupplyIrrigationFish Culture n: ValveOther (describe) ove or below (dircle one) land surface Date measured: eel tape electric tape air line other: oth of feet Type of grout (circle one): Neat Cer g diameter: (o inches Type of casing: en diameter: (o inches Type of screen: Setting depth: From (6 S feet to)	d Source Heat Pump lock Other: 4-12-13 net Bentonite Mix $\beta U \zeta$ $p V \zeta$ p V
Method of dosing and volume of Chlorine Logs run (circle all applicable): No log run Name of organization running log(s): Purpose of borehole (check one): Water Wo Seismic S If drilling is not related Purpose of Well (check one): Home Ir If a flowing well, method of flow regulation Static Water Level:feet above Method of Measurement (circle one) ster Well depth:feet casing Screen length:feet Screee Screen slot size:feet above Type of completion (circle all applicable):	e used in drilling and development: Electric Gamma Ray Density Sonic Neutron ellGeotechnical/Geological Investigation Groun SurveyOther (describe) to water well construction, skip the remainder of this b ndustrialPublic Supply Irrigation Fish Culture n: ValveOther (describe) ove or below (dircle one) land surface Date measured: eel tape electric tape air line oth of feet Type of grout (circle one): Neat Cer g diameter: (o inches Type of casing: en diameter: (o inches Type of screen: Gravel packed Underreamed Telescoped Oper	d Source Heat Pump lock Other: $\begin{array}{c} & & \\ & $

......


7

MAY 06 2013

BY: OLWR

The sketch below only required for water wells

If well telescopes, show depths on sketch. Ground Level_____



Description of formations encountered must be provided for all
wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered	From (depth)	To (depth)
Cumbu	Ground Level	20
sand	90	ЧD
gravel	40	60
anvel	leo	50
Jaravel	80	100
arabel	160	105
		L
· · · · · · · · · · · · · · · · · · ·		
		J
	<u> </u>	
	L	
	1	
	L	ļ
	<u> </u>	1

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well; 4) a north arrow. Well Curtis Rd Batesville Ihomas ohn Landowner Name: Form: OLWR-SWR-1A (04/08) I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state laws. 'ED 2-13

smper Print Name of Responsible Licensee and License No.

Date

Signature of Licensee

MAY 06 2013

BY: OLWR

	STATE W	ELL REPORT		
County: PANOLA	1	Part 2	For Office Use Only:]
Permit #:		er's Completion Report		
Driller: JOEL Jumper	Mississippi Departr	nent of Environmental Quality nd and Water Resources	Well #: <u>C56</u>	
Date completed: <u>4-12-13</u>	1	.O. Box 2309		
		on, MS 39225-2309	Aquifer:	
<u>Copy information from block on Part 1</u>		601)961-5210) 360-0535 (fax)		
This part of the report must be complete of the report must be attached and both	d by a licensed water	well contractor or a licensed put		
Well Owner Informati		· Well L		7
Owner Name: JOHN THOMA				
Mailing Address: <u>5142 CHAPE</u>	12 CHAPEL TOWN RD Method of Lat/Long (check one): Conventional Survey_): Conventional Survey,	
		USGS quad, Hand-held G	PS, Survey-grade GPS	
BATESUILLE 1715 City State	<u>عاد ماج ک</u> Zip Code	<u>_NN_</u> ¼ <u>_NE</u> ¼, Sec_	05 TO95 RO8W Curl's Station (Nearest Town)	
Telephone No. (662) 563 - 36-	19	(Distance) (Direction)	(Nearest Town)	
		pe (circle one)		1
Submersible (Turbine) Air Lift Centrif				
Date Pump Installed: <u>5.27.1</u>			Gallons Per Minute	
Is This Pump (circle one): New Rep				4
Flortrig Diggol Cogoling Natural Co.	••	De (circle one)		
Electric Diesel Gasoline Natural Gas				
Horse Power Rating of Motor: $_60$	Setting Dept	h: <u>70</u> feet Number	of Stages:/	
	Pump Test Data	for Non Flowing Well		1
1				
Date Well Tested:			um 4 hours): hours	
Static Water Level (A): Feet	Below Land Surface	Pumping Water Level (B):	Feet Below Land Surface	
Static Water Level (A): Feet Drawdown [(B) - (A)]:	Below Land Surface	Pumping Water Level (B): ace Test Pumping Rate:	Feet Below Land Surface	
Static Water Level (A); Feet	Below Land Surface Feet Below Land Surface Feel tape Electric ta	Pumping Water Level (B): ace Test Pumping Rate: pe Air line Other (<i>describe</i>):	Feet Below Land Surface	
Static Water Level (A): Feet Drawdown [(B) - (A)]: Method of measurement (<i>circle one</i>): Sta	Below Land Surface Feet Below Land Surface eel tape Electric ta Pump Test Dat	Pumping Water Level (B): ace Test Pumping Rate: pe Air line Other (<i>describe</i>): a for Flowing Well	Feet Below Land Surface	
Static Water Level (A): Feet Drawdown [(B) - (A)]: Method of measurement (<i>circle one</i>): Sta	Below Land Surface Feet Below Land Surface eel tape Electric ta Pump Test Dat	Pumping Water Level (B): ace Test Pumping Rate: pe Air line Other (<i>describe</i>): a for Flowing Well	Feet Below Land Surface	
Static Water Level (A): Feet Drawdown [(B) - (A)]: Method of measurement (<i>circle one</i>): Sta	Below Land Surface Feet Below Land Surface eel tape Electric ta Pump Test Dat	Pumping Water Level (B): ace Test Pumping Rate: pe Air line Other (<i>describe</i>): a for Flowing Well	Feet Below Land Surface	
Static Water Level (A): Feet Drawdown [(B) - (A)]: Method of measurement (<i>circle one</i>): Sta	Below Land Surface Feet Below Land Surface eel tape Electric ta Pump Test Dat	Pumping Water Level (B): ace Test Pumping Rate: pe Air line Other (<i>describe</i>): a for Flowing Well	Feet Below Land Surface	PECE.
Static Water Level (A): Feet Drawdown [(B) - (A)]: Method of measurement (<i>circle one</i>): Sta	Below Land Surface Feet Below Land Surface eel tape Electric ta Pump Test Dat	Pumping Water Level (B): ace Test Pumping Rate: pe Air line Other (<i>describe</i>): a for Flowing Well	Feet Below Land Surface	RECEIVER
Static Water Level (A): Feet Drawdown [(B) - (A)]: Method of measurement (<i>circle one</i>): Sta	Below Land Surface Feet Below Land Surface eel tape Electric ta Pump Test Dat	Pumping Water Level (B): ace Test Pumping Rate: pe Air line Other (<i>describe</i>): a for Flowing Well	Feet Below Land Surface	RECEIVED
Static Water Level (A): Feet Drawdown [(B) - (A)]: Method of measurement (<i>circle one</i>): Sta	Below Land Surface Feet Below Land Surface eel tape Electric ta Pump Test Dat	Pumping Water Level (B): ace Test Pumping Rate: pe Air line Other (<i>describe</i>): a for Flowing Well	Feet Below Land Surface	RECEIVED
Static Water Level (A): Feet Drawdown [(B) - (A)]: Method of measurement (<i>circle one</i>): Sta	Below Land Surface Feet Below Land Surface eel tape Electric ta Pump Test Dat	Pumping Water Level (B): ace Test Pumping Rate: pe Air line Other (<i>describe</i>): a for Flowing Well	Feet Below Land Surface	RECEIVED
Static Water Level (A): Feet Drawdown [(B) - (A)]: Image: Control of the source of the so	E Below Land Surface Feet Below Land Surface Feet tape Electric ta Pump Test Dat Fawdown of Meter In Actor (AF x .001, gal : Meter installed by: aired Replacement Familian you are can	Pumping Water Level (B): ace Test Pumping Rate: pe Air line Other (<i>describe</i>): a for Flowing Well feet after nstallation Meter Serial Number: mstallation Type of Meter: x 1000, etc): nt	Feet Below Land Surface Gallons Per Minute	RECEIVED
Static Water Level (A): Feet Drawdown [(B) - (A)]: Image: Control of the source of the so	Below Land Surface Feet Below Land Surface Feet Below Land Surface Electric ta Pump Test Dat rawdown of rawdown of fawdown of Meter In Acter installed by: aired Replacement formation you are cert al wells, a list of app	Pumping Water Level (B): ace Test Pumping Rate: pe Air line Other (describe): a for Flowing Well feet after installation feet Serial Number: mstallation Type of Meter: x 1000, etc): nt rtifying that this meter was install roved meters is on the MDEQ year	Feet Below Land Surface Gallons Per Minute	PECENVEL IUN 26 2013 COLVAND
Static Water Level (A): Feet Drawdown [(B) - (A)]: Image: Control of the surrow of the su	Below Land Surface Feet Below Land Surface Feet Below Land Surface Electric ta Pump Test Dat rawdown of rawdown of Meter In Actor (AF x .001, gal : Meter installed by: aired Replacement formation you are cert al wells, a list of apprent	Pumping Water Level (B): ace Test Pumping Rate: pe Air line Other (describe): a for Flowing Well feet after installation feet Serial Number: mstallation Type of Meter: x 1000, etc): nt rtifying that this meter was install roved meters is on the MDEQ year	Feet Below Land Surface Gallons Per Minute	RECEIVED
Static Water Level (A): Feet Drawdown [(B) - (A)]: Image: Control of the source of the so	Below Land Surface Feet Below Land Surface Feet Below Land Surface Electric ta Pump Test Dat rawdown of Meter In Actor (AF x .001, gal 2 Actor installed by: aired Replacement Formation you are cert al wells, a list of appril Dents are true to the 252 P	Pumping Water Level (B):ace Test Pumping Rate: pe Air line Other (describe): a for Flowing Wellfeet after nstallation feet Serial Number: Type of Meter: x 1000, etc): nt trifying that this meter was install roved meters is on the MDEO was best of my knowledge.	Ed to manufacturer standards.	RECEIVED
Static Water Level (A): Feet Drawdown [(B) - (A)]: Image: Control of the source of the so	Below Land Surface Feet Below Land Surface Feet Below Land Surface Electric ta Pump Test Dat rawdown of Meter In Actor (AF x .001, gal 2 Actor installed by: aired Replacement Formation you are cert al wells, a list of appril Dents are true to the 252 P	Pumping Water Level (B):ace Test Pumping Rate: pe Air line Other (describe): a for Flowing Wellfeet after nstallation feet Serial Number: Type of Meter: x 1000, etc): nt trifying that this meter was install roved meters is on the MDEO was best of my knowledge.	Feet Below Land Surface Gallons Per Minute	
Static Water Level (A): Feet Drawdown [(B) - (A)]: Image: Control of the source of the so	Below Land Surface Feet Below Land Surface Feet Below Land Surface Electric ta Pump Test Dat rawdown of Meter In Actor (AF x .001, gal 2 Actor installed by: aired Replacement Formation you are cert al wells, a list of appril Dents are true to the 252 P	Pumping Water Level (B):ace Test Pumping Rate: pe Air line Other (describe): a for Flowing Wellfeet after nstallation feet Serial Number: Type of Meter: x 1000, etc): nt trifying that this meter was install roved meters is on the MDEO was best of my knowledge.	Ed to manufacturer standards.	

۲۰۰۰ ع ۲۰۰۰ و تمیز در ۲۰۰۰ می