| County Pearl | River |
|--------------------------|----------|
| Permit #: | 100me |
| Driller: | WITH THE |
| Date drilling completed: | 4-30-14 |

STATE WELL REPORT Part 1

Driller's Log Aississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309 (601)961-5210

(601)360-0535 (fax)

| For Office Use Only: |
|----------------------|
| Well #: |
| Aquifer: |
| E-Log #: |

State Law requires that this report be prepared by the license holder responsible for the work and filed with the

| Department at the above address within 30 days of completion of drilling of the well or borehole. | | | | |
|---|--|--|--|--|
| Well Owner Information (Landowner if borehole is not for a water well) | Well or Borehole Location | | | |
| Owner Name: Robert + Ting Nadeag | Latitude: 30° 40′ 8.5″ Longitude: 89° 26′ 18′ W | | | |
| Mailing Address: 233/ Highway 53 | Method of Lat/Long (check one): Conventional Survey, | | | |
| , , | USGS quad, Hand-held GPS, Survey-grade GPS | | | |
| Poplarville MS 39478 City State Zip Code | NE 1/4 SW 1/4, Sec 30 T 45 R 14W 13 Miles SE of Popular VIIIe, MS | | | |
| Telephone No. () <u>225 - 218 - 873 3</u> | (Distance) (Direction) (Nearest Town) | | | |
| Wall / R | orehole Data | | | |
| Date drilling started: 6/29 Date drilling completed: | 6/29 Hole depth: 160 Hole diameter: 3 | | | |
| Location of the source of any surface water used for drillir | ng: Municipal | | | |
| Method of dosing and volume of Chlorine used in drilling a | nd development: | | | |
| Logs run (circle all applicable): No log run Electric Gamm | na Ray Density Sonic Neutron Other: | | | |
| Name of organization running log(s): | | | | |
| Purpose of borehole (circle one): Water Well Geotechnic | cal/Geological Investigation Ground Source Heat Pump | | | |
| Seismic Survey Other (| describe) | | | |
| If drilling is not related to water well co | onstruction, skip the remainder of this block | | | |
| Purpose of Well (circle all applicable): Home Industrial | Public Supply Irrigation Fish Culture | | | |
| Other (describe): | | | | |
| If a flowing well, method of flow regulation: Valve Other (describe) | | | | |
| Static Water Level: 116feet [above or below] land surface Date measured: 6/29 | | | | |
| Method of measurement (circle one); Steel tape Electric tape Air line Other (describe): | | | | |
| Well depth: 155 Well grouted to a depth of: 16 feet Type of grout (circle one): Neat Cement Bentonite Mix | | | | |
| Casing length: 145 feet Casing diameter: 2 inches Type of casing: PVC | | | | |
| Screen length: 10 feet Screen diameter: 2" inches Type of screen: PVC | | | | |
| Screen slot size: 0.008 inches Setting depth: From 145 feet to 155 feet | | | | |
| Type of completion (circle all applicable): Gravel packed | Underreamed Open hole Natural Decreived | | | |
| Other (describe): | | | | |
| Top of lap pipe or reduction in casing:feet | JUL 0 5 2016 | | | |
| If telescoped or more than one screen, describe on next page Forn DVW SMR (443) | | | | |
| | | | | |

| County: Permit #: | | For | Office Use | Only: |
|--|--|------------------------|------------------------------|-----------------------|
| The sketch below only required for water wells | Description of formations enco | | | |
| If well telescopes, show depths on sketch. | and boreholes, unless specifica | illy exemp | ted by regulati | <u>ons</u> |
| Ground Level | Description of Formations Encoun | tered | From (depth) Ground level | To (depth) |
| K | BV 59 Cl | | 15 | 25 |
| | g gv cl gu | avel | 25 | 28 |
| | Lter el | | 28 | 45 |
| | sv el gran | 19 | 45 | 48 |
| | Lter der el | | 48 | 1 35 |
| | gr 5159 | | 135 | 155 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 化化化 化二氯苯酚 化氯苯酚磺胺基 | | | | |
| | | | 61.5 | |
| | | | | |
| | | | | |
| | | | | |
| | | | 777 | |
| | | | | |
| If more than one screen, show location of each on sketch | | | | |
| Sketch the property layout and include the following: 1) the well location 2) any permanent structures on the property that may ai 3) any roads, power lines, or other items that may aid in 4) north arrow | d in locating the well locating the property and the well | | 1 | Hollow Church |
| \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | | | 37 | |
| Water well * | X X Gate | X | | |
| (Pend) | | | Rec | eived |
| Temp. Bldss | | | JUL | 0 5 2016 |
| Landowner Name: Robert Nach | / | | By (| DLWR |
| Landowner Hame. | 794 | | | |
| I HEREBY CERTIFY that the well/borehole was drilled, or requirements of the Mississippi Department of Environr if applicable, and state laws. | constructed, and completed in a mental Quality and the Mississipp | ccordance i Departm | with all applinent of Health | cable regulations, |
| Heath & Williams 0-790 Print Name of Responsible Licensee and License No. | 6/30/11 Aff | Signature | of Licensee | |

医电影性生活性 化甲基甲基磺胺苯基甲基

,

STATE WELL REPORT

County:

Permit #: Driller:

Date completed:

Part 2

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225-2309

| | _ |
|----------------------|---|
| For Office Use Only: | |
| Well #: | |
| Aquifer: | |

| This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Owner Name: Robert + Trug Maday Latitude: 20 40 55 Mongitude: 89 26 18 W | | |
|--|--|--|
| of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Owner Information Owner Name: Robert + Ting Madray Latitude: 30 40 55 Mongitude: 89 26 18 W | | |
| Well Owner Information Well Location Owner Name: Robert + Ting Nadray Latitude: 30 40 55 Mongitude: 89 26 18 W | | |
| | | |
| Light Add 733/ 46 have 133 had belief after the resident of the second transfer of the seco | | |
| Mailing Address: 233/ Highway 53 Method of Lat/Long (check one): Conventional Survey, | | |
| USGS quad | | |
| Pump Type (circle one) | | |
| Submersible Turbine Air Lift Centrifygal Flowing Well Jet Piston Rotary Other (describe): | | |
| Date Pump Installed: 6/30/16 Rated Pump Capacity: 5 Gallons Per Minute | | |
| Is This Pump (circle one): New Repaired Replacement | | |
| Power Type (circle one) | | |
| Electric Diesel Gasoline Natural Gas Tractor PTO Windmill Other (describe): | | |
| | | |
| Horse Power Rating of Motor: Setting Depth: feet Number of Stages: | | |
| Horse Power Rating of Motor: Setting Depth: feet Number of Stages: Pump Test Data for Non Flowing Well | | |
| Horse Power Rating of Motor: Pump Test Data for Non Flowing Well Date Well Tested: Duration of Pump Test (minimum 4 hours): hours | | |
| Horse Power Rating of Motor: Pump Test Data for Non Flowing Well Date Well Tested: Duration of Pump Test (minimum 4 hours): Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface | | |
| Horse Power Rating of Motor: Pump Test Data for Non Flowing Well Date Well Tested: Duration of Pump Test (minimum 4 hours): hours | | |
| Pump Test Data for Non Flowing Well Date Well Tested: 6/30/6 Duration of Pump Test (minimum 4 hours): hours Static Water Level (A): 6 Feet Below Land Surface Pumping Water Level (B): 6 Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Method of measurement (circle one); Steel tape Electric tape Air line Other (describe): | | |
| Pump Test Data for Non Flowing Well Date Well Tested: 6/30/6 Duration of Pump Test (minimum 4 hours): hours Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Method of measurement (circle one); Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well | | |
| Pump Test Data for Non Flowing Well Date Well Tested: 630/6 Duration of Pump Test (minimum 4 hours): hours Static Water Level (A): 6 Feet Below Land Surface Pumping Water Level (B): 6 Feet Below Land Surface Drawdown [(B) - (A)]: 6 Feet Below Land Surface Test Pumping Rate: 6 Gallons Per Minute Method of measurement (circle one); Steel tape Electric tape Air line Other (describe): 9 Pump Test Data for Flowing Well Measured shut in head: 6 feet. | | |
| Pump Test Data for Non Flowing Well Date Well Tested: 6/30/6 Duration of Pump Test (minimum 4 hours): hours Static Water Level (A): Feet Below Land Surface Pumping Water Level (B): Feet Below Land Surface Drawdown [(B) - (A)]: Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Method of measurement (circle one); Steel tape Electric tape Air line Other (describe): Pump Test Data for Flowing Well | | |
| Pump Test Data for Non Flowing Well Date Well Tested: 630/6 Duration of Pump Test (minimum 4 hours): hours Static Water Level (A): 6 Feet Below Land Surface Pumping Water Level (B): 6 Feet Below Land Surface Drawdown [(B) - (A)]: 6 Feet Below Land Surface Test Pumping Rate: 6 Gallons Per Minute Method of measurement (circle one); Steel tape Electric tape Air line Other (describe): 9 Pump Test Data for Flowing Well Measured shut in head: 6 feet. | | |
| Horse Power Rating of Motor: | | |
| Number of Stages: Pump Test Data for Non Flowing Well | | |
| Number of Stages: | | |
| Horse Power Rating of Motor: Setting Depth: Geet Number of Stages: Pump Test Data for Non Flowing Well | | |
| Number of Stages: | | |

| I HEREBY CERTIFY that the above statements are true to the | best of my kno | owledge. Recair |
|--|----------------|---|
| Heath & Williams 3-790 | 6/30/16 | Marca Nacal Naca Naca |
| Print Name of Pump Installer and License No. (if applicable) | Date | Signature of Pump Installed 0.5.2010 |

Signature of Pump Installed 0.5 2015 Form: OLWR-SWR-1B (4779)