State W	ell Report				
Part 1-1 Part 1-1	Driller's Log	For Office Use Only:			
	nt of Environmental Quality	Aquifer: <u>V / 76</u>			
	nd Water Resources Box 2309	Well #:			
Driller: JAMES WELLS Jackson	n, MS 39225	L. S. Elevation:			
	961- 5210 1- 5228 (fax)				
		E-log #:			
State Law requires that this report be prepared by the lice	ense holder responsible for a	the work and filed with the			
Department at the above address within 30 days of com Information on Well Owner	Well or Bo	prehole Location			
(Landowner if borehole is not for a water well)	20,24,29	_" Longitude: 89.41.01."			
Owner Name Beau J. J. Mahrem					
Mailing Address: 94 20 Hy 43 h.	Method of Lat/Long (circle or				
Poplarville MS		GPS, Survey-grade GPS			
	52 1/4 Sec 27	5_ S Rng 17 W			
City State Zip Code	Distance Direction	Nearest Town			
101	<u> </u>	of poplanding MS			
Well / Bon					
Date drilling started: $\underline{\Psi \cdot 2! \cdot l!}$ Date drilling completed: $\underline{\Psi \cdot 2! \cdot l!}$	Hole depth: 120	Hole diameter:			
Location of the source of any surface water used for drilling:	cruk .				
Method of dosing and volume of Chlorine used in drilling and development: 2 / 1 Statk Shork					
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:					
Purpose of borchole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump					
Seismic Survey Other (describe) If drilling is not related to water well construction, skip the remainder of this block					
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:					
If a flowing well, method of flow regulation: Valve Other (describe)					
Static Water Level: 75 feet above or below (circle one) land surface Date measured: 472/-11					
Method of Measurement (circle one) steel tape electric tape air line other:					
Well depth: <u>120</u> Well grouted to a depth of <u>10</u> feet Type of grout (circle one): Neat Cement Bentonite Mix					
Casing length: <u>100</u> feet Casing diameter: <u>4</u> inches Type of casing: $\frac{PVC}{OUC}$					
Screen length: feet Screen diameter: inches Type of screen: PVC					
Screen slot size:					
Type of completion (circle all applicable): Onavel packet Onuclication releasedped open test					
Other (describe):					
Top of lap pipe or reduction in casing:feet. If I	elescoped or more than one scr	een, describe on next page			

Form: OLWR-SWR-1A (04/08)

έ. L

The sketch below only required for water wells

If well telescopes, show depths on sketch. Ground Level


K		
	1	

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

U/16

Description of Formations Encountered	From (depth)	lo (depth)
	Ground Level	て
CLay	2	50
Sand	50	120
		1
		1
	+	
	+	
		<u> </u>
	+	1
	+	<u> </u>
		<u> </u>
		+
		+
		
		<u> </u>
		Į
		1

If more than one screen, show location of each on sketch



I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

JAMES WELLS 0-586

James Walls

Print Name of Responsible Licensee and License No.

Date

Signature of Licensee

、 /	STATE WI	ELL REPORT		
County: Real Kiven	Part 2 Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)		For Office Use Only: Aquifer:	
Driller: <u>JAMES</u> WELLS Date completed: <u>4-21-11</u>			Well #:	
This report should be prepared by the installation of pump.			nt William 30 days of the	
installation of pump. Well Owner Informati	0D			
Owner Name: Book J-7-20	han		_Longitude:	
Mailing Address: 9420 Hy 43	'n	Method of Lat/Long (circle of	nod of Lat/Long (circle one): Conventional Survey, USGS quad, Hand-held GPS, Survey-grade GPS	
Poplanille	vns (USGS quad, Han		
<i>l</i>	39470	4 Sec 27 Twn TS Rng 17W		
City State	Zip Code	Distance Direction	Nearest Town	
Telephone No. (601, 795-099	<u>۲</u>	<u> </u>	of Poplowille his	
Ратр Туре			ower Type Sincle onc	
Circle one	-	_		
Air Lift Jet	Submersible	Diesel Engine Gasol	ine Engine Natural Gas	
Bucket Piston	Turbine	Electric Motor Hand	Tractor PTO	
Centrifugal Rotary	Flowing Well	1	r (specify):	
Other (specify):		Horse Power Rating of Moto	»:	
Date Pump Installed: <u>4 - 21-11</u>		Setting Depth:	[] O feet	
Rated Pump Capacity: / 5		Number of Stages:	<u> </u>	
Pump Test Data	Pump Test Data		leasuring Water Level Circle one	
Date Well Tested: <u>4-7</u>]-])		Air Line Electric M	easuring Line Steel Tape	
Static Water Level (A): 7.5 Feet	Below Land Surface	Other (specify):		
Pumping Water Level (B): [0] Feet	Below Land Surface			
Drawdown [(B) - (A)]: YO Feet			shut in head:feet	
	Gallons Per Minute	Well yielded	GPM with a drawdown of	
Duration of Pump Test (minimum 4 hours)	iours	75 feet after	hours of pumping	
I HERBBY CERTIFY that the above states		t of my knowledge.	~ Well	
JAMES WELLS Print Name of Pump Installer and License	<u>O-58(0</u> No. (if applicable)	Signature of Pump	Instailer	

.

•