	State Well Rep	ort 1				
Part 1 - Drillar's Log		For Office Use Only:				
County:	Mississippi Department of Environmental Quality		Aquifer:			
Permit #: 0 - 586	Office of Land and Water I		Well #: F-35			
1	P.O. Box 2309	_	Well#:			
Driller: JAMES WELLS	Jackson, MS 3923		L. S. Elevation:			
Date drilling completed: 9-1/-08	(601)961- 5210					
	(601)961- 5228 (fa	·^)	E-log #:			
State Law requires that this report b	e prepared by the license hold	er responsible for t	he work and filed with the			
Department at the above address wi		trilling of the well	or borenote.			
Information on Well Own		Well or Bo	rehole Location			
(Landowner if borehole is not for a	Latitude:	0 ,	" Longitude:,"			
Owner Name Darton Ball			-			
Mailing Address: 7 Veely Frace			ne): Conventional Survey,			
Kichton MS 39476 USGS quad, Hand-held		GS quad, Hand-held	GPS, Survey-grade GPS			
¼¼ Sec3		Twn 411 Rng 9 W				
City State	Zip Code Distance	Direction	Nearest, Town of Restan ms			
Telephone No. (60) 788 296	9	Miles <u>EASI</u>	of Russian 1713			
Telephone No. (						
	Well / Borehole Data					
Date drilling started: 9-1/-08 Date drilling	g completed: 9-11-08 Hole	depth: 325	Hole diameter:			
Location of the source of any surface water u Method of dosing and volume of Chlorine us	sed for drilling:ed in drilling and development:	3 lb 51	hoek			
Logs run (circle all applicable): No log run Name of organization running log(s):	Electric Gamma Ray Density		Other:			
Purpose of borehole (check one): Water Well_	Geotechnical/Geological Inve	stigation Ground	Source Heat Pump			
	0.1 (1					
Seismic Survey Other (describe)  If drilling is not related to water well construction, skip the remainder of this block						
Purpose of Well (check one): Home Industrial Public Supply Irrigation Fish Culture Other:						
If a flowing well, method of flow regulation: Valve Other (describe)						
Static Water Level: 125 feet above of below (circle one) land surface Date measured: 9-11-08						
Method of Measurement (circle one) steel						
Well depth: 325 Well grouted to a depth		ircle one): Neat Cem				
Casing length: 305 feet Casing of	iameter:inches	Type of casing:	PVC			
Screen length: ZO feet Screen of	liameter: 4inches	Type of screen:	PVC			
Screen slot size: .008 inches	Setting depth: From 305	feet to	feet feet			

Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development

Top of lap pipe or reduction in casing: feet. If telescoped or more than one screen, describe on next page

Other (describe): \_\_\_

Form: OLWR-SWR-1A (04/08)

RECEIVED

OCT 1 0 2008

BY: OLWR

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

	•	Ground Level	
l l	cla	2	275
	Same	275	325
			-
			<u> </u>
			1
			<del>                                     </del>
			<del>  </del>
If more than one screen, show location of each on sketch			
andowner Name: Denton Ball			
indowner Name: Denton 13 all	Fon	m: OLWR-SWR-1	A (04/08)
endowner Name: Denton Ball  For tify that the well/borehole was drilled, constructed, and the Marketing of Environmental Quality and Environmen	completed in accordance with all applicabl	e requirements of	the
rtify that the well/borehole was drilled, constructed, and	completed in accordance with all applicabl	e requirements of	the
rtify that the well/borehole was drilled, constructed, and	completed in accordance with all applicabl	e requirements of is, if applicable, ai	the
rtify that the well/borehole was drilled, constructed, and sissippi Department of Environmental Quality and the NEAMES WELLS p.586	completed in accordance with all applicable Mississippi Department of Health regulation	e requirements of is, if applicable, and is is applicable, and is is a see RE	the and state

The sketch below only required for water wells

## STATE WELL REPORT Part 2 County: \_ For Office Use Only: **Pump Installer's Completion Report** Mississippi Department of Environmental Quality Permit #: Aquifer: Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225 (601)961-5210 Elevation: (601)961-5228 (fax) Copy information from block on Part 1 This part of the report must be completed by a licensed water well contractor or a licensed pump installer. A copy of Part 1 of the report must be attached and both parts filed with the Department at the above address within 30 days of well completion. Well Location Well Owner Information Owner Name: Longitude: Method of Lat/Long (check one): Conventional Survey\_\_\_ Mailing Address: USGS quad\_\_\_\_, Hand-held GPS\_\_\_\_, Survey-grade GPS\_\_\_\_ 4 Sec 3 T 4h R9W City State Nearest Town Distance Direction 788 2969 7 Miles EAST of Ruchton Power Type Pump Type Circle one Circle one Submersible Diesel Engine Gasoline Engine Natural Gas Air Lift Jet Electric Motor **Tractor PTO** Turbine Bucket Piston Other (specify): \_\_ Windmill Flowing Well Centrifugal Rotary Horse Power Rating of Motor: \_ Other (specify): \_ 9-11-08 Setting Depth: \_\_ Date Pump Installed: \_ / Gallons Per Minute Rated Pump Capacity: \_\_\_ Number of Stages: \_ Pump Test Data Method of Measuring Water Level Circle one 9-11-08 Date Well Tested: \_\_\_\_ Air Line Electric Measuring Line Static Water Level (A): 125 Feet Below Land Surface Other (specify): \_\_ Pumping Water Level (B): / 60 Feet Below Land Surface Drawdown [(B) - (A)]: /25 Feet Below Land Surface For flowing well, measured shut in head: \_\_\_\_\_\_feet

I HEREBY CERTIFY that the above statements are true to the best of my knowledge.

TAMES VELLS 0-586

Print Name of Pump Installer and License No. (if applicable)

Signature of Pump Installer

Duration of Pump Test (minimum 4 hours): \_\_\_

Form: OLWR-SWR-1B (04/08)

/ \$ GPM with a drawdown of

305 feet after 325 hours of pumping

RECEIVED

OCT 1 0 2008

BY: OLWR