10.4		n Keport	For Office Use Only:		
County: Pike	Part 1 - Driller's Log				
Permit #: 0 - 586	Mississippi Department of Environmental Quality		Aquifer:		
I :	Office of Land and Water Resources P.O. Box 2309		Well #: <u>A 240</u>		
Driller: JAMES WELLS	Jackson, MS 39225		L. S. Elevation:		
Date drilling completed: 7-27-09	(601)96	31- 5210	L. S. Elevation:		
Date drilling completed: 1 27-07	(601)961- 5228 (fax)		E-log #:		
State Law requires that this report be prepared by the license holder responsible for the work and filed with the					
Department at the above address	within 30 days of comple	etion of drilling of the well	or borehole.		
Information on Well C		Well or Bo	rehole Location		
	(Landowner if borehole is not for a water well)		Latitude: 31 • 17 , 34 " Longitude: 90 • 29 , 41 "		
Owner Name Joe mens	24 X				
Mailing Address: U183 Hy 98 W		Method of Lat/Long (circle one): Conventional Survey,			
Summit M	,	USGS quad, Hand-held GPS, Survey-grade GPS			
SIN 1/ SW 1/ Sec 2			Twn 41 Rng 7E		
City Stat	e Zip Code	Distance Direction	Nearest Town		
		Distance Direction Nearest Town Miles Of Summit			
Telephone No. (601) 303-013	5 2				
	Well / Borehe	No Data			
			_		
Date drilling started: 7-27-09 Date dri	lling completed: 7-27-0	Hole depth: / 5 0	Hole diameter:/		
Location of the source of any surface water used for drilling:					
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):					
Purpose of borehole (check one): Water Well Geotechnical/Geological Investigation Ground Source Heat Pump					
Seismic S	Survey Other (describe)				
If drilling is not related	to water well construction,	skip the remainder of this blo	ock		
Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture Other:					
If a flowing well, method of flow regulation: Valve Other (describe)					
Static Water Level:					
Method of Measurement (circle one) steel tape electric tape air line other:					
Well depth: 150 Well grouted to a depth of 10 feet Type of grout (circle one) Neat Cement Bentonite Mix					
Casing length: /30 feet Casing diameter: 4 inches Type of casing: PVC					
Screen length: 20 feet Screen diameter: 4 inches Type of screen: PVC					
Screen stot size. 1000 micros Setting depair. From					
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development					
Other (describe):					
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page					
Form: OLWR-SWR-1A (04/08)					

State Well Report

RECEIVED

AUG 1 1 2009

BY: OLWR

The sketch below only required for water wells

If well telescopes, show depths on sketch.

Ground Level

Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations

From (depth)	To (depth)
Ground Level	-
2	य०
40	30
08	150
	<u>i </u>
	<u> </u>
	40

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the aid in locating the well; 3) any roads, power lin	well location; 2 nes, or other ite) any peri ms that m	nanent structures ay aid in locating	on the property that may the property and the well;
4) a north arrow.				
			melle \	
•		(
	هد :	98		
	سلعلم		S. semmit	
	•		Summit \	
			1	
				north 55
		•		55
			av.	manula
		•	98	Mont
Landowner Name: (oe M Neil				
				Form: OLWR-SWR-1/4 (04/0

I certify that the well/borehole was drilled, constructed, and completed in accordance with all applicable requirements of the Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state

TAMES WELLS DS86
Polici Survive of Responsible Likewise and Lienare For Their

Jams Walls

- Straggan of License

AUG 1 1 2009 BY: OLWR

STATE WELL REPORT					
Permit #: Mississippi Departmen Office of Land a P.O. Date completed: 7	For Office Use Only: Aquifer: Well #:				
Telephone No. (60) 303-0/32	Distance Direction Nearest Town Miles West of Summit M5				
Pump Type Circle one Air Lift Jet Submersible Bucket Piston Turbine Centrifugal Rotary Flowing Well Other (specify): Date Pump Installed: 7-27-09 Rated Pump Capacity:	Power Type Circle one Diesel Engine Gasoline Engine Natural Gas Electric Metor Hand Tractor PTO Windmill Other (specify): Horse Power Rating of Motor: Setting Depth: / 0 0feet Number of Stages:) U				
Pump Test Data Date Well Tested: 7-27-09 Static Water Level (A): 80 Feet Below Land Surface Pumping Water Level (B): 100 Feet Below Land Surface Drawdown [(B) - (A)]: 90 Feet Below Land Surface Test Pumping Rate: Gallons Per Minute Duration of Pump Test (minimum 4 hours): hours I HEREBY CERTIFY that the above statements are true to the best of TAMES SELLS 0-586 Print Name of Pump Installer and License No. (if applicable)	Method of Measuring Water Level Circle one Air Line Electric Measuring Line Steel Tape Other (specify): For flowing well, measured shut in head: Well yielded GPM with a drawdown of hours of pumping f my knowledge. Signature of Pump Installer Form: OLWR-SWR-1B (04/08) RECEIVED				

AUG 1 1 2009

BY: OLWR