4.	State Wo	ell Report			
County: /ke		riller's Log	For Office Use Only:		
i	Mississippi Department	of Environmental Quality	Aquifer: +\ 253		
Permit #:		d Water Resources	Well #:		
Driller: Filzerall well feway	P.O. Box 2309 Jackson, MS 39225				
Date drilling completed: 4-7-11.		61- 5210	L. S. Elevation:		
Date driving completed.	(601)961	- 5228 (fax)	E-log #:		
State Law requires that this repor	t he prepared by the lice	l nse holder responsible for t	he work and filed with the		
Department at the above address	within 30 days of compl	etion of drilling of the well	or borehole.		
Information on Well Owner			rehole Location		
(Landowner if borehole is not fo	r a water well)	Latitude: 310. 201, 54	" Longitude (40° 2) . 56.5		
Owner Name Mike Beebe			1		
Mailing Address: Johnston Stoken		Method of Lat/Long (circle or	ne): Conventional Survey,		
Wathing Address. Water 510 1997		USGS quad, Hand-held	GPS, Survey-grade GPS		
		NE 1/2 Sec A TWN 4N Rng DE			
Summy MS City Stat		<u> </u>	I WILLIAM TON		
City Stat	e Zip Code	Distance Direction Miles	Nearest Town of		
Telephone No. ()					
Well / Borehole Data					
Date drilling started: 4-7-11 Date drilling completed: 4-7-11 Hole depth: 135 Hole diameter: 811					
Location of the source of any surface water	er used for drilling:				
Method of dosing and volume of Chlorine	e used in drilling and develo	opment:			
Logs run (circle all applicable): No log-run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running logs:					
Purpose of borehole (check one): Water W	ell Geotechnical/Geold	ogical Investigation Ground	i Source Heat Pump		
Seismic Survey Other (describe)					
If drilling is not related to water well construction, skip the remainder of this block					
Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish CultureOther:					
If a flowing well, method of flow regulation: Valve Other (describe)					
Static Water Level:					
Method of Measurement (circle one) steel tape electric tape air line other:					
Well depth: 135 Well grouted to a depth of 16 feet Type of grout (circle one) Near Cement Bentonite Mix					
Casing length: 118 feet Casing diameter: 4" inches Type of casing: RE					
Screen length: 20 feet Screen diameter: 4" inches Type of screen: Dee					
Screen slot size:					
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development					
Other (describe):					
Top of lap pipe or reduction in casing:	feet. If te	lescoped or more than one scr	een, describe on next pare		

RECEIVED

Form: OLWR-SWR-1A (04/08)

APR 2 1 2017

BY OLLAR

he sketch below only required for water wells	Description of formations encountered must be provided for all wells and boreholes, unless specifically exempted by regulations			
f well telescopes, show depths on sketch. Ground Level	Description of Formations Encountered		To (depth)	
		Ground Level		
	Clay	3	20	
	Start.	70	80	
	Sandi	80	100	
	Sand	100	iio	
	Curse Sand	110	135	
	20-46			
			<u> </u>	
			 	
			 	
}				
		<u> </u>	 	
			 	
			+	
		 	1	
·				
Johnston Hollen Rd.	& Cuell			
Landowner Name: Mike Beebe	d completed in accordance with all applica Mississippi Department of Health regulati	orm: OLWR-SWR ble requirements ons, if applicable,	of the	
Brand Figure 10. CH4. 4.	Date Signature of Li	censee	FEG: W	

APR 2 1 2011 BY: OLLAW

County: Pke Permit #: Pump Installe Mississippi Departm Office of Lan P. Jacks Coav information from block on Part 1 County: Pke Pump Installe Mississippi Departm Office of Lan P. (60)	Latitude: 31° 20′ 54″ Longitude: 40° 2′) 56.5 ″ Method of Lat/Long (check one): Conventional Survey,
Summer MS City State Zip Code Telephone No. ()	USGS quad, Hand-held GPS, Survey-grade GPS
Pump Type Circle one Jet Bucket Piston Turbine Centrifugal Rotary Flowing Well Other (specify): Date Pump Installed: 4-7-//. Rated Pump Capacity: 33 Gallons Per Minute	Power Type Circle one Diesel Engine Gasoline Engine Natural Gas Electric Motor Hand Tractor PTO Windmill Other (specify): Horse Power Rating of Motor: Setting Depth: 110' feet Number of Stages:
Pump Test Data Date Well Tested:Feet Below Land Surface Pumping Water Level (B):Feet Below Land Surface Drawdown [(B) - (A)]:Feet Below Land Surface Test Pumping Rate:Gallons Per Minute Duration of Pump Test (minimum 4 hours):hours	For flowing well, measured shut in head:feet Well yieldedGPM with a drawdown of hours of manning
I HEREBY CERTIFY that the above statements are true to the Bial Flavel Corp. Print Name of Pump Installer and License No. (if applicable)	Kul Mya