State W	ell Report	
	riller's Log	
Mississippi Departmen	t of Environmental Quality Aquifer: A 254	
Permit #: Office of Land ar	d Water Resources Sox 2309 Well #:	
12.4.79. A 12.111 \ 12.4740	MS 39225	
Data drilling completed: $C = [G = I]$ (601)9	61- 5210 L. S. Elevation:	
(601)961	- 5228 (fax) E-log #:	
State Law requires that this report be prepared by the lice	nse holder responsible for the work and filed with the	
Department at the above address within 30 days of comp	letion of drilling of the well or borehole.	
Information on Well Owner	Well or Borehole Location	
(Landowner if borehole is not for a water well)	Latitude: 310 . 17, 464 Longitude: 90. 30, 59,44	
Owner Name Shen.ta Frith		
Flish IN.	Method of Lat/Long (circle one): Conventional Survey,	
Mailing Address: Elyah LV.	USGS quad, Hand-held GPS, Survey-grade GPS	
0 / 20 /	56 4 56 4 Sec 20 Twn 4N Rng 7E	
Summt MS City State Zip Code	Distance Direction Nearest Town	
City State Zip Code	Milesof	
Telephone No. ()		
Well / Bore	hole Data	
Date drilling started: 5-19-11 Date drilling completed: 5-19-11 Hole depth: 200 Hole diameter: 8"		
Location of the source of any surface water used for drilling:  Method of dosing and volume of Chlorine used in drilling and devel	opment:	
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other:		
Purpose of borehole (check one): Water Well Geotechnical/Geol	Count Source Heat Pump	
Purpose of borehole (check one): Water Well Geotechnical/Geol	ogical investigation Ground Source Hear I dinp	
Seismic Survey Other (describe)		
If drilling is not related to water well construction, skip the remainder of this block		
Purpose of Well (check one): HomeIndustrial Public Supply Irrigation Fish Culture Other:		
If a flowing well, method of flow regulation: Valve Other (describe)		
Static Water Level: 60 feet above or below (circle one) land surface Date measured: 5-19-11		
Method of Measurement (circle one) steel tape electric tape air line other:		
Well depth: 20 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix		
Casing length: 190 feet Casing diameter: 4" inches Type of casing: Poc		
Screen length: 10 feet Screen diameter: 4" inches Type of screen: 1000		
Screen slot size: , 010 inches Setting depth: From	190 feet to 200 feet	
Type of completion (circle all applicable): Gravel packed Under	rreamed Telescoped Open hole Natural Development	
Other (describe):		
Top of lap pipe or reduction in casing:feet. If t	elescoped or more than one screen, describe on next page	
	Form: OLWR-SWR-1A (04/08)	



well telescopes, show depths on sketch.  Ground Level					
			1		

Description of Formations Encountered	From (depth)	To (depth)
	Ground Level	
Cluy	0	20
(lug (kug)	20	40
siduel- Clay	40	80
Clay	80	160
Sand Sand Course Sand	160	180
San de	180	190
Course sand	190	200
	<u>L</u>	

If more than one screen, show location of each on sketch

Sketch the property layout and include the following: 1) the well location; 2) any paid in locating the well; 3) any roads, power lines, or other items that 4) a north arrow.	may aid in locating the property that may
4) a norm arrow.	TI House
	El Bright
EII	BLN. E
The state of the s	mearille.
mayee h. o	
	JUN 0 7 2011
Huy 88	BY: OLMF
Landowner Name: Shen ta Frith	- (24.99)
I certify that the well/borehole was drilled, constructed, and completed in acc	Form: OLWR-SWR-1A (04/08)

Mississippi Department of Environmental Quality and the Mississippi Department of Health regulations, if applicable, and state Signature of Licensee

Print Name of Responsible Licensee and License No.

Permit #: Missis:  Driller: Fitzpoin Id Well Sever,  Date completed: S-19-11  Copy information from block on Part 1	Part 2 Pump Installer's Completion Report sippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 2309 Jackson, MS 39225 (601)961-5210 (601)961-5228 (fax)	For Office Use Only:  Aquifer:  Well #:  Elevation:
This part of the report must be completed by a licer report must be attached and both parts filed with th Well Owner Information	he Department at the above adaress wunin 50	Vell Location
Owner Name: Shen to Frith		1 Longitude: 90° 30′ 59.4″
Mailing Address: Flijah LN.		eld GPS, Survey-grade GPS
Summf mS City State Z Telephone No. ()	ip Code Distance Direction	Nearest Town
Pump Type		Power Type
Circle one	Diesel Engine Gas	Circle one oline Engine Natural Gas
Bucket Piston Turbin		
	ng Well Windmill Oth	ner (specify):
Other (specify):	Setting Depth: 90	feet
Rated Pump Capacity:	s Per Minute Number of Stages: 8	
Pump Test Data	Method of	Measuring Water Level Circle one
Date Well Tested:Feet Below	Land Surface	Measuring Line Steel Tap
Pumping Water Level (B):Feet Below	Other (specify).	
Drawdown [(B) – (A)]:Feet Below	Land Surface For flowing well, measur	ed shut in head:feet
Test Pumping Rate:Gallor	ns Per Minute Well yielded	GPM with a drawdown of
Duration of Pump Test (minimum 4 hours):	1	herhours of pumping
This is for (circle one): New Well F	Replacement of Existing Pump Repair	of Existing Pump
I HEREBY CERTIFY that the above statements a  BIAL FITZERULA  Print Name of Pump Installer and License No. (if	Red JUKI	ımp İnstaller