County: Pike	
Permit #:	1
Driller: Intograld hell form	۲.
Date drilling completed: 8-29-18.	

Part 1
Driller's Log

Wississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309

Jackson, MS 39225-2309 (601)961-5555 (601)961-5228 (fax)


State Law requires that this report be prepared by the license holder responsible for the work and filed with the Department at the above address within 30 days of completion of drilling of the well or borehole.

_ 	- 			
Well Owner Information (Landowner if borehole is not for a water well)	Well or Borehole Location			
Owner Name: Jeff Daughdill	Latitude: 31°20′ 525 Longitude: 40°26′ 51.9″			
Mailing Address: Beauer Creek Rd	Method of Lat/Long (check one): Conventional Survey,			
Mailing Address: Peauly Clark Poly	USGS quad, Hand-held GPS, Survey-grade GPS			
2	NE 14 NE 14, Sec T AN RTE			
City State Zip Code	Miles of			
Telephone No. ()	(Distance) (Direction) (Nearest Town)			
Well / B Date drilling started: $8.39-18$ Date drilling completed:	Sorehole Data Sold W. Hole depth: 65 Hole diameter: 84			
Location of the source of any surface water used for drilli	ì			
Method of dosing and volume of Chlorine used in drilling a				
Logs run (check all applicable): Logs run Electric Cam	ma Ray Density Sonic Neutron Other:			
Name of organization running log(s):	DECENTED			
Purpose of borehole (check one): Water WellGeotechn	ical/Geological Investigation Ground Source Per Funds EIVEC			
Seismic Survey Other (describe)				
If drilling is not related to water well construction, skip the remainder of this block				
Purpose of Well (check all applicable): 6 forme Industrial Public Supply Irrigation Fish Culture				
Other (describe):				
If a flowing well, method of flow regulation: Valve	Other (describe)			
Static Water Level: 10 feet above or be (check one)	low] land surface Date measured:			
	Other (describe)			
Well depth: 65 Well grouted to a depth of: 10	feet Type of grout (check one) Linear Cement Linear Cement			
Casing length: 55feet Casing diameter:	inches Type of casing.			
Screen length: 10 feet Screen diameter:	h: From 55 feet to 65 feet			
l ato Catting dent	p. From			
Type of completion (check all applicable) Lavel packed	Underreamed Open hole Natural Development			
Other (describe):				
Top of lap pipe or reduction in casing:fee	· 11 mort 80000			
If telescoped or more tha	n one screen, describe on next page Form: OLWR-SWR-1A (4/13)			


	j	For	Office Use	Only:
County:			P8GA	
Permit #:		well #:	1700	
Territory	Description of formations end	ountered 1	must be provide	d for all wells
The sketch below only required for water wells	Description of formations end and boreholes, unless specific	ally exem	oted by regulation	ons .
If well telescopes, show depths on sketch.	Description of Formations Encou		From (depth) Ground level	To (depth)
Ground Level				20
	clay	, 	20	30
	Siane		30	40
	clay		40	50
	Sa	<u> </u>	50	65
	(aulse.	7 cma	+	
			1	
				
			<u> </u>	
If more than one screen, show location of each on sketch				
1) the well location 2) any permanent structures on the property that may 3) any roads, power lines, or other items that may aid 4) north arrow	aid in locating the well in locating the property and the w	ell		
Landowner Name: Jeff Daughard II I HEREBY CERTIFY that the well/borehole was drilled requirements of the Mississippi Department of Environif applicable, and state laws. BAA FARMID. OAG	8-29-18 Bel	in accorda sippi Depa	ance with all apartment of Heal	plicable th regulations,
Print Name of Responsible Licensee and License No.	Date	// Signat	ure of Licensee	

Form: OLWR-SWR-1B (4/13)

Google Maps 31°20'57.5"N 90°26'51.9"W



Imagery ©2018 Google, Map data ©2018 Google 200 ft



31°20'57.5"N 90°26'51.9"W 31.349318, -90.447736

Mississippi

8HX2+PW Summit, Mississippi

RECEIVED
DEC 21 2018
BY OLWR

Jeff Daushdill 8-29-18.

Beaver creek Rd

G5

10

45

1/2 H P https://www.google.com/maps/place/31%C2%B020'57.5%22N+90%C2%B026'51.9%22... 12/13/2018

r. . . .

1279 - 207N - 127 (BILG N. 127) - 127 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 128 - 12

Maria The second of the second

The state of the second

STATE WELL REPORT Part 2

County:
Permit #:
Driller: Totald hell forces
Date completed: 876-69.
Copy information from block on Part 1

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources
P.O. Box 2309

P.O. Box 2309 Jackson, MS 39225-2309 (601)961-5210 (601) 360-0535 (fax)

For Office Use Only:			
Well #:	A284		
Aquifer:			

Copy information from block on tare .	(601) 360-0535 (fax)
- C. L. Completed by a licensed	and the second of the second of Part 1
This part of the report must be completed by a licenseu	t water went contractor or a ticensea pump the pump that the Department at the above address within 30 days of well completion.
Well Owner Information	Well Location
Owner Name: Teff Daughdill	Latitude: 310 20 525 Longitude: 900 26 51.6 4
Mailing Address: Request Creek Rd	Method of Lat/Long (check one): Conventional Survey,
Matthis Accident	USGS quad, Hand-neld GPS, Survey-grade or s
Summit MS. City State Zip Co	NE 1/2 NE 1/4, Sec_) T AN R TE
-1-5	Miles of
Telephone No. ()	
Pur	mp Type (check one)
Submersible Trurbine Air Lift Centrifugal Flowing	g Well Det Piston Rotary Other (describe):
Date Dime Installed: 8-74-18.	g Well Lijet Piston Rotary Duler (describe). Rated Pump Capacity: /2'Gallons Per Minute
	acement
Is This Pump (check one): [Cinew] Repaired Por	wer Type (check one)
_	To Clusted mill Cother (describe):
Electric Diesel Gasoline Natural Gas Ellactor	ing Depth:
Horse Power Rating of Motor: Setti	ilig Depui.
Pump Tes	· A-L- for NAR PINWRID WELL
Date Well Tested:	Duration of Pump Test (minimum 4 hours): hours
Date Well Tested:	
Static Water Level (A): Feet Below Land	Callons Per Minute 1
r Polout	land Clitace 1630 tombrid
l cool tanel li	Flectric tape Likii tille Liberty
Method of measurement (stream Pump	Test Data for Flowing Well
Measured shut in head:feet.	
Measured shut in nead.	offeet afterhours of pumping RECEIVED
Well yieldedGPM With a travia	Meter Installation RECEIVED
Meter Manufacturer:	
A A A A A A A A A A A A A A A A A A A	Type of Meter:
Landing Earth (AF)	x 001, gal x 1000, etc).
Totalizer Register Unit and Multiplier Factor (13.1	talled by:
Installation Date.	
Installation Date:	Replacement
Important: By submitting the above information	Replacement n you are certifying that this meter was installed to manufacturer standards. a list of approved meters is on the MDEQ website.
For agricultural wells,	the best of my knowledge. // // /
I HEREBY CERTIFY that the above statements are	e true to the best of my months
626	X 74-0. We form Installer
Print Name of Primp Installer and License No. (1)	f applicable) Date Synactic of Form: OLWR-SWR-2A (4
Print Name of Pump Installer and Electric	

.