State V	Vell Report	
County: Piker Part 1 - 1	Driller's Log	For Office Use Only:
Mississippi Departmen	Mississippi Department of Environmental Quality	
Permit #: Office of I and	Office of I and and Water Decourage	
Driller (CIE LAVIL (C CVIII SWIP)	Box 10631	Well #: £ - 240 L. S. Elevation:
2 2 Jackson, P	Jackson, 1913 37207-0031	
)961-5210 (4.6038 (four)	
(601)33	64-6938 (fax)	E-log #:
State Law requires that this report be prepared by the lic Department at the above address within 30 days of com	ense holder responsible for i	the work and filed with the or borehole.
Information on Well Owner		rehole Location
(Landowner if borehole is not for a water well)	I sales 1	
Owner Name Danny (reel	Latitude:	" Longitude: "
Mailing Address: mcComb Holmes ville Rd	Method of Lat/Long (circle or	ne): Conventional Survey,
	USGS quad, Hand-held	GPS, Survey-grade GPS
Manh ns		
City State Zip Code	Distance	17
State Zap Code	Distance Direction Miles	Nearest Town
Telephone No. ()	- HI	
Well / Bore		
Date drilling started: 3-3-06 Date drilling completed: 3-3-0	4. Hole depth: 15	Hole diameter: 8 11
Location of the source of any surface water used for drilling:	opment:	
Logs run (circle all applicable): No log run Electric Gamma Ray Name of organization running log(s):		Other:
Purpose of borehole (check one): Water WellGeotechnical/Geole	ogical Investigation Ground	Source Heat Pump
Seismic SurveyOther (describe		f
If drilling is not related to water well construction) N. Skip the remainder of this LI-	nk
Purpose of Well (check one): HomeIndustrialPublic Supply	Irrigation Fish Culture _	Other:
If a flowing well, method of flow regulation: Valve O		
Static Water Level: 85 feet above or below (circle one) la		3-3-06,
Method of Measurement (circle one) steel tape electric tape	air line other:	
Well depth: 115 Well grouted to a depth of 10 feet Type	of grout (circle one): Neat Ceme	nt) Bentonite Mix
Casing length: 105 feet Casing diameter: 4"	_inches Type of casing:	
Screen length: 10 feet Screen diameter: 4"	_inches Type of screen:	Ove
Screen slot size: 1012 inches Setting depth: From	105 feet to	feet
Type of completion (circle all applicable): Gravel packet Underro	earned Telescoped Open h	ole Natural Development
Other (describe):		

feet. If telescoped or more than one screen, describe on next page

Top of lap pipe or reduction in casing: ___

Form: OLWR-SWR-1A

RECEIVED

MAR 28 2006

BY: OLWR

	Description of Formations Encountered	From (depth)	To (depth
•		Ground Level	T
	Cluye	0	20
	Sund Frank	20	80
	Sund	80	100
	Course sond	100	115
1			
			
1			
			
			ļ
If more than one screen, show location of each on sketo			
	Meb. 1	Home	
		Homer DE well	
	FriendshipRd		
downer Name: Danny (reel-	FriendshipRd		
	Friendship Rd Briand Ha	DE Well	
downer Name: Dany Clel	d completed in accordance with all applicable re	Form: OLWR	SWR-1A
	d completed in accordance with all applicable re Mississippi Department of Health regulations, if	Form: OLWR	SWR-1A

MAR 28 2006

RECEIVED

Signature of Licensee

BY: OLWR

STATE WELL REPORT

Part 2

County: Pike.

Permit #:

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources

For Office Use Only:	
Aquifer:	
Well #: _ E - 240	_
Elevation:	

Date completed: 7 7 005	P.O. Box 10631 son, MS 39289-0631 (601)961-5210 01)354-6938 (fax) Well #:	
This part of the report must be completed by a licensed water report must be attached and both parts filed with the Departs	well contractor or a licensed pump installer. A copy of Part 1 of the	
Well Owner Information	Well Location	
Owner Name: Dunny Greet	Latitude:Longitude:	
Mailing Address: Mumb Holmesvillerd	Method of Lat/Long (check one): Conventional Survey,	
	USGS quad, Hand-held GPS, Survey-grade GPS	
City State Zip Code		
City State Zip Code		
Telephone No. ()	Distance Direction Nearest Town	
Pump Type Circle one	Power Type Circle one	
Air Lift Jet Submersible		
sucket Piston Turbine	Diesel Engine Gasoline Engine Natural Gas Electric Motor Hand Tractor PTO	
entrifugal Rotary Flowing Well	Windmill Other (specify):	
Other (specify):	Horse Power Rating of Motor:	
ate Pump Installed: 3-3-06;	Setting Depth: 105 feet	
tated Pump Capacity: 12 Gallons Per Minute		
Pump Test Data	Method of Measuring Water Level	
ate Well Tested:	Circle one	
tatic Water Level (A):Feet Below Land Surface	Air Line Electric Measuring Line Steel Tape Other (specify):	
amping Water Level (B):Feet Below Land Surface	Cance (specify).	
rawdown [(B) - (A)]:Feet Below Land Surface	For flowing well, measured shut in head:feet	
est Pumping Rate:Gallons Per Minute	Well yieldedGPM with a drawdown of	
buration of Pump Test (minimum 4 hours):hours	feet afterhours of pumping	
HEREBY CERTIFY that the above statements are true to the b	est of my knowledge. Bud Stanle	

I HEREBY CERTIFY that the above statements are true to the best	of my knowledge.	
Brad Fotzurald 024.	Bud Strang	
Print Name of Pump Installer and License No. (if applicable)	Signature of Pump Installer	

Form: OLWR-SWR-1B

MAR 28 2006

BY: OLWR