
N · 1/4	For Office		For Office Use Only:
County: Pike		Oriller's Log t of Environmental Quality	Aquifer: £ 286
Permit #: 0 - 586	Office of Land a	nd Water Resources	
Driller JAMES WELLS	P.O. Box 2309		Well #:
		, MS 39225 961- 5210	L. S. Elevation:
Date drilling completed: 6-28-10		I- 5228 (fax)	E-log #:
State Law requires that this repor	 	ans holder responsible for t	
Department at the above address	a be preparea by the net within 30 days of comp	letion of drilling of the well	or borehole.
Information on Well ()wner	Well or Bo	rehole Location
(Landowner if borehole is not fo	for a water well)		" Longitude: 90 ° 24 , 09"
Owner Name Lineba \$7		Method of Lat/Long (circle or	1
Mailing Address: 3011 Van V	orman Cura		
Mc Comb W			GPS, Survey-grade GPS
the come	39648 NW 185 1/ Sec /		Twn 3h Rng 8E
City Sta	te Zip Code	Distance Direction	Nearest Town
161 2505	430		of Me Comb
Telephone No. (2 3 3 3			
	Well / Bore		
Date drilling started: 6-28-16 ate dr	illing completed: 6-28-	Hole depth: 150	Hole diameter: 7
Location of the source of any surface water used for drilling: Method of dosing and volume of Chlorine used in drilling and development:			
Logs run (circle all applicable): No log run Electric Gamma Ray Density Sonic Neutron Other: Name of organization running log(s):			Other:
Purpose of borehole (check one): Water W	ellGeotechnical/Geol	ogical Investigation Ground	Source Heat Pump
Seismic	Survey Other (describe)	oak
1		n, skip the remainder of this bl	į į
Purpose of Well (check one): Home	ndustrial Public Supply	Irrigation Fish Culture	Other:
If a flowing well, method of flow regulation: Valve Other (describe)			
Static Water Level: Seet above or below (circle one) land surface Date measured: 6- 28-10			
Method of Measurement (circle one) steel tape electric tape air line other:			
Well depth: 150 Well grouted to a depth of 10 feet Type of grout (circle one): Neat Cement Bentonite Mix			
Casing length: 130 feet Casing diameter: 4 inches Type of casing: PVC			
Screen length: 20 feet Screen diameter: 4 inches Type of screen: PVC			
Screen slot size: .008 inches Setting depth: From 130 feet to 150 feet			
Type of completion (circle all applicable): Gravel packed Underreamed Telescoped Open hole Natural Development			
Other (describe):			
Top of lap pipe or reduction in casing:feet. If telescoped or more than one screen, describe on next page			
			Form: OLWR-SWR-1A (04/08)

State Well Report



Ground Level			

Description of Formations Encountered	From	To
Ton Sail	10	4
Clem	12	<u>₹0</u>
Sand	1 30	40
gravel	1/00	17.4
	4	
	++	
		
	-	
		-
	-	-
	-	
		\Box
	1	
	_	
	1	

If more than one screen, show location of each on sketch

If more man one screen, show location of	that may	
Sketch the property layout and include the following: 1) the well location; 2) any permanent structures on the property that may aid in locating the well; 3) any roads, power lines, or other items that may aid in locating the property and the well;		
4) indicate direction.	MUL	
	<u> </u>	
,		
	<u>\$</u>	
	\$	
McComb	SP " W 98	
	Nyto	
Landowner Name: Limba S charact		
Landowicz Raine.		

Signature of Water Well Contractor

HECEIVED
JUL 12 Zoo
BY-COMB

STATE WELL REPORT Part 2

County:

Permit #:

Driller JAMES WELLS

Pump Installer's Completion Report Mississippi Department of Environmental Quality Office of Land and Water Resources P.O. Box 10631 Jackson, MS 39289-0631 (601)961-5210 (601)354-6938 (fax)

For Office Use Only:	
Aquifer:	
Well #: E286	_
Elevation:	-

This report should be prepared by the pump installer in detail and filed with the Department within 30 days of the

installation of pump.	Well Location	
Well Owner Information		
Owner Name: Linda Denald Schurust	Latitude: Longitude:	
Mailing Address: 3011 Van norman Lewe	Method of Lat/Long (circle one): Conventional Survey,	
MC Comb MS 39648	USGS quad, Hand-held GPS, Survey-grade GPS	
	1414 Sec	
City State Zip Code	Distance Direction Nearest Town	
Telephone No. () 250 5-430	2 Miles = HJbf M Comb	
	Power Type	
Pomp Type Circle one	Circle one	
Air Lift Jet Submersible	Diesel Engine Gasoline Engine Natural Gas	
Bucket Piston Turbine	Electric Motor Hand Tractor PTO	
	Windmill Other (specify):	
Continuogai	Horse Power Rating of Motor:	
Other (specify): Date Pump Installed: 6-28-10	Setting Depth: 120 feet	
Date Pump Installed:	Number of Stages: 14	
Rated Pump Capacity:	Number of Stages.	
Pump Test Data	Method of Measuring Water Level	
Date Well Tested: 4-28-16	Circle one	
1	Air Line Electric Measuring Line Steel Tape	
Static Water Level (A):	Other (specify):	
Pumping Water Level (B): 170 Feet Below Land Surface		
Drawdown [(B) - (A)]: Feet Below Land Surface	For flowing well, measured shut in head:feet	
Test Pumping Rate: / S Gallons Per Minute	Well yielded	
Duration of Pump Test (minimum 4 hours): hours	hours of pumping	

I HEREBY CERTIFY that the above statements are true to the best of my knowledge. JAMES WELLS Signature of Pump Installer Print Name of Pump Installer and License No. (if applicable)