State W	ell Report	
	Oriller's Log	For Office Use Only:
Mississippi Departmen	t of Environmental Quality	Aquifer:
Permit #: Office of Land a	and Water Resources Box 10631	Well #: <b>F-</b> 115
	4S 39289-0631	L. S. Elevation:
7 7 2/	961-5210	
(601)35	4-6938 (fax)	E-log #:
State Law requires that this report be prepared by the lic Department at the above address within 30 days of comp	oletion of drilling of the well	or borehole.
Information on Well Owner	Well or Bo	rehole Location
(Landowner if borehole is not for a water well)	Latitude:°'	_" Longitude:""
Owner Name Lova Ban Field		
Mailing Address: Smith Holmes Rd	Method of Lat/Long (circle or	ne): Conventional Survey,
Walling Address.	USGS quad, Hand-held	GPS, Survey-grade GPS
-1.	1/4 1/4 Sec //	
Tylestoun MS/ City State Zip Code		
City State Zip Code	Distance Direction  10 Miles 5454	Nearest Town
Telephone No. ()	Miles Trist	of // (Comb)
•		
Well / Bore		2.77
Date drilling started: 2506 Date drilling completed: 2-20	Hole depth: 180	Hole diameter:
Location of the source of any surface water used for drilling:		
Logs run (circle all applicable): No log run Electric Gamma Ray Name of organization running log(s):	Density Sonic Neutron	Other:
Purpose of borehole (check one): Water WellGeotechnical/Geol	ogical Investigation Ground	Source Heat Pump
Seismic Survey Other (describe	)	
If drilling is not related to water well construction		
Purpose of Well (check one): Home Public Supply		
If a flowing well, method of flow regulation: Valve C		
Static Water Level: 45 feet above or below (circle one)	land surface Date measured:	2-7-06
Method of Measurement (circle one) teel tape electric tape	air line other:	
Well depth: Well grouted to a depth of feet Type	e of grout (circle one): Neat Cem	nent Bentonite Mix
Casing length: 170 feet Casing diameter: 4"		
Screen length: 10 feet Screen diameter: 40		
Screen slot size: , Old inches Setting depth: From _	170 feet to 180	feet
Type of completion (circle all applicable): Type of completion (circle all applicable): Type of completion (circle all applicable):	rreamed Telescoped Open	hole Natural Development
Other (describe):		

Top of lap pipe or reduction in casing:

Form: OLWR-SWR-1A

FEB 2 2 2006

BY: OLWR

To (depth)

FEB 2 2 2006

BY: OLWR

From (depth)

30

**Ground Level** 

<u>Description of formations encountered must be provided for all</u> wells and boreholes, unless specifically exempted by regulations

Description of Formations Encountered

			Course Sand	100	(80
	1 4 3				
If more than one screen			; 2) any permanent structures on		
,	l	pell - L	terms that may aid in locating the		
		Sm. Ja Kilms Re			
downer Name: LOVA	3rum Field	Smith Washe		Eoros Ol M	
downer Name: LUTA 1	Brum Field	ucted, and completed		Form: OLW	R-SWR-1A
downer Name: LOVA 1	Brum Field	ucted, and completed and the Mississippi I	in accordance with all applica	Form: OLW	R-SWR-1A

The sketch below only required for water wells

If well telescopes, show depths on sketch.

Ground Level

## STATE WELL REPORT

## Part 2

County: Pike-

Pump Installer's Completion Report
Mississippi Department of Environmental Quality
Office of Land and Water Resources

For Office Use Only:
Aquifer:
Well #: F- 1/5
Elevation:

Date completed: 2-7-0 6.   Jackson, (60   Copy information from block on Part 1   (601):	Well #: F-1/5  Elevation:  Contractor or a licensed pump installer. A copy of Part I of the stat the above address within 30 days of well completion.  Well Location  Latitude: Longitude:	
Tylestown ms City State Zip Code  Telephone No. ()	Method of Lat/Long (check one): Conventional Survey,  USGS quad, Hand-held GPS, Survey-grade GPS	
Pump Type Circle one  Air Lift Jet Submersible  Bucket Piston Turbine  Centrifugal Rotary Flowing Well  Other (specify):  Date Pump Installed: 2-7-06.  Rated Pump Capacity: 12 Gallons Per Minute	Power Type Circle one  Diesel Engine Gasoline Engine Natural Gas  Flectric Motor Hand Tractor PTO  Windmill Other (specify):  Horse Power Rating of Motor: 1/2  Setting Depth: 120 feet  Number of Stages: 9	
Pump Test Data  Date Well Tested:Feet Below Land Surface  Static Water Level (A):Feet Below Land Surface  Pumping Water Level (B):Feet Below Land Surface  Drawdown [(B) - (A)]:Feet Below Land Surface  Test Pumping Rate:Gallons Per Minute  Duration of Pump Test (minimum 4 hours):hours	Method of Measuring Water Level Circle one  Air Line Electric Measuring Line teel Tape  Other (specify):  For flowing well, measured shut in head:  GPM with a drawdown of  feet afterhours of pumping	
I HEREBY CERTIFY that the above statements are true to the best  BIAL FAGERAL  Print Name of Pump Installer and License No. (if applicable)	of my knowledge.  Bud Styewoff  Signature of Pump Installer  Form: OLWR-SWR-1E	

**RECEIVED** 

FEB 2 2 2006

BY: OLWR